


Unitized Wheels Selection Guides

Scotch-Brite™ Unitized Wheel performance differences can be attributed to mineral (aggressiveness) and density (hardness). The combination of these two characteristics and subtle variations determine if the wheel will cut more aggressively or will be more durable and less conformable (See below).



Legend					
	CP	Cut and Polish Unitized Wheel		EXL	EXL Unitized Wheel
	CS	Clean and Strip Unitized Wheel		MF	Metal Finishing Unitized Wheel

* No mineral: Use with abrasive compound.

	Scotch-Brite™ Unitized Wheel	Application				
		Cleaning	Deburring	Blending	Finishing	Polishing
Best	EXL Deburring		●	●		●
	Cut and Polish		●	●		●
	Metal Finishing			●	●	
	Clean and Strip	●				

Density Number (prefix to mineral)

soft ←————→ hard

2	4	6	7	8	9	10	11
---	---	---	---	---	---	----	----

Mineral Abbreviations (prefix to grade)

A—Aluminum Oxide mineral
S—Silicon Carbide mineral

See pages 72–77 for available accessories.

Scotch-Brite™ Unitized Wheels

Scotch-Brite™ EXL Unitized Deburring Wheels

- Strong and efficient for deburring and polishing of all metal alloys
- Excellent in resisting smearing and minimizing heat buildup on the work piece
- Conformable wheel in a variety of densities and grades for maximum cut and durability



51730

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-15516-6	8A CRS	35,100	1" x 1/8" x 1/8"	100
048011-15517-3	6A MED		1" x 1/4" x 1/8"	
048011-13734-6	2S FIN		1" x 1" x 3/16"	
048011-13752-0	8A CRS	30,100	1" x 1" x 3/16"	50
048011-15527-2	2A MED			
048011-14063-6	6A MED			
048011-13753-7	8A MED			
048011-13713-1	2S FIN			
048011-15514-2	8A CRS	22,100	1-1/2" x 1/8" x 3/16"	80
048011-15515-9	6A MED		1-1/2" x 1/4" x 1/8"	
048011-13714-8	2S FIN		1-1/2" x 1/4" x 3/16"	
048011-14746-8				
048011-15511-1	8A CRS	16,100	2" x 1/8" x 3/16"	60
048011-15512-8	6A MED		2" x 1/4" x 1/8"	
048011-13736-0	2S FIN	22,100	2" x 1/4" x 3/16"	30
048011-15513-5	2S FIN		2" x 1/4" x 1/4"	
048011-13755-1	8A CRS	16,100	2" x 1/2" x 1/4"	40
048011-15529-6	2A MED			
048011-13932-6	2S FIN	18,100	3" x 1/8" x 1/4"	40
048011-13715-5	2S FIN			
048011-15462-6	8A MED	12,100	3" x 1/4" x 1/4"	40
048011-13763-6	8A CRS			
048011-15531-9	2A MED	18,100	3" x 1/4" x 1/4"	40
048011-14067-4	6A MED			
048011-13764-3	8A MED	12,100	3" x 1/4" x 1/4"	40
048011-13716-2	2S FIN			

Scotch-Brite™ EXL Unitized Deburring Wheels (cont.)


UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-13766-7	8A CRS	18,100	3" x 1/4" x 3/8"	40
048011-16054-2	2A MED	12,100		
048011-15118-2	6A MED	18,100		
048011-14753-6	8A MED	12,100		
048011-14750-5	2S FIN	18,100		
048011-14751-2	4A FIN	15,100		
048011-14752-9	6S FIN	10,000	3" x 1/2" x 1/4"	20
048011-13767-4	8A CRS		3" x 3/4" x 1/4"	10
048011-15532-6	2A MED	8,500	4" x 1/4" x 1/4"	20
048011-13717-9	2S FIN		6" x 1/4" x 1/2"	8
048011-13718-6	2S FIN	5,000	6" x 1/4" x 3/4"	
048011-13739-1				
048011-17498-3	2A MED	4,500	6" x 1/2" x 1/2"	4
048011-13741-4	2S FIN		6" x 1/2" x 5/8"	
048011-25678-8	2A MED	5,000	6" x 1/2" x 1"	4
048011-15534-0	2A MED		6" x 1" x 1/2"	
048011-13719-3	2S FIN	4,500	6" x 1" x 1"	2
048011-15831-0				
048011-16545-5	2A MED	5,000	8 x 1/4 x 1/2	8
048011-14379-8	2S FIN		8" x 1/2" x 1/2"	4
048011-13742-1	2S FIN	4,000	8" x 1/2" x 3/4"	
048011-16544-8				
048011-13743-8	2S FIN	2,600	12" x 1/2" x 1-1/4"	2
048011-15827-3				
048011-15844-0				
048011-15824-2				
048011-15817-4				

ATTENTION: Wheels are available in other grades and sizes. If you need a specific wheel not listed, contact your 3M Sales Specialist or 3M Authorized Distributor.

See pages 72–77 for available accessories.

Unitized Wheels Selection Guides

Scotch-Brite™ Unitized Wheel performance differences can be attributed to mineral (aggressiveness) and density (hardness). The combination of these two characteristics and subtle variations determine if the wheel will cut more aggressively or will be more durable and less conformable (See below).



Legend	
	CP Cut and Polish Unitized Wheel
	EXL EXL Unitized Wheel
	CS Clean and Strip Unitized Wheel
	MF Metal Finishing Unitized Wheel

* No mineral: Use with abrasive compound.

Scotch-Brite™ Unitized Wheel	Application				
	Cleaning	Deburring	Blending	Finishing	Polishing
Best EXL Deburring		●	●		●
Cut and Polish		●	●		●
Metal Finishing			●	●	
Clean and Strip	●				

Density Number (prefix to mineral)

soft ←————→ hard

2	4	6	7	8	9	10	11
---	---	---	---	---	---	----	----

Mineral Abbreviations (prefix to grade)

A—Aluminum Oxide mineral
S—Silicon Carbide mineral

See pages 72–77 for available accessories.

Scotch-Brite™ Unitized Wheels

Scotch-Brite™ EXL Unitized Deburring Wheels

- Strong and efficient for deburring and polishing of all metal alloys
- Excellent in resisting smearing and minimizing heat buildup on the work piece
- Conformable wheel in a variety of densities and grades for maximum cut and durability



51730

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case	
048011-15516-6	8A CRS	35,100	1" x 1/8" x 1/8"	100	
048011-15517-3	6A MED		1" x 1/4" x 1/8"		
048011-13734-6	2S FIN		1" x 1" x 3/16"		50
048011-13752-0	8A CRS	1" x 1" x 3/16"			
048011-15527-2	2A MED	1" x 1" x 3/16"			
048011-14063-6	6A MED	1" x 1" x 3/16"			
048011-13753-7	8A MED	1" x 1" x 3/16"			
048011-13713-1	2S FIN	1" x 1" x 3/16"			
048011-15514-2	8A CRS	30,100	1-1/2" x 1/8" x 3/16"	80	
048011-15515-9	6A MED		1-1/2" x 1/4" x 1/8"		
048011-13714-8	2S FIN		1-1/2" x 1/4" x 3/16"		
048011-14746-8	2S FIN	1-1/2" x 1/4" x 3/16"	1-1/2" x 1/4" x 3/16"	80	
048011-15511-1	8A CRS	22,100	2" x 1/8" x 3/16"	60	
048011-15512-8	6A MED		2" x 1/8" x 3/16"		
048011-13736-0	2S FIN	16,100	2" x 1/4" x 1/8"		
048011-15513-5	2S FIN		2" x 1/4" x 3/16"		
048011-13755-1	8A CRS	22,100	2" x 1/4" x 1/4"		30
048011-15529-6	2A MED	16,100	2" x 1/4" x 1/4"		
048011-13932-6	2S FIN		2" x 1/2" x 1/4"		
048011-13715-5	2S FIN	16,100	2" x 1/2" x 1/4"	30	
048011-15462-6	8A MED	18,100	3" x 1/8" x 1/4"	40	
048011-13763-6	8A CRS		3" x 1/8" x 1/4"		
048011-15531-9	2A MED	12,100	3" x 1/4" x 1/4"		
048011-14067-4	6A MED	18,100	3" x 1/4" x 1/4"		
048011-13764-3	8A MED		3" x 1/4" x 1/4"		
048011-13716-2	2S FIN	12,100	3" x 1/4" x 1/4"		40

Scotch-Brite™ EXL Unitized Deburring Wheels (cont.)

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-13766-7	8A CRS	18,100	3" x 1/4" x 3/8"	40
048011-16054-2	2A MED	12,100		
048011-15118-2	6A MED	18,100		
048011-14753-6	8A MED			
048011-14750-5	2S FIN	12,100		
048011-14751-2	4A FIN	18,100		
048011-14752-9	6S FIN			
048011-13767-4	8A CRS	15,100	3" x 1/2" x 1/4"	20
048011-15532-6	2A MED	10,000		
048011-13717-9	2S FIN	8,500	3" x 3/4" x 1/4"	10
048011-13718-6	2S FIN		4" x 1/4" x 1/4"	20
048011-13739-1	2S FIN	8,500	4" x 1/4" x 1/4"	20
048011-17498-3	2A MED	4,500	6" x 1/4" x 1/2"	8
048011-13741-4	2S FIN	5,000		
048011-25678-8	2S FIN	5,000	6" x 1/4" x 3/4"	8
048011-15534-0	2A MED	4,500	6" x 1/2" x 1/2"	4
048011-13719-3	2S FIN	5,000		
048011-15831-0	2S FIN	5,000	6" x 1/2" x 5/8"	
048011-16545-5	2A MED	4,500	6" x 1/2" x 1"	
048011-14379-8	2S FIN	5,000	6" x 1" x 1/2"	2
048011-13742-1	2S FIN			
048011-16544-8	2A MED	4,500	6" x 1" x 1"	2
048011-13743-8	2S FIN	5,000		
048011-15827-3	2S FIN	4,000	8 x 1/4 x 1/2	8
048011-15844-0			8" x 1/2" x 1/2"	4
048011-15824-2			8" x 1/2" x 3/4"	
048011-15817-4	2S FIN	2,600	12" x 1/2" x 1-1/4"	2

ATTENTION: Wheels are available in other grades and sizes. If you need a specific wheel not listed, contact your 3M Sales Specialist or 3M Authorized Distributor.

See pages 72–77 for available accessories.

Scotch-Brite™ Unitized Wheels

Scotch-Brite™ EXL Unitized Deburring Wheels

- Strong and efficient for deburring and polishing of all metal alloys
- Excellent in resisting smearing and minimizing heat buildup on the work piece
- Conformable wheel in a variety of densities and grades for maximum cut and durability



51730

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-15516-6	8A CRS	35,100	1" x 1/8" x 1/8"	100
048011-15517-3	6A MED		1" x 1/4" x 1/8"	
048011-13734-6	2S FIN			
048011-13752-0	8A CRS	30,100	1" x 1" x 3/16"	50
048011-15527-2	2A MED			
048011-14063-6	6A MED			
048011-13753-7	8A MED			
048011-13713-1	2S FIN			
048011-15514-2	8A CRS	30,100	1-1/2" x 1/8" x 3/16"	80
048011-15515-9	6A MED		1-1/2" x 1/4" x 1/8"	
048011-13714-8	2S FIN		1-1/2" x 1/4" x 3/16"	
048011-14746-8				
048011-15511-1	8A CRS	22,100	2" x 1/8" x 3/16"	60
048011-15512-8	6A MED			
048011-13736-0	2S FIN	16,100	2" x 1/4" x 1/8"	30
048011-15513-5	2S FIN		2" x 1/4" x 3/16"	
048011-13755-1	8A CRS	16,100	2" x 1/4" x 1/4"	40
048011-15529-6	2A MED			
048011-13932-6	2S FIN			
048011-13715-5	2S FIN	18,100	2" x 1/2" x 1/4"	40
048011-15462-6	8A MED		3" x 1/8" x 1/4"	
048011-13763-6	8A CRS	12,100	3" x 1/4" x 1/4"	40
048011-15531-9	2A MED			
048011-14067-4	6A MED	18,100	3" x 1/4" x 1/4"	40
048011-13764-3	8A MED			
048011-13716-2	2S FIN	12,100		

Scotch-Brite™ EXL Unitized Deburring Wheels (cont.)

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-13766-7	8A CRS	18,100	3" x 1/4" x 3/8"	40
048011-16054-2	2A MED	12,100		
048011-15118-2	6A MED	18,100		
048011-14753-6	8A MED	12,100		
048011-14750-5	2S FIN	18,100		
048011-14751-2	4A FIN	18,100		
048011-14752-9	6S FIN	15,100	3" x 1/2" x 1/4"	20
048011-13767-4	8A CRS	10,000		
048011-15532-6	2A MED	8,500	3" x 3/4" x 1/4"	10
048011-13717-9	2S FIN		4" x 1/4" x 1/4"	20
048011-13718-6	2S FIN	4,500	6" x 1/4" x 1/2"	8
048011-13739-1	2S FIN			
048011-17498-3	2A MED	5,000	6" x 1/2" x 1/2"	4
048011-13741-4	2S FIN			
048011-25678-8	2S FIN	5,000	6" x 1/2" x 1"	4
048011-15534-0	2A MED			
048011-13719-3	2S FIN	4,500	6" x 1" x 1"	2
048011-15831-0	2S FIN			
048011-16545-5	2A MED	5,000	8" x 1/2" x 1/2"	4
048011-14379-8	2S FIN			
048011-13742-1	2A MED	4,000	12" x 1/2" x 1-1/4"	2
048011-16544-8	2A MED			
048011-13743-8	2S FIN	2,600		
048011-15827-3	2S FIN			
048011-15844-0	2S FIN	2,600		
048011-15824-2	2S FIN			
048011-15817-4	2S FIN	2,600		

ATTENTION: Wheels are available in other grades and sizes. If you need a specific wheel not listed, contact your 3M Sales Specialist or 3M Authorized Distributor.

See pages 72–77 for available accessories.

Scotch-Brite™ Unitized Wheels

Scotch-Brite™ EXL Unitized Deburring Wheels

- Strong and efficient for deburring and polishing of all metal alloys
- Excellent in resisting smearing and minimizing heat buildup on the work piece
- Conformable wheel in a variety of densities and grades for maximum cut and durability



51730

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-15516-6	8A CRS	35,100	1" x 1/8" x 1/8"	100
048011-15517-3	6A MED		1" x 1/4" x 1/8"	
048011-13734-6	2S FIN		1" x 1" x 3/16"	
048011-13752-0	8A CRS	30,100	1" x 1" x 3/16"	50
048011-15527-2	2A MED			
048011-14063-6	6A MED			
048011-13753-7	8A MED			
048011-13713-1	2S FIN			
048011-15514-2	8A CRS	30,100	1-1/2" x 1/8" x 3/16"	80
048011-15515-9	6A MED		1-1/2" x 1/4" x 1/8"	
048011-13714-8	2S FIN		1-1/2" x 1/4" x 3/16"	
048011-14746-8				
048011-15511-1	8A CRS	22,100	2" x 1/8" x 3/16"	60
048011-15512-8	6A MED			
048011-13736-0	2S FIN	16,100	2" x 1/4" x 1/8"	30
048011-15513-5	2S FIN		2" x 1/4" x 3/16"	
048011-13755-1	8A CRS	16,100	2" x 1/4" x 1/4"	40
048011-15529-6	2A MED			
048011-13932-6	2S FIN			
048011-13715-5	2S FIN	18,100	2" x 1/2" x 1/4"	40
048011-15462-6	8A MED		3" x 1/8" x 1/4"	
048011-13763-6	8A CRS	12,100	3" x 1/4" x 1/4"	40
048011-15531-9	2A MED			
048011-14067-4	6A MED	18,100	3" x 1/4" x 1/4"	40
048011-13764-3	8A MED			
048011-13716-2	2S FIN	12,100		

Scotch-Brite™ EXL Unitized Deburring Wheels (cont.)

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-13766-7	8A CRS	18,100	3" x 1/4" x 3/8"	40
048011-16054-2	2A MED	12,100		
048011-15118-2	6A MED	18,100		
048011-14753-6	8A MED			
048011-14750-5	2S FIN	12,100		
048011-14751-2	4A FIN	18,100		
048011-14752-9	6S FIN			
048011-13767-4	8A CRS	15,100	3" x 1/2" x 1/4"	20
048011-15532-6	2A MED	10,000		
048011-13717-9	2S FIN		8,500	3" x 3/4" x 1/4"
048011-13718-6	2S FIN	4,500		4" x 1/4" x 1/4"
048011-13739-1	2S FIN		5,000	6" x 1/4" x 1/2"
048011-17498-3	2A MED	5,000		6" x 1/4" x 3/4"
048011-13741-4	2S FIN		4,500	6" x 1/2" x 1/2"
048011-25678-8	2S FIN	5,000		6" x 1/2" x 5/8"
048011-15534-0	2A MED		5,000	6" x 1/2" x 1"
048011-13719-3	2S FIN	5,000		6" x 1" x 1/2"
048011-15831-0	2S FIN		4,500	6" x 1" x 1"
048011-16545-5	2A MED	5,000		8" x 1/4" x 1/2"
048011-14379-8	2S FIN		4,000	8" x 1/2" x 1/2"
048011-13742-1	2S FIN	2,600		8" x 1/2" x 3/4"
048011-16544-8	2A MED		5,000	12" x 1/2" x 1-1/4"
048011-13743-8	2S FIN			
048011-15827-3	2S FIN	4,000	8" x 1/4" x 1/2"	8
048011-15844-0	2S FIN		8" x 1/2" x 1/2"	
048011-15824-2	2S FIN	2,600	8" x 1/2" x 3/4"	4
048011-15817-4	2S FIN			

ATTENTION: Wheels are available in other grades and sizes. If you need a specific wheel not listed, contact your 3M Sales Specialist or 3M Authorized Distributor.

See pages 72–77 for available accessories.

Scotch-Brite™ Unitized Wheels (cont.)


Scotch-Brite™ Metal Finishing Wheel



- Highly conformable wheel applies uniform and consistent satin/antique finishes
- Ideal for stainless steel to match #3 or #4 mill finishes and create brushed or satin finishes on cutlery
- Great on softer metals such as aluminum, copper and brass to blend out minor surface imperfections and handling marks

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-29257-1	5A MED	6,000	6" x 1/2" x 1"	4
048011-29259-5			6" x 1" x 1"	2

Scotch-Brite™ Roloc™ EXL Unitized Wheels



- Strong, efficient products for edge deburring and finishing
- Used with 3M™ Roloc™ or 3M™ Roloc™+ holder pads on a straight shaft or right-angle tool

UPC	Grade	Max. RPM	Size	Qty./Case
Roloc TR (Plastic Button)				
048011-17185-2	2A MED	22,100	2"	60
048011-17183-8	2S FIN			
048011-17190-6	6A MED			
048011-17192-0	8A MED	15,100	3"	40
048011-17186-9	2A MED			
048011-17184-5	2S FIN			
048011-17191-3	6A MED			
048011-17193-7	8A MED			

Scotch-Brite™ Clean and Strip Unitized Wheel



- Great for heavy duty cleaning applications
- Open web construction wheel runs smooth and resists loading of soft coatings
- Extra coarseness of web is perfect for removing scale, rust, surface contaminants and paints

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-01003-8	7S XCS	35,100	1" x 1" x 3/16"	50
048011-01005-2		20,100	2" x 1/2" x 1/4"	30
048011-01009-0		14,100	3" x 1/2" x 1/4"	20
048011-01012-0				10
048011-01021-2		10,000	4" x 1" x 1/4"	5
048011-01032-8		7,000	6" x 1" x 5/8"	2
048011-01034-2				

Scotch-Brite™ Cut and Polish Unitized Wheel



- Tightly layered "unitized" construction offers long life and durability
- Excellent for aggressive heavy duty blending and finishing with uniform results
- Good replacement for rubber bonded wheels and small set-up wheels

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-03701-1	7A CRS	35,100	1" x 1" x 3/16"	50
048011-03700-4	7A MED			
048011-01560-6	5A FIN			
048011-08939-3	7A MED	22,100	2" x 1/8" x 1/8"	60
048011-03714-1	7A MED		2" x 1/8" x 1/4"	
048011-03716-5	7A CRS		2" x 1/4" x 1/4"	
048011-03715-8	7A MED	20,100	2" x 1/2" x 1/4"	30
048011-01561-3	5A FIN			
048011-03718-9	7A MED			
048011-03727-1	7A MED	18,100	3" x 1/8" x 1/4"	40
048011-03729-5	7A CRS		3" x 1/4" x 1/4"	
048011-03728-8	7A MED			
048011-01563-7	5A FIN	15,100	3" x 1/4" x 3/8"	20
048011-15121-2	5A FIN		3" x 1/2" x 1/4"	
048011-03705-9	7A MED			
048011-01565-1	5A FIN	12,100	3" x 1/2" x 3/8"	10
048011-03732-5	7A MED			
048011-08878-5	5A FIN			
048011-03738-7	7A MED	7,500	3" x 3/4" x 3/8"	10
048011-03740-0	7A MED		3" x 1" x 1/4"	
048011-01578-1	5A FIN	12,100	4" x 1/4" x 1/4"	20
048011-01581-1	5A FIN	7,500	6" x 1/4" x 1/2"	8

See pages 72–77 for available accessories.

Scotch-Brite™ Unitized Wheels (cont.)


Scotch-Brite™ Metal Finishing Wheel



- Highly conformable wheel applies uniform and consistent satin/antique finishes
- Ideal for stainless steel to match #3 or #4 mill finishes and create brushed or satin finishes on cutlery
- Great on softer metals such as aluminum, copper and brass to blend out minor surface imperfections and handling marks

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-29257-1	5A MED	6,000	6" x 1/2" x 1"	4
048011-29259-5			6" x 1" x 1"	2

Scotch-Brite™ Roloc™ EXL Unitized Wheels



- Strong, efficient products for edge deburring and finishing
- Used with 3M™ Roloc™ or 3M™ Roloc™+ holder pads on a straight shaft or right-angle tool

UPC	Grade	Max. RPM	Size	Qty./Case
Roloc TR (Plastic Button)				
048011-17185-2	2A MED	22,100	2"	60
048011-17183-8	2S FIN			
048011-17190-6	6A MED			
048011-17192-0	8A MED	15,100	3"	40
048011-17186-9	2A MED			
048011-17184-5	2S FIN			
048011-17191-3	6A MED			
048011-17193-7	8A MED			

Scotch-Brite™ Clean and Strip Unitized Wheel



- Great for heavy duty cleaning applications
- Open web construction wheel runs smooth and resists loading of soft coatings
- Extra coarseness of web is perfect for removing scale, rust, surface contaminants and paints

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-01003-8	7S XCS	35,100	1" x 1" x 3/16"	50
048011-01005-2		20,100	2" x 1/2" x 1/4"	30
048011-01009-0		14,100	3" x 1/2" x 1/4"	20
048011-01012-0			3" x 1" x 1/4"	10
048011-01021-2		10,000	4" x 1" x 1/4"	5
048011-01032-8		7,000	6" x 1" x 5/8"	2
048011-01034-2			6" x 1" x 1"	

Scotch-Brite™ Cut and Polish Unitized Wheel



- Tightly layered "unitized" construction offers long life and durability
- Excellent for aggressive heavy duty blending and finishing with uniform results
- Good replacement for rubber bonded wheels and small set-up wheels

UPC	Grade	Max. RPM	Dia. x W x AH	Qty./Case
048011-03701-1	7A CRS	35,100	1" x 1" x 3/16"	50
048011-03700-4	7A MED			
048011-01560-6	5A FIN			
048011-08939-3	7A MED	22,100	2" x 1/8" x 1/8"	60
048011-03714-1	7A MED		2" x 1/8" x 1/4"	
048011-03716-5	7A CRS		2" x 1/4" x 1/4"	
048011-03715-8	7A MED			
048011-01561-3	5A FIN	20,100	2" x 1/2" x 1/4"	30
048011-03718-9	7A MED	18,100	3" x 1/8" x 1/4"	40
048011-03727-1	7A MED			
048011-03729-5	7A CRS			
048011-03728-8	7A MED			
048011-01563-7	5A FIN	15,100	3" x 1/4" x 3/8"	20
048011-15121-2	5A FIN			
048011-03705-9	7A MED		3" x 1/2" x 1/4"	
048011-01565-1	5A FIN			
048011-03732-5	7A MED		3" x 1/2" x 3/8"	
048011-08878-5	5A FIN			
048011-03738-7	7A MED		3" x 3/4" x 3/8"	
048011-03740-0	7A MED	3" x 1" x 1/4"		
048011-01578-1	5A FIN	12,100	4" x 1/4" x 1/4"	20
048011-01581-1	5A FIN	7,500	6" x 1/4" x 1/2"	8

See pages 72–77 for available accessories.