

PowerLock Discs

QUICK-CHANGE



Lantuck discs



FlexEdge discs



PowerLock fx discs

Merit supplies the most comprehensive quick-change offering in the industry, with the largest variety of abrasives, backings and locking mechanisms. We are committed to consistently provide the highest quality of products that will “finish” the job and increase your profits.

With our traditional aggressive Lantuck-backed discs, our Flex-Edge discs and our flexible PowerLock 'fx' discs, we carry every variety of quick-change disc to fit your every need.



Traditional Merit PowerLock Discs are the most aggressive quick-change sanding discs available in our industry.

Traditional Merit PowerLock Discs can be used for working mild contours, but are ideal for use on flat surfaces. These discs are available in a variety of abrasives and backings; including ceramic, zirconia, aluminum oxide – cloth and fiber.

PowerLock Discs come in a choice of three safe, easy-to-use fasteners.

No matter which fastener type you choose, all Merit PowerLock Discs feature laminated construction which provide a tough, durable backing — virtually eliminating the snagging and shredding that can occur with pressure-sensitive discs.

Type I

Type I is a snap-on/snap-off system, which enables you to change discs quickly and safely, reducing down time and operating expenses (equivalent to Norton's TP fastener)



Type II

Type II features a turn-on/turn-off style fastener (equivalent to Standard Abrasives' Soc-Att® locking system or Norton's TS fastener)



Type III

Type III features a roll-on/roll-off style fastener (equivalent to 3M™ Roloc fastening system or Norton's TR fastener)






Ultra Ceramic Plus PowerLock Cloth Discs

Industry-leading performance of ceramic abrasive provides unequaled life and value, especially on hard to grind alloys. The grinding aid produces longer life and cooler cut. Heavy Y-weight polyester backing provides excellent durability and grain adhesion.

POWERLOCK CLOTH DISCS – ULTRA CERAMIC PLUS

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III
9/16"	36	08834163000	08834163315	–
100/box	40	08834163003	08834163316	–
1,000/case	50	08834163004	08834163317	–
	60	08834163005	08834163318	–
	80	08834163014	08834163319	–
	100	08834163433	08834163434	–
	120	08834163017	08834163320	–
3/4"	36	08834163020	08834163321	08834163392
100/box	40	08834163021	08834163322	08834163393
1,000/case	50	08834163022	08834163324	08834163394
	60	08834163023	08834162239	08834163395
	80	08834163024	08834163339	08834163396
	100	08834163436	66254410755	08834163438
	120	08834163027	08834163362	08834163397
1"	36	08834163028	08834163374	08834163398
100/box	40	08834163030	08834163375	08834163400
1,000/case	50	08834163031	08834163376	08834163401
	60	08834163042	08834162240	08834163402
	80	08834163043	08834163378	08834163403
	100	08834163439	08834163440	08834163441
	120	08834163112	08834163379	08834163404

BACK-UP PADS SHOWN ON PAGE 15





POWERLOCK CLOTH DISCS – ULTRA CERAMIC PLUS (CONT'D)

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III
1-1/2" 100/box 1,000/case	36	08834163113	08834163421	08834163405
	40	08834163114	08834163380	08834163406
	50	08834163115	08834163252	08834162620
	60	08834163116	08834160463	08834163407
	80	08834163117	08834163273	08834163408
	100	08834163442	08834163443	08834163444
2" 100/box 1,000/case	120	08834168650	08834168653	08834163409
	36	08834163119	08834163118	08834160449
	40	08834163120	08834163229	08834163410
	50	08834163121	08834163259	08834163411
	60	08834163231	08834163551	08834163412
	80	08834163219	08834163381	08834165615
3" 50/box 500/case	100	08834163445	08834163446	08834163447
	120	08834168651	08834163382	08834168657
	36	08834163238	08834163383	08834160458
	40	08834163245	08834163384	08834163413
	50	08834168275	08834163385	08834163414
	60	08834163266	08834163386	08834163415
4" 50/box 200/case	80	08834169701	08834163387	08834168178
	100	08834163448	08834163449	08834163450
	120	08834168652	08834168655	08834168658
	36	08834163280	08834162742	08834163416
	40	08834163287	08834163388	08834163417
	50	08834163294	08834162743	08834163418
	60	08834163301	08834163389	08834162992
	80	08834163308	08834163390	08834163419
	100	08834163451	08834163452	08834163453
	120	08834163314	08834163391	08834163420

Tip

If you are looking for premium performance and lower overall cost, move up to Ultra Ceramic Plus.

BACK-UP PADS SHOWN ON PAGE 15




ZIRC Plus R801 PowerLock Cloth Discs

Ideal product for demanding grinding applications. Grinding aid results in cooler cut on stainless steel, titanium and other exotic alloys. Heavy Y-weight polyester backing provides excellent durability and grain adhesion.

POWERLOCK CLOTH DISCS – ZIRC PLUS R801

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III	
1"	36	08834167009	08834167051	08834167093	
	100/box	40	08834167010	08834167052	08834167094
	1,000/case	50	08834167011	08834167053	08834167095
	60	08834167012	08834167054	08834167096	
	80	08834167013	08834167055	08834167097	
	120	08834167015	08834167057	08834167099	
1-1/2"	36	08834167016	08834167058	08834167100	
	100/box	40	08834167017	08834167059	08834167101
	1,000/case	50	08834167018	08834167060	08834167102
	60	08834167019	08834167061	08834167103	
	80	08834167020	08834167062	08834167104	
	120	08834167022	08834167064	08834167106	
2"	36	08834167023	08834167065	08834167107	
	100/box	40	08834167024	08834167066	08834167108
	1,000/case	50	08834167025	08834165583	08834167109
	60	08834167026	08834167068	08834167110	
	80	08834167027	08834167069	08834167111	
	120	08834167029	08834167071	08834167113	
3"	36	08834167030	08834167072	08834167114	
	50/box	40	08834167031	08834167073	08834167115
	500/case	50	08834167032	08834167074	08834167116
	60	08834167033	08834167075	08834167117	
	80	08834167034	08834167076	08834167118	
	120	08834167036	08834167078	08834167120	
4	36	08834167037	08834167079	08834167121	
	50/box	40	08834167038	08834167080	08834167122
	200/case	50	08834167039	08834167081	08834167123
	60	08834167040	08834167082	08834167124	
	80	08834167041	08834167083	08834167125	
	120	08834167043	08834167085	08834167127	



Tip Ideal product for grinding and deburring stainless steel.

BACK-UP PADS SHOWN ON PAGE 15



ZIRC Plus R203 PowerLock Cloth Discs

Used for rapid stock removal on stainless steel, titanium and other exotic metals. Achieve a superb performance from the zirconia grain and grinding aid combination.

POWERLOCK CLOTH DISCS – ZIRC PLUS R203

DIAMETER	GRIT	TYPE II	TYPE III
1"	36	08834160237	08834160243
	100/box	40	08834160238
	1,000/case	50	08834160239
		60	08834160240
		80	08834160241
		120	08834160242
1-1/2"	36	08834160256	08834160262
	100/box	40	08834160257
	1,000/case	50	08834160258
		60	08834160259
		80	08834160260
		120	08834160261
2"	36	08834160274	08834160280
	100/box	40	08834160275
	1,000/case	50	08834168444
		60	08834167384
		80	08834168387
		120	08834169577
3"	36	08834160292	08834160298
	50/box	40	08834160293
	500/case	50	08834160294
		60	08834160295
		80	08834160296
		120	08834160297
4"	36	08834160311	08834160317
	50/box	40	08834160312
	200/case	50	08834160313
		60	08834160314
		80	08834160315
		120	08834160316



BACK-UP PADS SHOWN ON PAGE 15




ZIRC PowerLock Cloth Discs

Zirconia Alumina is tougher and provides higher performance over Aluminum Oxide in demanding grinding and deburring applications.

POWERLOCK CLOTH DISCS – ZIRC

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III
1"	40	08834166129	08834165327	08834164591
100/box	50	08834166130	08834164590	08834164596
1,000/case	60	08834166131	08834165329	08834164597
	80	08834166132	08834165330	08834164304
1-1/2"	36	08834161366	08834165341	08834166263
100/box	40	08834166162	08834165342	08834164598
1,000/case	50	08834161480	08834165343	08834166971
	60	08834161118	08834165344	08834164599
	80	08834166190	08834165345	08834161688
2"	36	08834166134	08834165356	08834164208
100/box	40	08834166135	08834165357	08834164600
1,000/case	50	08834166136	08834165358	08834161534
	60	08834166137	08834165359	08834161116
	80	08834166138	08834165360	08834166198
3"	36	08834166140	08834165371	08834166264
50/box	40	08834166141	08834165372	08834164862
500/case	50	08834166142	08834165373	08834161535
	60	08834166143	08834165374	08834166259
	80	08834166144	08834165375	08834166269

BACK-UP PADS SHOWN ON PAGE 15





ALO Resin Bond PowerLock Cloth Discs

Aluminum Oxide PowerLock Cloth Discs are best used for general purpose deburring and blending on ferrous and nonferrous metals where greater edge durability is required.


POWERLOCK CLOTH DISCS – ALO RESIN BOND

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III	
3/4"	24	08834161001	08834165100	08834164312	
	100/box	36	08834161002	08834165101	08834164319
		40	08834161003	08834165102	08834164321
	1,000/case	50	08834161004	08834165103	08834164322
		60	08834161005	08834165104	08834164813
		80	08834161006	08834165105	08834164323
		100	08834161007	08834165106	08834164814
		120	08834161008	08834165107	08834164324
		150	08834161009	08834165108	08834164815
		180	08834161010	08834165109	08834164325
		240	08834161011	08834165111	08834164326
	320	08834161012	08834165113	08834164327	
1"	24	08834161014	08834165115	08834164328	
	100/box	36	08834161015	08834165116	08834166031
		40	08834161016	08834165117	08834161251
	1,000/case	50	08834161017	08834165118	08834164924
		60	08834161018	08834165119	08834161105
		80	08834161019	08834165120	08834166185
		100	08834161020	08834165121	08834161364
		120	08834161021	08834165122	08834161106
		150	08834161022	08834165123	08834164330
		180	08834161023	08834165124	08834166252
		240	08834161025	08834165126	08834166874
		320	08834161026	08834165128	08834164097
1-1/2"		24	08834161027	08834165130	08834164969
	100/box	36	08834161028	08834165131	08834164048
		40	08834161029	08834165132	08834164804
	1,000/case	50	08834161030	08834165133	08834164092
		60	08834161031	08834165134	08834164902
		80	08834161032	08834165135	08834161400
		100	08834161033	08834165136	08834161288
		120	08834161034	08834165137	08834164905
		150	08834161035	08834165138	08834164810
		180	08834161036	08834165139	08834166251
		240	08834161037	08834165141	08834161602
		320	08834161038	08834165143	08834164331

BACK-UP PADS SHOWN ON PAGE 15




Tip Our most versatile PowerLock Discs. Traditional Lantuk Aluminum Oxide discs are a good starting specification for general purpose grinding.



POWERLOCK CLOTH DISCS – ALO RESIN BOND (CONTINUED)

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III	
2"	24	08834161041	08834165145	08834164912	
	100/box	36	08834161042	08834165146	08834164913
	1,000/case	40	08834161043	08834165147	08834166353
		50	08834161044	08834165148	08834164914
		60	08834161045	08834165149	08834161155
		80	08834161046	08834165150	08834164941
		100	08834161047	08834165151	08834164917
		120	08834161048	08834165152	08834161169
		150	08834161049	08834165153	08834164786
		180	08834161050	08834165154	08834164916
		240	08834161051	08834165156	08834164919
320	08834161052	08834165158	08834166875		
3"	24	08834161055	08834165160	08834161214	
	50/box	36	08834161056	08834165161	08834164938
	500/case	40	08834161057	08834165162	08834164939
		50	08834161058	08834165163	08834164940
		60	08834161059	08834165164	08834166183
		80	08834161060	08834165165	08834166191
		100	08834161061	08834165166	08834166189
		120	08834161062	08834165167	08834166184
		150	08834161063	08834165168	08834164340
		180	08834161064	08834165169	08834166187
		240	08834161065	08834165171	08834166225
320	08834161066	08834165173	08834163205		
4"	36	08834161070	08834165176	08834166265	
	50/box	40	08834161071	08834165177	08834164860
	200/case	50	08834161072	08834165178	08834164788
		60	08834161073	08834165179	08834164601
		80	08834161074	08834165180	08834166472
		100	08834161075	08834165181	08834164342
		120	08834161076	08834165182	08834166473
180	08834161078	08834165184	08834164843		



Test Kit "D"

Includes 150 discs, assorted grits in 1", 2" and 3" diameters and 3" holders. Several Zirconia Alumina and FlexEdge Discs are included.

Part # 08834165001

BACK-UP PADS SHOWN ON PAGE 15



ALO Plus PowerLock Cloth Discs

ALO Plus PowerLock discs feature a grinding aid. They run cooler and more efficiently for grinding exotic alloys.

POWERLOCK CLOTH DISCS – ALO PLUS

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III	
3/4"	36	08834164345	08834167462	08834164467	
	100/box	08834164346	08834167463	08834164468	
	1,000/case	50	08834164347	08834167464	08834164469
	60	08834164349	08834167465	08834164470	
	80	08834164350	08834167466	08834164471	
	120	08834164361	08834167468	08834164473	
1"	36	08834164363	08834167477	08834164475	
	100/box	08834164364	08834167478	08834164476	
	1,000/case	50	08834164365	08834167479	08834164477
	60	08834164366	08834167480	08834164478	
	80	08834164368	08834167481	08834164479	
	120	08834164370	08834167483	08834164481	
1-1/2"	36	08834164392	08834166881	08834164483	
	100/box	08834164393	08834166882	08834164484	
	1,000/case	50	08834164394	08834166883	08834164485
	60	08834164395	08834166884	08834164486	
	80	08834164396	08834166885	08834164487	
	120	08834164398	08834166887	08834164489	
2"	36	08834164400	08834166896	08834164491	
	100/box	08834164401	08834166897	08834164492	
	1,000/case	50	08834164402	08834166898	08834164493
	60	08834164403	08834166899	08834164494	
	80	08834164404	08834166900	08834164495	
	120	08834164428	08834166902	08834164496	
3"	36	08834164430	08834166911	08834164498	
	50/box	08834164431	08834166912	08834164499	
	500/case	50	08834164432	08834166913	08834164500
	60	08834164433	08834166914	08834164501	
	80	08834164434	08834166915	08834164502	
	120	08834164436	08834166917	08834164509	
4"	36	08834164459	08834163959	08834164511	
	50/box	08834164460	08834163960	08834164525	
	200/case	50	08834164461	08834163961	08834164526
	60	08834164462	08834163962	08834164527	
	80	08834164463	08834163963	08834164536	
	120	08834164465	08834163965	08834164542	

BACK-UP PADS SHOWN ON PAGE 15

Tip ALO Plus PowerLock Discs grind cooler than standard ALO on hard-to-grind materials.



Silicon Carbide Cloth Discs

Sharp, silicon carbide abrasive provides high initial cut and penetration for non-ferrous materials.

POWERLOCK CLOTH DISCS – SILICON CARBIDE

DIAMETER	GRIT	TYPE I	TYPE II	TYPE III
2"	40	08834162166	08834165252	08834164275
100/box	60	08834162168	08834165254	08834164163
1,000/case	80	08834162169	08834165255	08834166155
	120	08834162171	08834165257	08834164837
	180	08834162173	08834165259	08834167313
3"	40	08834162185	08834165267	08834164277
50/box	60	08834162187	08834165269	08834164850
500/case	80	08834162188	08834165270	08834166159
	120	08834162190	08834165272	08834166160
	180	08834164971	08834165274	08834168177



Zenith Ceramic Discs

The Ceramic Aluminum resin fiber discs resist heat build-up, cut aggressively and are perfect for those applications that require a firm aggressive disc. Rapid stock removal can be achieved with this product.

ZENITH – CERAMIC FIBER

DIAMETER	GRIT	TYPE II	TYPE III
2"	36	08834165611	08834166041
100/box	50	08834165613	08834166043
1,000/case	60	08834166226	08834166044
	80	08834166227	08834166045
	120	08834165616	08834166046
3"	36	08834166035	08834166219
50/box	50	08834166037	08834166220
500/case	60	08834166038	08834166221
	80	08834166039	08834166222
	120	08834166040	08834166223



Zenith Zirconia Discs

The Zirconia resin fiber disc cuts deeper, fracturing like glass and continually exposing new edges while resisting tearing and allowing the product to perform to its optimum.

ZENITH – ZIRCONIA FIBER


DIAMETER	GRIT	TYPE II	TYPE III
2"	36	08834167800	08834167810
100/box	50	08834167802	08834167812
1,000/case	60	08834167803	08834167813
	80	08834167804	08834167815
	3"	36	08834167805
50/box	50	08834167807	08834167818
500/case	60	08834167806	08834167819
	80	08834167809	08834167820

BACK-UP PADS SHOWN ON PAGE 15

Quick-Change Flexible Discs

PowerLock fx — the flexible, all purpose alternative to Merit's traditional quick change disc is ideal for contoured or flat surfaces. For weld removal, the most common grits used are 36-50 while 60-120 grits are used for removal of imperfections and blending. These discs have added flexibility and are used on a wide range of applications.

PowerLock fx



ALO Plus PowerLock fx Cloth Discs

Aluminum Oxide, closed-coat discs with a grinding aid that run cooler than conventional discs.

POWERLOCK fx – ALO PLUS CLOTH DISCS

DIAMETER	GRIT	TYPE II
1"	36	08834161164
100/box	60	08834161166
1,000/case	80	08834161167
	120	08834161170
1-1/2"	36	08834161172
100/box	60	08834161180
1,000/case	80	08834161190
	120	08834161191
2"	36	08834161198
100/box	60	08834161206
1,000/case	80	08834161208
	120	08834161232
3"	36	08834161240
50/box	60	08834161241
500/case	80	08834161243
	120	08834161245

Aluminum Oxide PowerLock fx Cloth Discs

Aluminum Oxide discs are best used for general purpose deburring and blending on contoured surfaces.

POWERLOCK fx – ALO CLOTH DISCS

DIAMETER	GRIT	TYPE II
1"	24	08834168881
100/box	36	08834168479
1,000/case	40	08834168480
	50	08834168481
	60	08834168431
	80	08834168432
	100	08834168482
	120	08834168434
	150	08834168483
	180	08834168484
	240	08834168485
	320	08834168486
1-1/2"	24	08834168882
100/box	36	08834168487
1,000/case	40	08834168488
	50	08834168489
	60	08834168435
	80	08834168436
	100	08834168490
	120	08834168437
	150	08834168491
	180	08834168492
	240	08834168493
	320	08834168494
2"	24	08834168883
100/box	36	08834168495
1,000/case	40	08834168496
	50	08834168497
	60	08834168438
	80	08834168439
	100	08834168498
	120	08834168440
	150	08834168499
	180	08834168500
	240	08834168501
	320	08834168502
3"	24	08834168884
50/box	36	08834168503
500/case	40	08834168504
	50	08834168505
	60	08834168441
	80	08834168442
	100	08834168506
	120	08834168443
	150	08834168507
	180	08834168508
	240	08834168509
	320	08834168510



Ceramic PowerLock fx Discs

A Ceramic blend that cuts faster, reduces heat build-up and outlasts aluminum oxide and zirconia in many applications.

POWERLOCK fx – CERAMIC		
DIAMETER	GRIT	TYPE II
1"	36	08834161474
100/box	60	08834161477
1,000/case	80	08834161479
	120	08834161481
1-1/2"	36	08834161482
100/box	60	08834161483
1,000/case	80	08834161487
	120	08834161488
2"	36	08834161492
100/box	60	08834161495
1,000/case	80	08834161496
	120	08834161497
3"	36	08834161498
50/box	60	08834161508
500/case	80	08834161515
	120	08834161516



ZIRC Plus R801 PowerLock fx Discs

Works extremely well for extensive stock removal and surface blending on stainless steel. Lubricated super size coat runs cooler. For best results apply extra pressure.

POWERLOCK fx – ZIRC PLUS R801		
DIAMETER	GRIT	TYPE II
1"	36	08834161341
100/box	60	08834161343
1,000/case	80	08834161344
	120	08834161375
1-1/2"	36	08834161377
100/box	60	08834161383
1,000/case	80	08834161387
	120	08834161392
2"	36	08834161393
100/box	60	08834161398
1,000/case	80	08834161406
	120	08834161426
3"	36	08834161430
50/box	60	08834161439
500/case	80	08834161441
	120	08834161442



ZIRC Plus R203 PowerLock fx Discs

Widely used for rapid stock removal on stainless steel, titanium and other exotic metals. Achieve a superb performance finish from the Zirconia Plus grain and grinding aid combination.

POWERLOCK fx – ZIRC PLUS R203		
DIAMETER	GRIT	TYPE II
1"	36	08834161443
100/box	60	08834161444
1,000/case	80	08834161448
	120	08834161449
1-1/2"	36	08834161450
100/box	60	08834161454
1,000/case	80	08834161456
	120	08834161460
2"	36	08834161462
100/box	60	08834161463
1,000/case	80	08834161464
	120	08834161465
3"	36	08834161467
50/box	60	08834161468
500/case	80	08834161469
	120	08834161472



Zirconia PowerLock fx Discs

Longer life, perfect for tough grinding applications.

POWERLOCK fx – ZIRCONIA		
DIAMETER	GRIT	TYPE II
1"	36	08834161264
100/box	60	08834161265
1,000/case	80	08834161267
1-1/2"	36	08834161283
100/box	60	08834161286
1,000/case	80	08834161287
2"	36	08834161291
100/box	60	08834161295
1,000/case	80	08834161296
3"	36	08834161317
50/box	60	08834161319
500/case	80	08834161321

BACK-UP PADS SHOWN ON PAGE 15





ALO FlexEdge Cloth Discs

Manufactured with a flexible Aluminum Oxide abrasive cloth in which the outer 3/8" is more flexible than the rest of the disc. Designed for softer metals where standard discs can gouge and for contour grinding of structural pieces. Used in aircraft and aerospace manufacturing for structural hand polishing. When ordering discs and holders, order holders one size smaller than the disc.

- For 3" Type I use 08834163995
- For 3" Type II use 08834168539

Tip Avoid gouging on contours by using a smaller size holder than the diameter of the discs, such as 1-1/2" holder for 2" discs. For 3" discs and larger, order the special FE holder that is 2" in diameter but contains the cam lock fastener for 3" and larger discs. Max RPM for 3" FE holders 30,000 RPM.

FLEXEDGE CLOTH DISCS – ALO

DIAMETER	GRIT	TYPE I	TYPE II	
1"	50	08834164309	08834163706	
	100/box	60	08834164296	
	1,000/case	80	08834161194	
	100	08834164215	08834160396	
	120	08834164216	08834160397	
1-1/2"	50	08834166375	08834163713	
	100/box	60	08834164315	
	1,000/case	80	08834164316	
	100	08834164317	08834163714	
	120	08834164318	08834160401	
	180	08834164320	08834160402	
	2"	50	08834164333	08834163721
		100/box	60	08834164334
		1,000/case	80	08834164335
		100	08834164336	08834166959
120		08834164337	08834167363	
	180	08834164339	08834160405	
	3"	50	08834164352	08834163728
		50/box	60	08834164353
		500/case	80	08834164354
		100	08834164355	08834166974
120		08834164356	08834163729	
	180	08834164358	08834160407	
	Holders for	08834163995	08834168539	
	3" F.E. Discs			



TYPE I



TYPE II




TYPE III

QUICK-CHANGE HOLDERS

DIAMETER		TYPE I	TYPE II	TYPE III
9/16"		66261054013	66261054014	
40,000 RPM				
3/4"	Medium	08834164001	08834164206	08834164038
40,000 RPM				
1"	Medium	08834164002	08834164651	08834164037
40,000 RPM				
1-1/2"	Medium	08834164003	08834164146	08834161174
30,000 RPM	Hard	08834163996	08834164622	08834164640
2"	Soft	08834163949	08834161625	08834164641
	Medium	08834164004	08834164198	08834164922
30,000 RPM	Hard	08834163997	08834164624	08834164643
3"	Soft	08834163948	08834164626	08834164644
	Medium	08834164005	08834164113	08834164949
	Hard	08834163998	08834161626	08834164036
4"	Medium	08834164006	08834164135	08834164655
	15,000 RPM			

1/4" SHANK INCLUDED ON ALL QUICK-CHANGE HOLDERS.



Type I Holder




REPLACEMENT MANDRELS AND NUT ASSEMBLY


DESCRIPTION		PART #
TYPE I	ASSY RMN1 FOR 3/4 - 2	08834164015
TYPE I	ASSY RMN3 FOR 3 - 4	08834164016
TYPE II & III	RM-1/4" SK	08834164303

EXTENSION MANDRELS AND ASSEMBLY TYPE I

DIAMETER	MODEL NO.	LENGTH	PART #
3/4" - 2"	EMN-14	4"	08834164017
3/4" - 2"	EMN-16	6"	08834164018
3/4" - 2"	EMN-18	8"	08834164019
3" - 4"	EMN-34	4"	08834164020
3" - 4"	EMN-36	6"	08834164026
3" - 4"	EMN-38	8"	08834164021



Use for Type I Holder



Adapt your 3/8-24 or 5/8-11 right angle grinder to a Type II or Type III back-up pad

MNA-1 PAD ADAPTERS TYPE I

DIAMETER	MODEL NO.	PART #
3/4" - 2"	MNA 1/4-20 THD.	08834161176
3/4" - 2"	MNA 3/8-24	08834164055
3/4" - 2"	MNA 5/8-11	08834163001
3" - 4"	MNA 1/4-20	08834163002
3" - 4"	MNA 3/8-24	08834164041
3" - 4"	MNA 1/2-13	08834164056
3" - 4"	MNA 5/8-11	08834164028

MNA-23 PAD ADAPTERS TYPE II & III

DIAMETER	MODEL NO.	PART #
3/4" - 4"	MNA-23 3/8-24 THD. & 5/8-11	08834162764



Use with Type I, Type II, Type III

1/4" DIA. EXTENSION MANDREL 1/4-20 THD.

MODEL NO.	LENGTH	PART #
EM-144	4"	08834154185
EM-146	6"	08834154186
EM-148	8"	08834154187

REPLACEMENT MEDIUM DENSITY RUBBER BACK-UP PADS FOR QUICK-CHANGE HOLDERS

DESCRIPTION	MODEL NO.	TYPE I	TYPE II	TYPE III
3/4"	RR75	08834164008		
1"	RR10	08834164009		
1-1/2"	RR15	08834164010	08834168797	08834168885
2"	RR20	08834164011	08834164973	08834163649
3"	RR30	08834164012	08834164974	08834164970
4"	RR40	08834164013		

