



DILLON
SUPPLY


SAFETY CATALOG

6TH EDITION

WITH 23 CONVENIENT
BRANCH LOCATIONS,
YOU ARE NEVER FAR
FROM WHAT YOU NEED.



BRANCH LOCATION	PHONE	ADDRESS
Augusta, GA	(706) 823-6444	2107 Noland Connector Augusta, GA 30909
Batesville, IN	(812) 932-1331	1776 Lammers Pike Batesville, IN 47006
Columbia, SC	(803) 779-0640	320 Orchard Drive West Columbia, SC 29170
Charleston, SC	(843) 722-8851	1791 King Street Extension Charleston, SC 29405
Charlotte, NC	(704) 332-6151	2127 Wilkinson Blvd. Charlotte, NC 28208
Chattanooga, TN	(919) 838-4333	1208 East 23rd St. Chattanooga, TN 37408
Chesapeake, VA	(757) 487-1963	3325 Business Center Drive Chesapeake, VA 23323
Conway, SC	(843) 234-4277	170 Wetlands Industrial Drive Conway, SC 29526
Durham, NC	(919) 383-8584	4603-C Hillsborough Rd. Durham, NC 27705
Elizabeth City, NC	(252) 335-0861	1910 Weeksville Rd. Suite 109 Elizabeth City, NC 27909
Franklin, VA	(757) 562-4721	190 Stewart Drive Franklin, VA 23851
Goldsboro, NC	(919) 735-2421	1035 North William St. Goldsboro, NC 27530
Greenville, NC	(252) 758-7757	3520-C Diamond Drive Greenville, NC 27834
Greenwood, SC	(864) 223-4391	2428 Hwy. 72/221 Greenwood, SC 29649
Greenville, SC	(864) 213-9000	2003-A Perimeter Rd. Greenville, SC 29605
Harrisonburg, VA	(540) 434-0778	1551 North Liberty St. Harrisonburg, VA 22802
Laurinburg, NC	(910) 844-5211	21720 Andrew Jackson Hwy. Maxton, NC 28364
Lexington, KY	(859) 231-8104	848-A Nandino Blvd. Lexington, KY 40511
Orangeburg, SC	(803) 534-9850	1885 Joe S. Jeffords Hwy. SE Orangeburg, SC 29115
Raleigh, NC	(919) 838-4200	440 Civic Blvd. Raleigh, NC 27610
Rocky Mount, NC	(252) 442-2161	348 South Washington St. Rocky Mount, NC 27801
Wilmington, NC	(910) 254-1400	3006 Hall Watters Drive Suite 400 Wilmington, NC 28405
Winston-Salem, NC	(336) 723-2961	311 Perimeter Point Blvd. Winston Salem, NC 27105



WE ALSO OFFER A FULL LINE OF INDUSTRIAL, STORAGE AND HANDLING, AND STEEL PRODUCTS!

1-800-849-3900

WWW.DILLONSUPPLY.COM



NEW PRODUCTS	2-6
EYE, FACE & HEAD PROTECTION	7-20
HEARING	21-28
CLOTHING	29-44
HIGH VISIBILITY APPAREL	45-52
GLOVES	53-70
ERGONOMICS	71-76
FOOT PROTECTION	77-82
RESPIRATORS	83-104
WELDING	105-112
FALL PROTECTION	113-128
CONFINED SPACE	129-134
GAS DETECTION	135-140
FLASHLIGHTS/AREA LIGHTING	141-148
HAZARDOUS STORAGE	149-154
SPILL CONTROL	155-162
EYEWASH & SHOWERS	163-166
FIRST AID & MEDICAL	167-174
HEAT STRESS/COOLING & SEASONAL	175-184
ID/SIGNS & LABELS	185-194
LOCKOUT/TAGOUT	195-204
TRAFFIC CONTROL	205-210
FACILITY SAFETY	211-218
JANITORIAL	219-234
TRAINING & SERVICES	235-237
INDEX	238-241
MANUFACTURER INDEX	242



www.dillonsupply.com (800) 849-3900





Recon™ Safety Glasses

Lightweight, rimless design offers all-day comfort. Flexible bayonet temples contain rubber pads for a secure, non-slip fit. Adjustable rubber nosepiece provides a comfortable fit. FogLess™ lens coating standard except on anti-reflective lens. Polycarbonate lenses block 99.99% of UV rays. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 12 Pair/box; 144 pair/case.



250-32-0520

MFG #	DILLON #	FRAME	LENS	UOM	PRICE
250-32-0520	05817657	Clear	Clear, anti-scratch, FogLess 3Sixty	Pr	\$5.97
250-32-0521	05817656	Gray	Gray, anti-scratch, FogLess 3Sixty	Pr	\$5.97



Reflective Strips

Curved shape to best fit ERB Safety helmets. Measurements: 1 1/8" W x 23" L. Exceeds minimum reflectivity requirements of ANSI/ISEA 107 for high visibility headwear.



15969

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 15969	05862339	Reflective strip	Silver	Ea	\$5.50
▲ 15968	05861415	Retroreflective strips, 7 strips per sheet	White	Sheet	\$27.18
▲ 15967	05861414	Retroreflective strips, 7 strips per sheet	Orange	Sheet	\$27.18
▲ 15966	05861409	Retroreflective strips, 7 strips per sheet	Lime	Sheet	\$27.18



7800 Series Premium Silicone Half Mask Respirators

Higher resistance to heat and compression with enhanced comfort and durability of silicone. Lightweight design plus extra-wide sealing area. Low-profile, compact design fits well under welding helmets and with safety glasses. Mask drops down for convenient storage around neck or locks down for custom fit. Adjustable head cradle and curved neck buckles for extra comfort. 100% PVC-Free®.



7800 SERIES

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 7801	05896445	7800 Series half mask respirator facepiece	S	Dz	\$407.87
▲ 7802	05896446	7800 Series half mask respirator facepiece	M	Dz	\$407.87
▲ 7803	05896447	7800 Series half mask respirator facepiece	L	Dz	\$407.87



Bouton Optical® Visors and Headgear

Always wear approved eye protection in conjunction with face protection products.

Aspherical clear polycarbonate visor is suitable for dust and impact resistant situations, as well as general grinding applications. Molded faceshield design provides improved optical clarity and peripheral vision. Aspherical shape is tapered at the chin for improved head/neck range of motion. Universal hole pattern will fit most headgear and hard hat adapters.

Steel wire mesh visor is ideal for landscaping, brush clearing and trimming. Provides protection from debris and airborne particles, and allows air circulation for humid conditions. Can be worn with headgear units or hard hat mounting brackets.



251-01-7401

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
251-01-7401	05896474	Aspherical clear polycarbonate visor	Ea	\$6.67
▲ 251-01-7701	05896468	Steel wire mesh visor	Ea	\$7.01
250-01-5400	05837133	Ratchet headgear	Ea	\$7.28



SHOWA® 6110PF EBT Gloves

Made from Eco Best Technology® (EBT). Biodegradable, 4-mil thick nitrile gloves offer comfort, dexterity and performance across a wide range of applications. Features 9 1/2" length, rolled cuff and bisque fingertips. Powder-free. Zero natural rubber latex proteins. Green. 100/Bx.



6110PF

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
6110PF-M	05896407	SHOWA 6110PF EBT gloves	M	Bx	\$9.67
6110PF-L	05896406	SHOWA 6110PF EBT gloves	L	Bx	\$9.67
6110PF-XL	05896409	SHOWA 6110PF EBT gloves	XL	Bx	\$9.67
6110PF-2XL	05896411	SHOWA 6110PF EBT gloves	2XL	Bx	\$9.67



Memphis Kevlar® ARC Gloves

Made from 13-gauge speckled green/black Kevlar/synthetic knit with double-coated black APG palm and fingertips. Offers cut and arc protection. Ideal for automotive assembly, bottling, canning, glass handling HVAC, sheet metal and landscaping. Hazard Risk Category HRC1. ANSI cut level A4.



9379ARC

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9379ARC-M	05896464	Memphis Kevlar ARC gloves	M	Dz	\$185.17
▲ 9379ARC-L	05896463	Memphis Kevlar ARC gloves	L	Dz	\$185.17
▲ 9379ARC-XL	05896466	Memphis Kevlar ARC gloves	XL	Dz	\$185.17
▲ 9379ARC-2XL	05896467	Memphis Kevlar ARC gloves	2XL	Dz	\$185.17

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





NitriShield® Gloves with Grippaz™ Technology

Unique fishscale pattern provides unsurpassed grip and durability. Ergonomically designed not only for wet grip on the outside but also to reduce hand slippage on the inside. Made from 6-mil orange nitrile with textured inside and 9 1/2" length. Powder-free. Ideal for janitorial, food service, canning, painting and automotive. 100/Bx.



60160

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
60160-M	05870876	NitriShield gloves w/ Grippaz technology	M	Bx	\$13.64
60160-L	05870877	NitriShield gloves w/ Grippaz technology	L	Bx	\$13.64
60160-XL	05870878	NitriShield gloves w/ Grippaz technology	XL	Bx	\$13.64
60160-2XL	05870879	NitriShield gloves w/ Grippaz technology	2XL	Bx	\$13.64

Maximum Safety® Arc-Rated Top Grain Goatskin Drivers Gloves

Top Grain Goatskin leather palm is soft, abrasion-resistant and is highly recommended for applications requiring tactile sensitivity. Features straight thumb and slip-on cuff for fit and comfort. Kevlar® fiber liner provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity. 28.5 cal PPE3.



09-K3750

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 09-K3750/M	05896491	Maximum Safety arc-rated top grain goatskin drivers gloves	M	Dz	\$259.71
▲ 09-K3750/L	05896490	Maximum Safety arc-rated top grain goatskin drivers gloves	L	Dz	\$259.71
▲ 09-K3750/XL	05896493	Maximum Safety arc-rated top grain goatskin drivers gloves	XL	Dz	\$259.71
▲ 09-K3750/2XL	05896494	Maximum Safety arc-rated top grain goatskin drivers gloves	2XL	Dz	\$259.71



Squids® 3700 Web Tool Tails™

Web Tool Tails. 2-lb. Capacity.



19704

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19704	05896497	Web Tool Tails, medium length	Ea	\$7.62



Class 3 Rainsuit

Jacket and pants made of flexible, breathable 100% polyester with waterproof polyurethane coating on top. Suit is lightweight polyester with polyurethane coating and 2" silver reflective tape. Features zipper closure with double storm flap, elastic waist pants and concealable hood. Lime yellow. Pants are ANSI 107 Class E compliant.

Jacket features:

- Stitched and welded seams
- Rollaway hood with high collar
- Zipper closure with double storm flap
- Elasticized storm cuffs

Pants feature:

- Stitched and welded seams
- Plain front and elastic waist




353-1000-LY

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
353-1000-LY-S/M	05896440	Value rain suit, 2-piece	S/M	Ea	\$44.59
353-1000-LY-L/XL	05896439	Value rain suit, 2-piece	L/XL	Ea	\$44.59
353-1000-LY-2X/3X	05896437	Value rain suit, 2-piece	2XL/3XL	Ea	\$44.59
353-1000-LY-4X/5X	05896438	Value rain suit, 2-piece	4XL/5XL	Ea	\$44.59



Squids® 3100 Tool Lanyard

Prevents injuries, reduces costs and eliminates lost productivity from dropped tools. Features stretchable cord surrounded by tubular nylon webbing, lock stitching at both ends for extra security and aluminum carabiner. Includes adjustable barrel for tool attachment. Measures: 35"-42". Maximum safe working capacity: 10 lbs.



19003

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19003	05858180	3100 Standard tool lanyard w/ single carabiner	Ea	\$9.93



Squids® 3130 Coiled Cable Lanyard

Coiled cable lanyard keeps the length of the lanyard close to the anchoring point, reducing snag hazards of traditional lanyards while preventing dropped objects. Swiveling design prevents tangles and headaches the coiled design can cause and reduces recoil force preventing aggressive snap back. Constructed with PU-covered aircraft cable for ultimate strength and durability. Stainless steel carabiners (#304) for corrosion resistance; captive eye carabiner with screw gate for locking connection. Measures 6 1/2" coiled/50" extended length, with 2-lb. working capacity.



19130

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19130	05861707	6 1/2" Coiled cable lanyard	Ea	\$19.96


All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



MFLEC-3/6FT

Miller® TurboLite™ Edge EXTREME

Miller TurboLite Edge units for sharp edges will help ensure workers are safe in applications requiring foot-level tie-off or work near edges. Galvanized cable lifeline with a variety of connector options. Designed for use in sharp edge applications with radius $\geq 0.005"$ (0.13 mm). High-impact nylon housing and abrasion-resistant webbing with a compact and lightweight design. Includes integral shock absorber to reduce force on the worker if a fall were to occur over an edge. Can be used for foot-level tie-off or anchored overhead for workers up to 420 lbs. Integral swivel design prevents lifeline from twisting and enables more natural movement of the worker. Meets ANSI Z359.14 Class B and Leading Edge requirements. Connector gates rated at 3,600 lbs.




MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
Single Leg					
▲ MFLEC-3/6FT	05814015	Cable lifeline w/ steel locking snap hook	6'	Ea	\$246.02
▲ MFLEC-3/9FT	05814016	Cable lifeline w/ steel locking snap hook	9'	Ea	\$274.73
▲ MFLEC-4/9FT	05814017	Cable lifeline w/ steel locking rebar hook	9'	Ea	\$364.53
▲ MFLEC-18/9FT	05814018	Cable lifeline w/ aluminum captive eye carabiner	9'	Ea	\$358.30
Twin-Leg					
▲ MFLEC2-3/6FT	05820146	Cable lifeline w/ steel locking snap hooks	6'	Ea	\$442.35
▲ MFLEC2-3/9FT	05820145	Cable lifeline w/ steel locking snap hooks	9'	Ea	\$588.54
▲ MFLEC2-4/9FT	05814019	Cable lifeline w/ steel locking rebar hooks	9'	Ea	\$501.10
▲ MFLEC2-11/6FT	05820144	Cable lifeline w/ aluminum locking snap hooks	6'	Ea	\$419.36
▲ MFLEC2-11/9FT	05820143	Cable lifeline w/ aluminum locking snap hooks	9'	Ea	\$640.58
▲ MFLEC2-12/9FT	05814020	Cable lifeline w/ aluminum locking rebar hooks	9'	Ea	\$461.64



Squids® 3115 Wrist Tool Lanyards

Prevents injuries, reduces costs and eliminates lost productivity from dropped tools. Features poly webbing cuff that secures to wrist, tether length 7 1/2" and ribbed pull cord. Includes adjustable barrel lock for tool attachment. Maximum working capacity: 2 lbs.

19042



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
19042	05817649	Wrist lanyard, wrist size 5"-7"	S/M	Ea	\$2.83
19052	05817648	Wrist lanyard, wrist size 7"-8 1/2"	L/XL	Ea	\$2.83



MFLEW-3/6FT

TurboLite™ MAX

Miller TurboLite Edge units for smooth edges will help ensure workers are safe in applications requiring foot-level tie-off or work near edges. Spectra® webbing lifeline with a variety of connector options. Designed for use in smooth edge applications with radius = 0.060" (1.5 mm). High-impact nylon housing and abrasion-resistant webbing with a compact and lightweight design. Includes integral shock absorber to reduce force on the worker if a fall were to occur over an edge. Can be used for foot-level tie-off or anchored overhead for workers up to 420 lbs. Integral swivel design prevents lifeline from twisting and enables more natural movement of the worker. Meets ANSI Z359.14 Class B and Leading Edge requirements. Connector gates rated at 3,600 lbs.



MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
Single Leg					
▲ MFLEW-3/6FT	05839127	Webbing lifeline w/ steel locking snap hook	6'	Ea	\$195.91
▲ MFLEW-3/9FT	05839128	Webbing lifeline w/ steel locking snap hook	9'	Ea	\$224.68
▲ MFLEW-3/12FT	05839129	Webbing lifeline w/ steel locking snap hook	12'	Ea	\$252.28
▲ MFLEW-4/6FT	05839130	Webbing lifeline w/ steel locking rebar hook	6'	Ea	\$295.84
▲ MFLEW-11/6FT	05839131	Webbing lifeline w/ aluminum locking snap hook	6'	Ea	\$206.27
Twin-Leg					
▲ MFLEW2-3/6FT	05820040	Webbing lifeline w/ steel locking snap hooks	6'	Ea	\$347.68
▲ MFLEW2-3/9FT	05820039	Webbing lifeline w/ steel locking snap hooks	9'	Ea	\$470.16
▲ MFLEW2-4/6FT	05839132	Webbing lifeline w/ steel locking rebar hooks	6'	Ea	\$418.11
▲ MFLEW2-11/6FT	05820149	Webbing lifeline w/ aluminum locking snap hooks	6'	Ea	\$364.32
▲ MFLEW2-11/9FT	05820148	Webbing lifeline w/ aluminum locking snap hooks	9'	Ea	\$490.93
▲ MFLEW2-12/6FT	05839133	Webbing lifeline w/ aluminum locking rebar hooks	6'	Ea	\$411.59
▲ MFLEW2-12/9FT	05839134	Webbing lifeline w/ aluminum locking rebar hooks	9'	Ea	\$439.75



Squids® 3770 Tape Measure Trap

Hook-and-loop-straps secure tape measure inside trap for safe and easy tethering. Features zinc-plated cast alloy D-ring and stainless steel belt clip. Maximum safe working capacity: 2 lbs.

19770



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19770	05817647	Tape measure trap	Ea	\$17.41

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



JUSTAITE® Rigid-Lock QuickBerm® Lite

Lightweight, leakproof berm folds down for easy storage and reuse to capture overfill spills from fuel tanks and refueling operations, hydraulic leaks and breaks, damaged saddle tanks, and leaky batteries. One-piece design sets up fast and easy—deploys quickly for emergency spill response. Tough EnGuard™ PVC coated fabric provides broad UV and chemical resistance. Patented Rigid-Lock wall supports maximize usable space inside the berm. Helps comply with EPA and SPCC.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 28370	05800419	79-Gal. Rigid-Lock QuickBerm Lite	4' x 4'	Ea	\$273.59
▲ 28372	05853301	119-Gal. Rigid-Lock QuickBerm Lite	4' x 6'	Ea	\$439.50
▲ 28374	05853300	159-Gal. Rigid-Lock QuickBerm Lite	4' x 8'	Ea	\$596.92
▲ 28376	05853299	318-Gal. Rigid-Lock QuickBerm Lite	8' x 8'	Ea	\$705.92



28372

Master Lock Retractable Cable Lockout Devices

Cable reel acts as Cable Management System to allow for easier application and protected storage of the cable. Tough, lightweight thermoplastic body withstands chemicals. Contoured design provides ability to stack, transport, and store multiple devices. Includes high-visibility, write-on safety labels in English, Spanish and French for easy identification. Cable measures 1/8" dia. x 9' L with a nylon or steel core with plastic coating.



S866

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ S866	13400866	Retractable cable lockout w/ yellow nylon cable	Ea	\$41.01
▲ S856	13400856	Retractable cable lockout w/ red steel cable	Ea	\$41.01



Squids® 3755 Self-Adhering Tape Trap

Captures Squids® Tool Tails™ to secure a safe connection to tools, and doesn't require heat to adhere the tape. Provides security and extra grip by quickly wrapping on a variety of hand tools, power tools, and other equipment. 12' Roll.

19755



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19755	05817644	Self-adhering tape trap roll	Ea	\$29.11



Formaldehyde Specialty Spill Kit

Spill kit contains surfactant-treated absorbents and contents designed to pick up formaldehyde while remaining chemically inert. Reusable screw top bucket keeps contents clean and easily accessible. 9-Gallon capacity. 18" H x 14" dia.

Kit contains:

- (1) 1-lb. Bag granular
- (1) 2 lb. Acid neutralizer
- (1) Goggles
- (1) Neoprene gloves
- (1) Respirator
- (1) Scoop and scraper
- (10) 15" x 19" Pads
- (2) Disposal bags



SK-FORM

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SK-FORM	05817617	Formaldehyde spill kit	Ea	\$93.99



Mercury Specialty Spill Kit

Spill kit contains surfactant-treated absorbents and contents designed to pick up mercury spills while remaining chemically inert. 9-Gallon capacity. 18" H x 14" dia.

Kit contains:

- (1) Goggles
- (1) Mercury absorbent powder
- (1) Pair neoprene gloves
- (1) Scoop and scraper
- (10) 15" x 19" Pads
- (2) Disposal bags



SK-MERC

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SK-MERC	05817618	Mercury spill kit	Ea	\$93.99

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Battery Acid Specialty Spill Kit

Spill kit contains surfactant-treated absorbents and contents designed to pick up battery acid while remaining chemically inert. Reusable screw top bucket keeps contents clean and easily accessible. 9-Gallon capacity. 18" H x 14" dia.

Kit contains:

- (1) 1-lb. Bag granular
- (1) Faceshield
- (1) Neoprene apron
- (1) Pair goggles
- (1) Pair neoprene gloves
- (1) Scoop and scraper
- (10) 15" x 19" Pads
- (2) 3" x 4' Socks
- (2) Disposal bags

SK-BATT



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SK-BATT	05817620	Battery acid spill kit	Ea	\$93.99



Bodily Fluids Specialty Spill Kit

Spill kit contains surfactant-treated absorbents and contents designed to pick up bodily fluids while remaining chemically inert. Reusable screw top bucket keeps contents clean and easily accessible. 9-Gallon capacity. 18" H x 14" dia.

Kit contains:

- (1) 1-lb. Bag granular
- (1) Goggles
- (1) Neoprene apron
- (1) Pair neoprene gloves
- (1) Scoop and scraper
- (1) Set sanitary wipes
- (10) 15" x 19" Barrier-backed pads
- (2) Disposal bags

SK-BF



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SK-BF	05817619	Body fluids spill kit	Ea	\$93.99



90754

90562

90564



Class A First Aid Kits

Case comes with a carrying handle and is wall-mountable. Contents meet the 2015 ANSI Class A requirements for specified number of people.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
90754	05829331	10-Person, Class A, Type III kit, waterproof plastic	Ea	\$21.93
90562	05829339	25-Person, Class A, Type III kit, waterproof plastic	Ea	\$26.91
90563	05829334	25-Person, Class A+, Type III kit, weatherproof plastic	Ea	\$29.15
▲ 90561	05829335	25-Person, Class A+, Type III kit, weatherproof metal	Ea	\$47.46
90564	05829337	50-Person, Class A, Type III kit, weatherproof metal	Ea	\$58.39
▲ 90673	05829332	50-Person, Class A+, Type III vehicle kit, weatherproof metal	Ea	\$86.32

	90754	90561, 90562, 90563	90564	90673
DESCRIPTION	QTY	QTY	QTY	QTY
Adhesive bandage, 1" x 3"	16	8	60	100
First aid tape, 1/2" x 5 yd.	1	1	1	2
Triangular bandage, 40" x 40" x 56"	1	1	1	2
Fabric knuckle bandage	-	-	10	4
Fabric fingertip bandage	-	-	10	5
Elastic bandage, 2" x 5 yd.	-	-	1	1
Conforming gauze roll, 2"	1	1	2	-
Conforming gauze roll, 4"	-	-	1	2
Gauze dressing pad, 3" x 3"	2	2	6	12
Trauma pad, 5" x 9"	2	2	2	2
Burn dressing, 4" x 4"	1	1	1	1
Burn cream packet	10	10	12	20
Cold compress, 4" x 5"	1	1	1	2
Sterile eye pads	2	2	2	2
Eyewash, 1 oz.	1	1	1	-
Eyewash, 4 oz.	-	-	-	2
Triple antibiotic ointment	10	10	12	20
BZK antiseptic wipes	10	10	15	-
CPR mask w/ one way valve	1	1	1	1
Hand sanitizer packet	6	6	10	10
Nitrile gloves	4	2	4	4
Scissors	1	1	1	1
First aid guide	1	1	1	1
Insect sting relief wipe	-	-	3	-
Tweezers	-	-	1	1
Alcohol wipes	-	-	20	40
Infection control wipes	-	-	4	-
Aspirin tablet	-	-	-	12
Povidone-iodine wipes	-	-	-	10
Antacid tablets	-	-	-	12

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Safety glasses and/or faceshields shall be worn anytime work operations can cause foreign objects getting into the eye or when exposed to flying particles. Workers shall wear hard hats where there is a potential for objects falling from above, bumps to their heads from fixed objects, or of accidental head contact with electrical hazards.

Go to www.osha.gov for complete details.

EYE, HEAD & FACE PROTECTION

Eye Protection	8-14
Accessories	15
Faceshields & Head Gear	16-17
Hard Hats & Caps	17-20



BearKat® Safety Glasses

Popular "frameless" safety glasses feature wide, 1-piece wraparound, polycarbonate lens for unobstructed vision and close fit. Flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Provide 99.9% UV protection. Treated with Duramass® scratch-resistant coating; also available with Duramass A4 anti-fog coating. Smaller sizes available for smaller face shapes. Meets ANSI Z87.1+ High Impact standard. 144/Case.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
BearKat					
BK110	05855110	Frost	Clear, anti-scratch	Pr	\$1.54
BK110AF	05877110	Frost	Clear, anti-scratch, anti-fog	Pr	\$2.36
BK112	05855112	Frost black	Gray, anti-scratch	Pr	\$1.54
BK112AF	05877112	Frost black	Gray, anti-scratch, anti-fog	Pr	\$2.36
BK119	05855119	Frost	I/O clear mirror, anti-scratch	Pr	\$2.36
BearKat Small					
BK210	05809210	Frost	Clear, anti-scratch	Pr	\$1.68
BK212	05890212	Frost	Gray, anti-scratch	Pr	\$1.86
BK219	05800219	Frost	I/O clear mirror, anti-scratch	Pr	\$2.50
BK220	05818826	Pink	Clear, anti-scratch	Pr	\$1.68
BK222	05818825	Pink	Gray, anti-scratch	Pr	\$1.86
BK229	05818824	Pink	I/O clear mirror, anti-scratch	Pr	\$2.50

Checklite® Safety Glasses

Flexible spatula temple design for comfortable fit during long use. Nearly total eye-orbital seal assures the highest level of protection, and lightweight, polycarbonate lens filters over 99.9% of UV radiation. Available uncoated or with Duramass® scratch-resistant or Duramass A4 anti-fog lens coatings. Meets ANSI Z87.1+ High Impact standard. 144/Case.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
CL110	05801107	Clear	Clear, anti-scratch	Pr	\$1.25
CL112	05833115	Smoke	Gray, anti-scratch	Pr	\$1.25
CL119	05833218	I/O	Clear mirror, anti-scratch	Pr	\$2.04

Klondike® Safety Glasses

Popular frame style fits a variety of head shapes. Features strong, lightweight polycarbonate lens with 11-base curve, optional Duramass® anti-fog coating, adjustable temples and soft gel nosepiece. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 144/Case.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
KD110	05840110	Black	Clear, anti-scratch	Pr	\$2.67
KD110AF	05840111	Black	Clear, anti-scratch, anti-fog	Pr	\$3.20
KD112	05840112	Black	Gray, anti-scratch	Pr	\$3.20
KD113	05810113	Black	Light blue, anti-scratch	Pr	\$3.20
KD119	05840119	Black	I/O clear mirror, anti-scratch	Pr	\$3.67

HellKat® Safety Glasses

Comfortable and stylish. Lens offers outstanding orbital seal and prevents hazards from threatening eyesight. Soft secure thermoplastic rubber (TPR) nose pads provide long lasting comfort and non-slip soft temple material helps hold the eyewear firmly in place. Meets ANSI Z87.1+ High Impact standard. Red temple styles certified to the requirements of the CSA Z94.3 standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
HK110	05828684	Clear	Clear, anti-scratch	Pr	\$1.82
HK110AF	05828683	Clear	Clear, anti-scratch, anti-fog	Pr	\$2.58
HK112	05828682	Smoke	Gray, anti-scratch	Pr	\$1.82
HK112AF	05810404	Smoke	Gray, anti-scratch, anti-fog	Pr	\$2.58
HK113	05828681	Light blue	Light blue, anti-scratch	Pr	\$2.34
▲ HK114	05828680	Amber	Amber, anti-scratch	Pr	\$2.34
HK119	05828677	Clear	I/O, anti-scratch	Pr	\$2.58

ForceFlex® Safety Glasses

Designed with opaque polycarbonate frame and sleek, polycarbonate dual lens. Features Duramass® scratch-resistant coating, bayonet temples and universal nose bridge. Carrying case included. Provides 99.9% UV protection. Lifetime frame warranty. Meets ANSI Z87.1+ High Impact standard. Meets MIL-PRF-31013 clause 3.5.1.1 for High Velocity Impact Protection. 144/Case.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
FF120	05809120	Opaque black	Clear, anti-scratch	Pr	\$11.60
FF122	05810122	Black	Gray, anti-scratch	Pr	\$12.12
FF128B	05801128	Black	Blue diamond, anti-scratch	Pr	\$13.83

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Yukon® and Yukon XL® Visitor Glasses

Low-cost safety eyewear for temporary workers or visitors. Features contemporary, wraparound style, increased angular coverage, improved peripheral vision, molded-in browguard, and vented sideshields. Yukon XL is an enlarged version which can be worn over regular Rx eyewear. Meets ANSI Z87.1+ High Impact standard. 144/Case.

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
9800	05898001	Yukon	Clear	Clear, uncoated	Pr	\$1.35
9800XL	05879390	Yukon XL	Clear	Clear, uncoated	Pr	\$1.86



Law2™ Safety Glasses

Dielectric eyewear features wraparound design for protection from side impacts, excellent orbital seal, and integrated lens and frame. Thermoplastic rubber (TPR) temple inserts enhance grip and comfort. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
LW210AF	05803739	Clear	Clear, anti-scratch, anti-fog	Pr	\$2.91
LW210	05891100	Clear	Clear, anti-scratch	Pr	\$2.09
LW212AF	05803740	Gray	Gray, anti-scratch, anti-fog	Pr	\$2.91
LW212	05891120	Gray	Gray, anti-scratch	Pr	\$2.09
LW2150	05815112	Smoke	Shade 5.0, anti-scratch	Pr	\$5.95

Klondike Magnifier® Safety Glasses

Modern style features nylon frame with 5-position ratchet temples and bi-focal magnifiers in (4) diopter strengths. Strong, lightweight polycarbonate lens has 11-base curve and provides greater than 99.9% UV protection. Lenses are treated with the Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
K3H10	05800145	Black	Clear, anti-scratch, +1.0	Pr	\$8.92
K3H15	05800147	Black	Clear, anti-scratch, +1.5	Pr	\$8.92
K3H20	05800149	Black	Clear, anti-scratch, +2.0	Pr	\$8.92
K3H25	05800148	Black	Clear, anti-scratch, +2.5	Pr	\$8.92
K3H10G	05800150	Black	Gray, anti-scratch, +1.0	Pr	\$9.43
K3H15G	05810151	Black	Gray, anti-scratch, +1.5	Pr	\$9.43
K3H20G	05811152	Black	Gray, anti-scratch, +2.0	Pr	\$9.43
K3H25G	05810153	Black	Gray, anti-scratch, +2.5	Pr	\$9.43

Law3™ Safety Glasses

Dielectric safety glasses feature wraparound design that offers excellent orbital seal and protection from side impacts. Open cell foam surrounds lenses for increased protection from dust and debris. Thermoplastic rubber (TPR) temple inserts and nose pad for comfort. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
LW310AF	05803738	Clear	Clear, anti-fog	Pr	\$5.10
LW312AF	05803737	Gray	Gray, anti-fog	Pr	\$5.10

BearKat Magnifier® Safety Glasses

One-piece, wraparound, polycarbonate lens offers unobstructed vision and filters more than 99.9% of UV radiation. Flexible temples enhance comfort. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1+ High Impact standard. 144/Case.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
BKH10	05800065	Clear	Clear, anti-scratch, +1.0	Pr	\$5.53
BKH15	05855150	Clear	Clear, anti-scratch, +1.5	Pr	\$5.53
BKH20	05855200	Clear	Clear, anti-scratch, +2.0	Pr	\$5.53
BKH25	05855250	Clear	Clear, anti-scratch, +2.5	Pr	\$5.53
BKH10G	05800064	Smoke	Gray, anti-scratch, +1.0	Pr	\$5.53
BKH15G	05800063	Smoke	Gray, anti-scratch, +1.5	Pr	\$5.53
BKH20G	05800061	Smoke	Gray, anti-scratch, +2.0	Pr	\$5.53
BKH25G	05800062	Smoke	Gray, anti-scratch, +2.5	Pr	\$5.53

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Stratos® Safety Glasses

Stylish wraparound design with lightweight frame. One-piece polycarbonate lens with integral sideshields provides 99.9% UV protection and is treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 144/Case.

MFG #	DILLON #	FRAME	LENS	UOM	PRICE
SS110	05860110	Black	Clear, anti-scratch	Pr	\$1.25
SS112	05811112	Black	Gray, anti-scratch	Pr	\$1.25



Law® Over-the-Glass Safety Glasses

Features durable, wraparound nylon frame with 5-position ratchet action temple and non-slip thermoplastic rubber (TPR) temple inserts. Dielectric. Lightweight polycarbonate lens has Duramass® scratch-resistant coating and Duramass AF4 anti-fog coating. Meets ANSI Z87.1+ High Impact standard.

MFG #	DILLON #	FRAME	LENS	UOM	PRICE
OG110AF	05811066	Matte gray	Clear, anti-scratch, anti-fog	Pr	\$4.66
OG112AF	05811201	Matte gray	Gray, anti-scratch, anti-fog	Pr	\$5.10



Zenon Z12F Foam Safety Glasses

Foam padding design forms a seal to keep out dust and airborne particles. Lightweight, rimless design provides all day user comfort. Thin, flexible temples provide secure fit without uncomfortable pressure points. 9.5 Base curve lens. Anti-scratch, anti-fog coating. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
250-01-F020	05863629	Black	Clear	Pr	\$3.78
250-01-F021	05863628	Black	Gray	Pr	\$3.78
▲ 250-01-F022	05863627	Black	I/O	Pr	\$5.04



Zenon Z12R Safety Readers

Ideal for employees requiring magnification during close-up work. Offers wide 28 mm reading magnifier lenses for excellent viewing. Gray, co-molded temples provide secure fit. Lightweight design and flared bridge for attractive styling. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
250-27-0015	05811912	Clear/gray	Clear, +1.5	Pr	\$3.78
250-27-0020	05878254	Clear/gray	Clear, +2.0	Pr	\$3.78
▲ 250-27-0030	05830120	Clear/gray	Clear, +3.0	Pr	\$3.78



Zenon Z12 Safety Glasses

Features a saddle bridge design that fits most wearers and thin, flexible temples that provide a secure fit without pinching. Lightweight, rimless frame is ideal for long-term wear. Meets ANSI Z87.1+ High Impact standard.

MFG #	DILLON #	FRAME	LENS	UOM	PRICE
250-01-0900	05825019	Clear	Clear, anti-scratch	Pr	\$1.21
250-01-0920	05878260	Clear	Clear, anti-fog	Pr	\$1.66



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
250-01-0001	05878255	Black	Gray	Pr	\$1.21
250-01-0021	05851009	Black	Gray, anti-fog	Pr	\$1.66
250-01-0902	05855228	Clear	I/O	Pr	\$1.42



Anser Safety Glasses

Sleek, lightweight, sporty design in a semi-rimless style incorporates wraparound protection. Bayonet temples with flexible rubber tips and soft rubber nose pads offer a comfortable, secure fit. Polycarbonate lenses. Each style is supplied with free neck cord. Meets ANSI Z87.1+ High Impact standard.

MFG #	DILLON #	FRAME	LENS	UOM	PRICE
250-AN-10110	05861125	Black	Clear, anti-scratch	Pr	\$3.51
250-AN-10111	05861124	Black	Clear, anti-scratch, anti-fog	Pr	\$3.99
250-AN-10112	05861123	Black	Gray, anti-scratch	Pr	\$3.51
250-AN-10126	05894042	Gray	Gray, anti-scratch, anti-fog	Pr	\$3.99
250-AN-10114	05861122	Black	I/O, anti-scratch	Pr	\$3.76

250-AN-10110



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
250-AN-10119	05819210	Black	IRUV 5.0, anti-scratch	Pr	\$8.55
250-AN-10115	05861121	Black	Blue mirror, anti-scratch	Pr	\$5.30
250-AN-10125	05894043	Black	Silver mirror, anti-scratch	Pr	\$3.35
▲ 250-AN-10131	05873265	Camouflage	Clear, anti-scratch, anti-fog	Pr	\$6.58
▲ 250-AN-10123	05873263	Camouflage	Gray, anti-scratch	Pr	\$6.08

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Ztek® Safety Glasses

Features wraparound single lens with panoramic view. Rubber temple tips provide non-binding fit. Lenses are coated for superior scratch resistance and provide 99% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. CE EN 166 certified.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
S2510S	05812510	Clear	Clear	Pr	\$2.20
S2510ST	05848367	Clear	Clear, anti-fog	Pr	\$2.80
▲ S2520S	05848368	Gray	Gray	Pr	\$2.58
▲ S2520ST	05848370	Gray	Gray, anti-fog	Pr	\$3.20
S2580S	05848371	I/O mirror	I/O mirror	Pr	\$2.58



PMXTREME® Safety Glasses

Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style. Features ventilated straight-back flexible temples with rubber temple tips to keep eyewear secure, and built-in rubber nosepiece for all-day comfort. Base curve 9 polycarbonate lenses provide 99% UV protection. Includes black lanyard cord. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
SB6310SP	05848378	Black	Clear	Pr	\$3.57
SB6310STP	05848379	Black	Clear, anti-fog	Pr	\$4.18
SB6320SP	05848380	Black	Gray	Pr	\$4.08
SB6320STP	05848381	Black	Gray, anti-fog	Pr	\$4.72
▲ SB6330SP	05848382	Black	Amber	Pr	\$4.08
SB6380SP	05848384	Black	I/O mirror	Pr	\$4.08



Cobalt™ Polarized Safety Glasses

Features lightweight frames and a wraparound design that fits snugly to provide excellent orbital protection. Scratch-resistant hardcoat protects lens and maintains optical clarity. Provides 99.9% UV protection. Polarized lenses offer superior glare control for bright outdoor conditions. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
CB01P0ID	05880099	Black	Polarized, hardcoat	Pr	\$8.40



Revelation™ Safety Glasses

Superior fit with 5-position ratchet plus 4-position telescoping temples. Features soft, non-slip rubber nosepiece with self-adjusting fingers and ventilation channel between lens and frame to help reduce fogging. Scratch-resistant hardcoat protects lens and maintains optical clarity. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 300/Case.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
RV01P0ID	05880101	Black	Polarized, hardcoat	Pr	\$12.57

3M 3M™ Virtua™ Safety Eyewear

Features lightweight frame design, unisex styling and a high-wrap lens for front and side impact protection. Lenses available with anti-fog coating or hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Case.

MFG #	DILLON #	FRAME	LENS	UOM	PRICE
11326-00000-20	05821326	Clear	Clear, hardcoat	Pr	\$1.72
11329-00000-20	05811329	Clear	Clear, anti-fog	Pr	\$2.01
11328-00000-20	05811328	Clear	I/O mirror, hardcoat	Pr	\$2.61
11327-00000-20	05821327	Gray	Gray, hardcoat	Pr	\$1.92



WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Genesis® Safety Glasses

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. Lenses available with Uvextreme® anti-fog coating and Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Lifetime frame guarantee. Meets the ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Lens tints listed below meet Military V₀ Ballistic Test for Impact. 200/Case.

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S3200	05823200	Genesis	Black	Clear, Ultra-dura	Pr	\$8.75
▲ S3200X	05843200	Genesis, 10/Bx	Black	Clear, Uvextreme	Bx	\$99.90
▲ S3201	05800131	Genesis, 10/Bx	Black	Espresso, Ultra-dura	Bx	\$96.40

Genesis® Safety Glasses with HydroShield®

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Lifetime frame guarantee. Meets the ANSI Z87.1+ standard. Certified to the requirements of the CSA Z94.3 standard. Lens tints meet Military V₀ Ballistic Test for Impact. 200/Case.

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S3200HS	05885444	Genesis	Black	Clear, HydroShield	Pr	\$9.66

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
▲ S3201HS	05885443	Genesis, 10/Bx	Black	Espresso, HydroShield	Bx	\$106.20

Protégé® Safety Glasses

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nose pads. Lenses available with Uvextreme® anti-fog coating and Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ standard. Certified to the requirements of the CSA Z94.3 standard. Also meets Military V₀ Ballistic Test for Impact. 200/Case.



Protégé® Safety Glasses with HydroShield®

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nose pads. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Meets ANSI Z87.1+ standard. Certified to the requirements of the CSA Z94.3 standard. Also meets Military V₀ Ballistic Test for Impact. 200/Case.



MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S4200	05803761	Protégé	Metallic black	Clear, Ultra-dura	Pr	\$5.18
▲ S4200X	05803759	Protégé, 10/Bx	Metallic black	Clear, Uvextreme	Bx	\$58.50
S4201X	05803760	Protégé	Metallic black	Gray, Uvextreme	Pr	\$6.73

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S4200HS	05802346	Protégé	Metallic black	Clear, HydroShield	Pr	\$5.90
▲ S4201HS	05802345	Protégé, 10/Bx	Metallic black	Gray, HydroShield	Bx	\$67.80



Astrospec® OTG 3001 Safety Glasses

"Over-the-Glass" style provides an economical alternative to prescription eyewear. Features include soft Duoflex® cushioned temples, adjustable ratchet lens inclination, universal nosebridge, and single panoramic polycarbonate lens with molded sideshields and browguard. Lenses available with Ultra-dura® hardcoat. Lifetime frame guarantee. Meets ANSI Z87.1 and is certified to CSA Z94.3 standards. Listed lens tints meet Military V₀ Ballistic Test for Impact. 200/Case.

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S2500	05822500	Astrospec OTG 3001	Black	Clear, Ultra-dura	Pr	\$9.53
S2504	05803303	Astrospec OTG 3001	Black	Gray, Ultra-dura	Pr	\$10.49

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Jackson Safety* V60 Nemesis* Rx Safety Eyewear

Sporty, flexible, lightweight eyewear with integrated diopters for vision assistance. Enhanced nosepiece design with integrated ridges to channel away sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Certified to meet the requirements of CSA Z94.3. Note: 22516, 22518 and 22519 are not CSA Certified. Product complies with the Trade Agreements Act. 6/Case.

MFG #	DILLON #	FRAME	LENS	UOM	PRICE	MFG #	DILLON #	FRAME	LENS	UOM	PRICE
28618	05878626	Black	Clear, +1.0	Pr	\$12.82	28630	05878630	Black	Clear, +3.0	Pr	\$12.82
28621	05878627	Black	Clear, +1.5	Pr	\$12.82	22516	05878668	Black	Smoke, +1.5	Pr	\$13.09
28624	05878628	Black	Clear, +2.0	Pr	\$12.82	22518	05878669	Black	Smoke, +2.0	Pr	\$13.09
28627	05878629	Black	Clear, +2.5	Pr	\$12.82	22519	05878670	Black	Smoke, +2.5	Pr	\$13.09



Jackson Safety* V30 Nemesis* Safety Eyewear

Sporty, flexible, and lightweight design for comfort and compliance. Enhanced nosepiece design with integrated ridges to divert sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Comes with a gravity feed display box. Base curve 8. Meets ANSI Z87.1+ requirements for high-impact protection. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Product complies with the Trade Agreements Act. 12/Case.

MFG #	DILLON #	FRAME	LENS	UOM	PRICE
25659	05809809	Black	Amber	Pr	\$5.40
25685	05819807	Black	Indoor/Outdoor	Pr	\$5.73
25676	05819804	Black	Clear	Pr	\$5.30
25688	05819806	Black	Smoke mirror	Pr	\$5.73
14481	05899808	Black	Blue mirror	Pr	\$6.50
19644	05811375	Camouflage	Bronze	Pr	\$8.78
22608	05825085	Camouflage	Clear, anti-fog	Pr	\$7.92
22609	05825092	Camouflage	Smoke, anti-fog	Pr	\$7.38



Rattler™ Safety Glasses

Features lightweight nylon frame and polycarbonate wraparound lens design for greater side impact protection and full-length, non-slip, thermoplastic rubber (TPR) temple sleeves for comfort and grip. Closed-cell foam seal provides optimum protection from dust and debris. Interchangeable 3-position ratcheting bayonet temples and adjustable headband included with each pair. Headband has hook-and-loop closure for one-handed adjusting while wearing. Treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
RT110AF	05800429	Black	Clear, anti-scratch, anti-fog	Pr	\$10.20
RT112AF	05800428	Black	Gray, anti-scratch, anti-fog	Pr	\$10.71



Seismic® Sealed Eyewear

Contemporary, flexible design can be worn with or without the removable temples. Includes flame-resistant, adjustable headband and cushioned subframe. Protects against impact, sun, wind, dust and airborne debris, making it ideal for dirty, high-particulate work environments. Includes soft nasal pads, face cushioning and padded temple tips. Wraparound 8-base dual-lens style for maximum peripheral coverage. Top and bottom indirect ventilation helps to minimize fogging. Lenses available with Uvextra® anti-fog coating that helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ High Impact standard for use with and without cushion-lined frame. Certified to the requirements of the CSA Z94.3 standard only with subframe in place. 200/Case.




MFG #	DILLON #	FRAME	LENS	UOM	PRICE
S0600X	05800353	Black	Clear, Uvextra	Pr	\$14.93
S0601X	05803755	Black	Espresso, Uvextra	Pr	\$14.93



Sheath™ Safety Glasses

Over-the-glass design fits over most prescription glasses. Features telescoping temples for a customized fit and ratcheting temples for lens angle adjustment. Polycarbonate lens provides impact resistance and 99.9% UV protection. Custom imprinting available. Meets ANSI Z87.1+ High Impact standard. 300/Case.



MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
SH6-10	05862372	Sheath	Silver	Clear, hardcoat	Pr	\$3.51
SH6-11	05862371	Sheath	Silver	Clear, hardcoat, anti-fog	Pr	\$4.11
SH1-20	05862370	Sheath, 12/Bx	Black	Smoke, hardcoat	Bx	\$46.92

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Protective Safety Goggles

Provides an unobstructed field of vision and can be worn with most half-mask respirators. Transparent PVC body permits comfortable fit over Rx eyewear while protecting against impact. Indirect vents on chemical splash models prevent the direct passage of liquid. Meets ANSI Z87.1+ High Impact standard. 144/Case.

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
2220	05802220	Perforated goggles	Clear	Clear, anti-scratch	Pr	\$1.59
2225R	05822519	Perforated goggles w/ rubber strap	Clear	Clear, anti-scratch, anti-fog	Pr	\$3.27
2230R	05891742	Chemical splash goggles, indirect vent	Clear	Clear, anti-scratch	Pr	\$2.52
2235R	05823518	Chemical splash goggles, indirect vent	Clear	Clear, anti-scratch, anti-fog	Pr	\$3.53



Verdict® Safety Goggles

Transparent PVC body fits comfortably over prescription eyewear, protects against impact and splash, and can be worn with most half-mask respirators. Duramass® scratch-resistant, polycarbonate lens coating. Meets ANSI Z87.1+ High Impact standard.



MFG #	DILLON #	FRAME	LENS	UOM	PRICE
2400	05802401	Black	Clear, anti-scratch	Pr	\$5.08



V2G® Safety Glasses

Flame-resistant foam padding forms a perfect seal to keep out dust and airborne particles. Anti-fog lenses provide 99% UV protection. Headband features quick-fit retainer. Includes interchangeable temples/strap. Lens and frame are vented to increase airflow. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. CE EN 166 certified.



MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
GB1810ST	00170915	V2G	Black	Clear, anti-fog	Pr	\$8.72
GB1820ST	05804973	V2G	Black	Gray, anti-fog	Pr	\$9.24
GB1880ST	05804972	V2G, 12/Bx	Black	I/O mirror, anti-fog	Bx	\$112.56



Stealth® Goggles

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. Uvextreme anti-fog lens coating and indirect ventilation system minimize fogging and direct airflow over the lens. HydroShield® anti-fog coating is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance. Quick-adjust headband clips permit fast and easy fitting even on hard hats. Rx insert available. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S3960C	05803960	Stealth w/ neoprene headband	Gray/gray	Clear, Uvextreme	Pr	\$14.26
S3960HS	05885442	Stealth w/ neoprene headband	Gray/gray	Clear, HydroShield	Pr	\$14.14
S3961HS	05885441	Stealth w/ neoprene headband, 10/Bx	Gray/gray	Gray, HydroShield	Bx	\$149.30



Carbonvision™ Goggles

Compact, lightweight, low-profile design weighs just over an ounce and a half and is ideal for wearing with disposable respirators and protective caps. Flexible, soft frame adapts perfectly to face to ensure a perfect fit and seal around eyes for high-performance protection and all-day comfort. Soft, flexible body is permanently fixed to the frame, making it easy to clean and maintain. Convenient clip makes it easy to remove headband before cleaning. For protection from impact, dust/airborne particles as well as chemical splash hazards. High-quality headband available in neoprene or fabric and offers a comfortable fit and long-lasting durability. NOTE: Fabric headband is not for use in chemical applications. Dura-streme® dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior for 3X longer lens life. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
S1650D	05803752	Carbonvision, neoprene headband	Black/gray	Clear, Dura-streme	Pr	\$12.96

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





NCCH Tech Cords

Thick, soft tech cords are a comfortable and convenient accessory for safety glasses. Allows eyewear to conveniently hang around the neck when not in use.



NCCH TECH CORDS

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
	NCCH-BLACK 05862398	Tech cord	Black	Ea	\$1.78
▲	NCCH-BLUE 05862397	Tech cord	Blue	Ea	\$1.78



Lens Cleaning Towelettes

Pre-moistened with anti-fog and anti-static cleaning solution to properly clean protective eyewear. Individually wrapped. 100/Box.

LCT



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
	LCT 05804818	Lens cleaning towelettes	Bx	\$7.50



Safety Clean™ Lens Cleaning Towelettes

Cleans and coats lens with anti-fog and anti-static solution. Individually foil-packed, 100/box. Ideal for industrial, office or lab environments.

1LCT100



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
	1LCT100 05819050	Lens cleaning towelettes	Bx	\$5.48



FP100 Anti-Fog Wipes

Designed to keep eyewear from fogging up in cold or hot, humid conditions. Also contains a cleaner that helps to remove such things as facial oils, hair spray, make-up and sweat. Leaves protective film that helps protect lenses from scratching, fingerprints and smudges. Reduces dust and fingerprints. Environmentally safe and hypoallergenic. Contains no acid, ammonia or abrasives. Dispenser can be wall-mounted or standalone. 100 Packets/box.



15697

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
	15697 05877032	FP100 anti-fog wipes	Bx	\$16.57



Flex Sideshields

Latex-free, vinyl construction. Weaves through the temple for added protection. Conforms to ANSI standards. Clear.



99705

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
	99705 05882626	Flex sideshields	Pr	\$3.13



Safety Glasses Holder

Clear plastic dispenser holds a sleeve of visitor specs or loose safety glasses (approximately 20 pair). Can be wall- or table-mounted. Measures 3" H x 9" W x 6" D with 6" H back plate.



43395

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
	43395 05843395	Safety glasses holder	Ea	\$62.47



Disposable Lens Cleaning Stations

1LC5000D: Large disposable dispenser contains 16 oz. of lens cleaning solution and approximately (1,520) 5" x 6" tissues. Measures 10 1/2" L x 3 1/2" W x 9" H. 12 Dispensers/case.

1LC3000D: Plastic disposable lens cleaning station contains 8 oz. bottle of lens cleaning solution and heavy-duty tissues. Measures 5" L x 3 1/4" W x 11" H. 10 Dispensers/case.

1WD608: Small disposable dispenser contains 8 oz. of Wilkins anti-fog/anti-static cleaner and (2) boxes of (730) K-Lens-M lint-free, highly absorbent tissues. Measures 8 3/4" L x 5" W x 9" H. 8 Dispensers/case.

1LC382D: Small disposable dispenser contains 3.5 oz. bottle of lens cleaning solution and approximately (760) tissues. Measures 5 1/8" L x 3 1/8" W x 6 3/4" H. 24 Dispensers/case.

Stations are recyclable.



1LC3000D

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
	1LC3000D 05848286	Disposable lens cleaning station, plastic	Ea	\$7.43
	1LC5000D 05848288	Large disposable lens cleaning station, boxed	Ea	\$13.50
	1WD608 05819053	Small disposable lens cleaning station	Ea	\$8.32
	1LC382D 05848287	Small disposable lens cleaning station, boxed	Ea	\$4.79

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Bionic® Faceshields

Provides excellent optics, visibility, and enhanced protection from airborne debris. Ideal for workers exposed to falling or flying objects, impact, chemical splash and other debris. Features extended chin and top-of-head protection, lightweight and balanced design to reduce head and neck strain, cell foam on back of headgear, and breathable, washable sweatband up front. Dual position visors are easy to replace and attach securely. Comfortably worn with most goggles, eyewear and respirators. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.



\$8500

MFG #	DILLON #	DESCRIPTION	LENS	UOM	PRICE
S8500	05808500	Bionic faceshield, polycarbonate visor	Clear, uncoated	Ea	\$28.20
S8510	05886652	Bionic faceshield, polycarbonate visor	Clear, hardcoat, anti-fog	Ea	\$44.22
S8550	05808550	Polycarbonate visor	Clear, uncoated	Ea	\$6.15
▲ S8555	05886653	Polycarbonate visors, 10/Bx	Clear, hardcoat, anti-fog	Bx	\$226.20



Brackets and Faceshields

Choose from nylon or aluminum brackets designed for full brim hard hats. Faceshield is made of clear PETG.



E18 15183

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
E18 15183	05802642	Nylon bracket fits Omega II and Americana full brim hats	Ea	\$5.99
E19 15184	05802643	Aluminum bracket fits Americana full brim hats	Ea	\$11.63
8167B 15192	05815192	Clear PETG faceshield w/ metal band, 9" x 15 1/2" x .040"	Ea	\$4.68



Jackson Safety® Face Shield Headgear

Model K: Features spark deflector with ratchet suspension. Soft, absorbent wraparound foam-cushioned sweatband gently hugs natural shape of head.

Model 382-B: Fully dielectric plastic cap adapter mounts face shields to slotted caps. Includes an integral spark deflector and pivoting blades. Face shields are secured with integral plastic lugs and can be used bill forward or backward.

16941



14381

Polycarbonate face shields offer impact and heat resistance. All Jackson Safety® brand face shields meet ANSI Z87.1 2010 standards when used with any Jackson Safety® brand headgear.

Acetate face shields offer robust combination of weight and strength, and excellent cold flexibility.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
16941	05827971	HDG30 AF4000 Headgear w/ clear polycarbonate face shield	Ea	\$18.79
14381	05827921	HDG10 Model K Facesaver headgear	Ea	\$14.93
14505	05822639	A-5500SN Nylon bracket w/ heavy-duty rubber cord	Ea	\$10.99
14944	05878514	382-B Cap adapter	Ea	\$20.88
29099	05822663	F20 Replacement polycarbonate face shield, 8" x 15.5" x .040" thick, shape F, unbound	Ea	\$4.82
30706	05822644	F20 Replacement polycarbonate face shield, 8" x 15.5" x .040" thick, shape E, unbound	Ea	\$4.71
29080	05854003	F50 Replacement polycarbonate face shield, 8" x 15.5" x .060" thick, 34-65, IRUV 5.0, shape D, unbound	Ea	\$22.87
29079	00100190	F30 Replacement acetate face shield, 9" x 15.5" x .040" thick, 34-40, shape D, bound	Ea	\$11.04



Headgear Brackets and Faceshields

Headgear features locking cams which eliminate snaps and lower replacement costs. Nylon dielectric bracket (101) is for electrical applications and features a rubber tube around the back of the bracket for a secure fit to hard hats. Aluminum rim headgear bracket (102) features a 5-system cam lock for added impact resistance. Ratchet, take-up headgear (103) also features a 5-system cam lock for heightened impact resistance, a large ratchet handle, and a cotton sweatband for comfortable fit. Constructed from ABS material and a crown made of nylon 66. All headgear accepts most manufacturers' universally punched windows. Meets ANSI Z87.1+ High Impact standard. For use as secondary protection only. Faceshields sold separately.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 101	05800101	Nylon dielectric bracket		Ea	\$5.20
102	05800102	Aluminum rim headgear bracket		Ea	\$7.00
103	05800103	Ratchet take-up headgear		Ea	\$7.22
181640	05881640	Clear, universal PETG faceshield	8" x 15 1/2" x .040"	Ea	\$2.58
181540	05881540	Clear, universal PC faceshield	8" x 15 1/2" x .040"	Ea	\$3.55
181541	05848362	Medium green, universal poly faceshield	8" x 15 1/2" x .040"	Ea	\$4.26
181542	05848363	Dark green faceshield, polycarbonate	8" x 15 1/2" x .040"	Ea	\$4.26



102

101

103

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





PETG Universal Fit Safety Visors

Provides clear, crisp and distortion free visibility while meeting the requirement standards that help provide protection from projectiles and impact in general use applications. Made with virgin resin, which leads to better uniformity of the viewing area. Universal hole pattern will fit most headgear and hard hat adapters in the market. Measures: 8" x 15 1/2" x .04". Meets ANSI Z87.1 and CSA Z94.3 standards.



251-01-5211

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
251-01-5211	05802641	Clear visor	Ea	\$1.88
251-03-7313	05836191	Shade 3 visor	Ea	\$17.09
251-01-7315	05836190	Shade 5 visor	Ea	\$17.09



V-Gard® Frames and Faceshields

Offers helmet-mounted frames for various work conditions and user helmets. Sloped design allows liquids, chips and other materials to slide off frame and away from the line of sight. Meets ANSI/ISEA Z87.1-2010 requirements.



10115730

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
10115836	05816267	Clear visor	Ea	\$6.77
488132	05878863	Clear visor	Ea	\$11.21
10115730	05816273	V-Gard frame for slotted caps w/ debris control	Ea	\$13.42
10115822	05816272	V-Gard universal frame for slotted caps w/ debris control	Ea	\$13.33
10116627	05816271	V-Gard frame for hats	Ea	\$15.99



Jackson Safety® Blockhead® Hard Hat

Full 360° brim protects wearer from nature's elements. Lightweight. Molded from high-density polyethylene (HDPE). Features 8-point ratchet suspension. Soft, absorbent brow pad. White. Meets ANSI Z89.1, Type 1, Class G, E and C.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
20697	05815076	Blockhead® hard hat	Ea	\$19.39



20697



Americana® Caps

High-density polyethylene caps feature short peak and trim profile. Quick-Slide sizing adjusts from head sizes 6 1/2-8. Features 4-point nylon web suspension, functional rain trough and accessory slots. Brow pad is removable, washable and replaceable. Accommodates chin strap. All caps meet ANSI/ISEA Z89.1, Type 1, Class C, E and G requirements. Certified when headband is installed in reverse position.



19761

19762

19766

19765

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 19761	05823018	Americana cap	White	Ea	\$7.93
19762	05823017	Americana cap	Yellow	Ea	\$7.93
19766	05823014	Americana cap	Blue	Ea	\$7.93
19765	05823006	Americana cap	Hi-viz orange	Ea	\$7.93
▲ 19780	05823005	Replacement slide lock 4-pt suspension (I575), 12/Bx		Bx	\$5.24



Americana® Mega Ratchet® Caps

High-density polyethylene (HDPE) caps feature short peak, functional rain trough, trim profile and accessory slots. Secure 4-point ratchet features an easy turn knob. Nylon suspension. Accommodates chin strap. Padded, hinged ratchet sits low on nape and is height adjustable. Adjusts from head sizes 6 1/2-8. All caps meet ANSI/ISEA Z89.1, Type 1, Class C, E and G requirements. Certified when headband is installed in reverse position.



19364

19368

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
19361	05802655	Americana Mega Ratchet cap	White	Ea	\$10.35
19362	05802664	Americana Mega Ratchet cap	Yellow	Ea	\$10.35
19364	05802662	Americana Mega Ratchet cap	Red	Ea	\$10.35
19366	05802661	Americana Mega Ratchet cap	Blue	Ea	\$10.35
19368	05802660	Americana Mega Ratchet cap	Green	Ea	\$10.35
19360	05802657	Americana Mega Ratchet cap	Hi-viz lime	Ea	\$10.35
19365	05802665	Americana Mega Ratchet cap	Hi-viz orange	Ea	\$10.35
19380	05802654	Replacement suspension for Americana hard hat (I575R)		Ea	\$9.04
19146	05802653	Replacement brow pad for hard hat (304)	Blue	Ea	\$1.23

ERB HATS NOT IN STOCK MUST BE PURCHASED BY THE CS OF 12 EACH.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Americana® Vent Mega Ratchet® Safety Helmets

Short peak and low-profile helmet features 4-point woven nylon suspension. Top vents increase air circulation for all-day comfort. Accessory slots accommodate a wide variety of eye, face and hearing products. Moisture-wicking brow pad is removable, washable and replaceable. Secure-Fit ratchet features an easy turn knob for size adjustment without removing helmet. Meets ANSI/ISEA Z89.1, Type 1, Class C. Certified when headband is installed in reverse position.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
19451	05800518	Americana Vent Mega Ratchet safety helmet	White	Ea	\$11.64
19452	05800516	Americana Vent Mega Ratchet safety helmet	Yellow	Ea	\$11.64
▲ 19456	05800513	Americana Vent Mega Ratchet safety helmet	Blue	Ea	\$11.64



Omega II® Mega Ratchet® Safety Caps and Hats

Mega Ratchet, the "Secure-Fit" ratchet, features an easy turn knob that allows size adjustment without removing helmet. Ratchet knob automatically locks with (50) meshing teeth securing position. Hinged ratchet fits low on nape of neck and is height-adjustable for a perfect fit. Cushioned with a thick sponge padding for comfort. Features 6-point woven nylon suspension, and accommodates a wide variety of eye, face and hearing products and chin strap, and removable moisture-wicking brow. Cap-style is certified when headband is installed in reverse position. Mega Ratchet size adjustment for head sizes 6 1/2-8. Cap weight: 13.503 oz., full brim weight: 17.303 oz. Meets ANSI/ISEA Z89.1, Type 1, Class C, E and G requirements.

MFG #	DILLON #	COLOR	UOM	PRICE
Omega II Mega Ratchet Cap-Style Helmet				
19951	05819951	White	Ea	\$10.77
19956	05803733	Blue	Ea	\$10.77
▲ 19955	05801534	Hi-viz orange	12/CS	\$129.26
Omega II Mega Ratchet Full Brim Helmet				
19911	05803729	White	Ea	\$15.75
▲ 19916	05803728	Blue	Ea	\$15.75
▲ 19923	05803727	Hi-viz orange	12/CS	\$189.00



Classic Series Hard Hats

Designed with a wide profile which offers heightened protection from elements, including UV rays. Standard 1" (2.54 cm) wide seamless nylon straps increase balance and comfort. Includes 6-point, Flex-Gear® suspension with ratcheting adjustment. Custom logo printing available. Meets ANSI/ISEA Z89.1-2014, Type 1, Class E and G. The C30 also meets CSA Z94.1-2015, Type 1, Class E and G.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
C30WHR	05800703	Model C30R cap	White	Ea	\$21.61
▲ C30YLR	05800702	Model C30R cap	Yellow	Ea	\$21.61
▲ C30ORR	05800701	Model C30R cap	Orange	Ea	\$21.61



Americana® Full Brim Mega Ratchet® Hats

High-density polyethylene (HDPE) hats provide protection from sun and rain. Secure-Fit, 4-point nylon ratchet suspension features an easy turn knob. Moisture-wicking brow pad is removable, washable and replaceable. Padded, hinged ratchet sits low on nape and is height adjustable. Adjusts to head sizes 6 1/2-8. All hats meet ANSI/ISEA Z89.1, Type 1, Class C, E and G requirements.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
19221	05802652	Americana Full Brim Mega Ratchet hat	White	Ea	\$14.55
19222	05802651	Americana Full Brim Mega Ratchet hat	Yellow	Ea	\$14.55
▲ 19224	05802649	Americana Full Brim Mega Ratchet hat	Red	Ea	\$14.55
▲ 19226	05802648	Americana Full Brim Mega Ratchet hat	Blue	Ea	\$14.55
▲ 19220	05802647	Americana Full Brim Mega Ratchet hat	Hi-viz lime	Ea	\$14.55
▲ 19225	05802645	Americana Full Brim Mega Ratchet hat	Hi-viz orange	Ea	\$14.55
19428	05802644	Replacement suspension for hard hat (1505R)		Ea	\$9.04
19146	05802653	Replacement brow pad for hard hat (304)	Blue	Ea	\$1.23



ERB HATS NOT IN STOCK MUST BE PURCHASED BY THE CS OF 12 EACH.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





V-Gard® Slotted Caps

Durable, injection-molded, High-Density Polyethylene (HDPE) shell designed with accessory slots to accommodate many add-on accessories. Available with two types of suspensions: Fas-Trac® III ratchet suspension, 4-point webbed system with large knob for easy adjustment or Staz-On® pinlock suspension, a comfortable, 4-point webbed system. Includes Cushionaire™ sweatband and adjustable crown straps. Meets ANSI/ISEA Z89.1-2014, Type 1, Class E and voluntary standard for low temperature [LT] and reverse donning. Meets CSA Z94.1-2015 (Class E) with Fas-Trac III suspension.

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	SUSPENSION	UOM	PRICE
475358	05875358	Standard V-Gard cap	White		Fas-Trac III Ratchet	Ea	\$17.86
477482	05878859	Large V-Gard cap	White		Fas-Trac III Ratchet	Ea	\$23.84
463942	05846394	Standard V-Gard cap	White		Staz-On Pinlock	Ea	\$10.76
475360	05800139	Standard V-Gard cap	Yellow		Fas-Trac III Ratchet	Ea	\$17.86
10148708	05800138	Fas-Trac III suspension for V-Gard cap or hat, standard		6 1/2"-8"	Fas-Trac III Ratchet	Ea	\$12.87
10148707	05816269	Fas-Trac III suspension for V-Gard cap or hat, large		7"-8 1/2"	Fas-Trac III Ratchet	Ea	\$15.02
10087218	05800134	Staz-On suspension for V-Gard cap or hat, standard		6 1/2"-8"	Staz-On Pinlock	Ea	\$8.91

463942



475360

10148708

10087218



V-Gard® Protective Full-Brim Hard Hats

Constructed of durable, high-density polyethylene (HDPE) shell with a Fas-Trac® III ratchet suspension system. Includes sweatband and adjustable crown straps. Meets ANSI Z89.1-2014, Type 1, Class E, CSA Z94.1-2015 (Class E) and voluntary standard for low temperature [LT] and reverse donning.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
475369	05875369	V-Gard full-brim hat	White	Ea	\$23.84
475368	05878850	V-Gard full-brim hat	Blue	Ea	\$23.84

475369



475368



SuperEight® Hats and Caps

High-quality thermoplastic hats and caps feature unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges or slots. Wearers can adjust head size by using rear-located ratchet mechanism and tilting the headband. All hats and caps include 8-point ratchet suspension and Fibre-Metal non-slip/non-strip ratchet headgear. E1 Meets ANSI Z89.1 Type 1, Class E. P2 Meets ANSI Z89.1 Type 1 Class G and CSA Z94.1 Type 1 Class G.

E1RW01A000

P2ARW71A000



MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
E1RW01A000	05882480	Full brim hard hat	White	Ea	\$23.82
E1RW71A000	05803744	Full brim hard hat	Blue	Ea	\$23.82
P2ARW01A000	05801553	Fiberglass cap	White	Ea	\$31.63
P2ARW71A000	05801552	Fiberglass cap	Blue	Ea	\$31.63
P2HNRW01A000	05880008	High heat cap	White	Ea	\$46.45



Skullgard® Protective Hats and Caps

Features heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Includes Fas-Trac® III ratchet suspension. Natural tan. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class G). Also meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT].

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
475395	05878854	Skullgard cap	Ea	\$130.29
475407	05878857	Skullgard full brim hat	Ea	\$143.01

475395



475407



Squids® 3155 Elastic Hard Hat Lanyard with Clamp

High-stretch elastic material comfortably attaches to hard hats and other headwear. Easy-release clamp attaches securely to just about anything. Maximum safe working capacity: 2 lbs. Hi-viz lime. Third party tested. Hard hat not included.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19155	05812641	Hard hat lanyard w/ clamp	Ea	\$4.50



19155

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





HardCap Aerolite™ Bump Caps

Designed as a safeguard against accidental bumping or scraping of head. Weighs less than 5 oz., so can be worn all day without discomfort. Features inner high-density polyethylene (HDPE) liner with foam cushioning. Fully adjustable to allow perfect fit. Holes in liner add ventilation for coolness and comfort. Protective liner is removable, so outer cap is fully washable. Terry cloth sweatband adds comfort and absorption for the wearer. Water-repellent shell prevents staining and discoloration. Available with short brim for better vision when looking up. Non-ANSI.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 282-AES150-11	05817641	Aerolite bump cap	Black	Ea	\$27.99
▲ 282-AES150-21	05817640	Aerolite bump cap	Navy	Ea	\$27.99



Baseball-Style Bump Cap

Ideal for protecting head from lacerations, minor bumps and bruises in areas that do not require certified safety helmets. Vented sides allow for breathability and maximum air circulation. Baseball cap features hook-and-loop size adjustment. 100% Cotton ball cap with ABS shell insert and foam padding. Baseball cap is fully embroiderable. Blue. Bump caps are not designed to protect against impact from falling or glancing objects. Does not meet ANSI/ISEA Z89.1 requirements.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 19400	05848329	Baseball-style bump cap	Ea	\$11.80



HardCap A1+ Baseball-Style Bump Caps

Designed as a safeguard against accidental bumping or scraping of head. Ultra-sleek design means cap is almost indistinguishable from a low-profile baseball cap. Features inner high-density polyethylene (HDPE) liner with foam cushioning. Fully adjustable to allow perfect fit. Holes in liner add ventilation for coolness and comfort. Protective liner is removable, so outer cap is fully washable. Terry cloth sweatband adds comfort and absorption for the wearer. Non-ANSI.



MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 282-ABR170-11	05817643	Baseball-style bump cap	Black	Ea	\$22.80
▲ 282-ABR170-21	05817642	Baseball-style bump cap	Navy	Ea	\$22.80



67 Bump Cap

Protects head from lacerations, minor bumps and bruises in areas that do not require certified safety helmets. Perforated sides allow cross ventilation for maximum air circulation. Moisture-wicking brow pad is removable, washable and replaceable. Four-point pinlock sizing adjusts from head sizes 6 1/2" to 7 3/4". Ideal for automotive, pest control, meat packing, food processing and assembly facilities. White. Bump caps are not designed to protect against impact from falling or glancing objects. Does not meet ANSI/ISEA Z89.1 requirements.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19111	05819011	Bump cap	Ea	\$4.71



Create A Cap™ Bump Cap Inserts

Shell insert can be used with most 6-panel low profile ball caps to create a bump cap. Ventilation eyelets in the insert promote air circulation. Features plastic shell with or without foam insert. Fits head size 6 3/4 to 7 3/4. Does not meet ANSI/ISEA Z89.1. This is not a hard hat.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19402	05803726	Create A Cap insert w/ attached foam pad	Ea	\$4.71
19404	05803725	Create A Cap insert w/out foam pad	Ea	\$2.90

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



OSHA sets legal limits on noise exposure in the workplace.


These limits are based on a worker's time weighted average over an 8 hour day. With noise, OSHA's permissible exposure limit (PEL) is 90 dBA for all workers for an 8 hour day. The OSHA standard uses a 5 dBA exchange rate.

This means that when the noise level is increased by 5 dBA, the amount of time a person can be exposed to a certain noise level to receive the same dose is cut in half.

Go to www.osha.gov for complete details.

HEARING PROTECTION

Disposable	22,26
Reusable	23-25
Earmuffs	27-28
Communication & Monitors	28



MAX-30

Honeywell
HOWARD LEIGHT

MAX-1



MAX® Earplugs


Features noise-blocking performance, easy-to-insert contoured shape and soil-resistant skin. Ideal for welding, construction and transportation. Tested to ANSI S3.19-1974.

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
MAX-1	05810020	MAX, uncorded, polybag	33	200 Pr/Bx	\$34.26
MAX-30	05810025	MAX, corded, polybag	33	100 Pr/Bx	\$32.37

Honeywell
HOWARD LEIGHT

MAXLite® Disposable Earplugs

Made with low-pressure polyurethane foam. Features soil-resistant, closed-cell foam skin and prevents dirt build-up. Tested to ANSI S3.19-1974.



LPF-1


LPF-30

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
LPF-1	05810010	MAXLite, uncorded, polybag, 200 Pr/Bx	30	Bx	\$28.01
LPF-30	05810015	MAXLite, corded, polybag, 100 Pr/Bx	30	Bx	\$27.63

Honeywell
HOWARD LEIGHT

Laser Trak® Detectable Earplugs

Disposable, detectable earplugs feature self-adjusting, polyurethane foam to fit virtually any wearer and contoured T-shape for easy handling. Non-ferrous metal grommet is detectable by automated processes. Bright orange/blue color for easy compliance checks. Blue polycord attached. Tested to ANSI S3.19-1974. 100 Pair/box.




LT-30

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
LT-30	05800030	Laser Trak detectable, corded, polybag	33	Bx	\$42.77

Honeywell
HOWARD LEIGHT

Laser Lite® Disposable Earplugs

Disposable design features self-adjusting polyurethane foam that expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. Vibrant magenta/yellow color for visible protection. Tested to ANSI S3.19-1974.



LL-1


LL-30

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
LL-1	05892031	Laser Lite, uncorded, polybag, 200 Pr/Bx	32	Bx	\$28.26
LL-30	05810008	Laser Lite, corded, polybag, 100 Pr/Bx	32	Bx	\$27.45

RADIANS

Resistor™ 32 Earplugs

Tapered shape fits comfortably in ear canals. Soft foam seals without pressure, smooth surface repels dirt. Tested to ANSI S3.19-1974. Uncorded: made in USA. Corded: earplugs made in USA, assembled in Mexico.



FP70

FP71

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
FP70	05856025	Resistor 32, uncorded, 200 Pr/Bx	32	Bx	\$21.98
FP71	05806204	Resistor 32, corded, 100 Pr/Bx	32	Bx	\$22.00

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



3M™ E-A-R™ Classic™ Earplugs

Made with Thermal-Reactive™ foam. Features moisture and flame-resistant design. Test compatible with 3M™ E-A-Rfit™ Validation System. 200 Pair/box.

MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
310-1001	05831001	Classic, uncorded, pillow pack	29	Bx	\$32.61
311-1101	05831101	Classic, corded, poly bag	29	Bx	\$61.76



310-1001

311-1101



1100

1110

3M™ Foam Earplugs 1100 and 1110

Made with tapered foam. Can be combined with earmuffs. Test compatible with 3M™ E-A-Rfit™ Validation System. Corded plugs are not for use in the 3M™ Foam Earplug Dispenser.


MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
1100	05811000	Foam Earplugs 1100, uncorded, 200 Pr/Bx	29	Bx	\$27.29
1110	05801110	Foam Earplugs 1110, corded, 100 Pr/Bx	29	Bx	\$30.89

3M™ E-A-R™ Classic™ SuperFit™ 30

Features cylindrical shape that fits wide range of ear canals. Best fit achieved when plug is fully inserted so no ring is visible. Test compatible with 3M™ E-A-Rfit™ Validation System. 200 Pair/box.

MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
312-4201	05834201	SuperFit 30, uncorded, poly bag	30	Bx	\$34.78

312-4201



312-1223

312-1219

3M™ E-A-R™ TaperFit™ 2 Earplugs


Soft, roll-down foam expands to fit ear canal and provides low-pressure seal. Test compatible with 3M™ E-A-Rfit™ Validation System. 200 Pair/box.

MFG #	DILLON #	DESCRIPTION	NRR*	SIZES	UOM	PRICE
312-1219	05831219	TaperFit 2, uncorded	32	Regular	Bx	\$32.38
312-1223	05831223	TaperFit 2, corded	32	Regular	Bx	\$61.24
312-1221	05831221	TaperFit 2, uncorded	32	Plus	Bx	\$34.78

3M™ E-A-R™ Express™ Pod Plugs™

Features reusable design with pod shape and flexible grip. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit™ Validation System. 100 Pair/box.

MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
321-2100	05832100	Express Pod Plugs, uncorded w/ blue color grips	25	Bx	\$59.77
311-1115	05831115	Express Pod Plugs, corded w/ assorted color grips	25	Bx	\$95.65



311-1115

321-2100

3M™ Skull Screws™ Earplugs

Features screw "threads" molded into foam that make insertion convenient and easy. No roll-down required. Test compatible with 3M™ E-A-Rfit™ Validation System. Steel-gray. 120 Pair/box.

MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
P1300	05891300	Skull Screws, uncorded	32	Bx	\$62.24
P1301	05891301	Skull Screws, corded	32	Bx	\$87.15



P1301

P1300

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.




DPAS-1

AirSoft® Reusable Earplugs

Four-flange design uses internal fins to create interlocking, noise-blocking barrier within the ear's air pocket, providing dependable attenuation upon proper insertion. Firm stem and tapered shape facilitate easy insertion/removal and allow plug to sit comfortably in ear canal. Regular size. Tested to ANSI S3.19-1974.

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
DPAS-1	05810009	AirSoft, uncorded, polybag, 100/Bx	27	Pr	\$1.00
DPAS-30R	05810005	AirSoft, corded, polybag, 100/Bx	27	Pr	\$1.34


Honeywell
HOWARD LEIGHT




DPAS-30R

Quiet® Reusable Earplugs

Reusable earplugs feature patented no-roll-down design, contoured shape and built-in flexible stem for easy handling and fit. Smooth, non-irritating skin provides all-day comfort. Easy to clean for long-term use. Tested to ANSI S3.19-1974. 100 Pair/box.



QD30




QD1

MFG #	DILLON #	DESCRIPTION	NRR	SIZES	UOM	PRICE
QD1	05810007	Quiet, uncorded, polybag	26	Regular	Bx	\$44.58
QD30	05810040	Quiet, corded, polybag	26	Regular	Bx	\$73.49


SmartFit® Reusable Earplugs

Reusable earplugs feature Conforming Material Technology™ which uses body heat to adapt triple-flange design to shape of ear canal. Includes HearPack® storage case for SMF-30. Orange. Tested to ANSI S3.19-1974. 100 Pair/box.



SMF-30

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
SMF-30	05810075	SmartFit, detachable cord, HearPack case	25	Pr	\$1.07
SMF-30W-P	05800007	SmartFit, attached cotton cord, paper bag	25	Pr	\$1.18



FUS30S-HP

FUS30-HP

Fusion® Reusable Earplugs

Reusable earplugs features FlexiFirm® stem for easy insertion and SoftFlange™ design for all-day comfort and easy handling. Four-flange design distributes pressure evenly on ear canal for superior attenuation. Includes HearPack® storage case and detachable cord system. Tested to ANSI S3.19-1974. 100 Pair/box.

MFG #	DILLON #	DESCRIPTION	NRR	SIZES	UOM	PRICE
FUS30-HP	05800034	Fusion, detachable cord, HearPack	27	Regular	Pr	\$1.45
FUS30S-HP	05800033	Fusion, detachable cord, HearPack	27	Small	Pr	\$1.45



QB2HYG

QB2®HYG Banded Hearing Protector

Soft foam pods shaped for supra-aural protection fit easily inside ear canal opening. Patented band design prevents ear pods from touching dirty or contaminated surfaces. Reusable soft foam ear pods are designed for wearer comfort and are washable with soap and water for long-term hygienic use. Tested to ANSI S3.19-1974. CSA Z94.2 certified. 10 Pair/box.

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
QB2HYG	05810035	QB2HYG banded hearing protector	25	Pr	\$5.23

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



3M™ E-A-R™ UltraFit™ Earplugs

Features triple-flange design that fits a wide range of ear canals. Washable and reusable. Metal detectable version features stainless steel ball in stem and metal detectable cord. Test compatible with 3M™ E-A-Rfit™ Validation System.




MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
340-4001	05804001	UltraFit, uncorded, carrying case, 50 Pr/Bx	25	Bx	\$64.67
340-4002	05834002	UltraFit, corded, carrying case, 50 Pr/Bx	25	Pr	\$1.64
340-4003	05834003	UltraFit, uncorded, 100 Pr/Bx	25	Pr	\$0.97
340-4004	05834004	UltraFit, corded, 100 Pr/Bx	25	Pr	\$1.33
340-4007	05834007	UltraFit metal detectable, corded, 100 Pr/Bx	25	Pr	\$1.57



3M™ E-A-R™ Caboflex™ Model 600 Hearing Protector

Features foam core and effective seal. Pods swivel to align with and enter ear canal. Band can be worn under the chin for use with hard hats or safety eyewear. NRR 20 (under-the-chin) and NRR 17 (behind-the-head). 10 Pair/box.



MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
320-2001	05832001	Caboflex Model 600	20/17	Pr	\$7.82



Glide® Trio Reusable Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Simply push and twist to find your fit. Large handle on curved stem for easy insertion and removal. Soft triple flange plug is washable and reusable. Cord can be attached at any desired length. Bright green color is a symbol of Moldex® quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case. 50 Pair/box.




MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
6445	05877051	Glide Trio reusable, corded	27	Bx	\$64.59



3M™ Tri-Flange™ Earplugs

Conforms to shape of ear canal. Soft, flexible, translucent flanges form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System. 100 Pair/box.




MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
P3000	05898016	Tri-Flange, corded	26	Pr	\$1.21
P3001	05830001	Tri-Flange, cloth corded	26	Pr	\$1.23



Glide® Foam Twist-In Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Features large handle on curved stem and hygienic, no-roll design. Perfect for workers wearing gloves or with dirty hands. Cord can be attached at any desired length. 100 Pair/box.



MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
6945	05877049	Glide Foam, corded	30	Bx	\$67.22
6940	05877050	Glide Foam, uncorded	30	Bx	\$46.21



Rockets® Reusable Earplugs

Easy-grip handle allows for effortless insertion and air bubble in tip provides cushioned comfort. Soft, flexible flanges provide a superior seal. Each pair includes Pocket-Pak® carrying case. Washable and reusable. Tested to ANSI S3.19-1974. Purple. 50 Pair/box.



MFG #	DILLON #	DESCRIPTION	COLOR	NRR	UOM	PRICE
6405	05806405	Rockets, corded w/ Pocket-Pak	Purple	27	Bx	\$94.52

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





SparkPlugs® Foam Earplugs

Made of PVC-free foam. Features random multi-color swirl design and tapered shape. All Moldex hearing protection is independently tested for protection you can count on. Tested to ANSI S3.19-1974.



MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
6604	05806604	SparkPlugs, uncorded, 200 Pr/Bx	33	Bx	\$32.80
6654	05806654	SparkPlugs, corded, 100 Pr/Bx	33	Bx	\$33.41
6615	05896615	SparkPlugs, metal detectable, corded, 100 Pr/Bx	33	Bx	\$52.80
6644	05806644	PlugStation w/ SparkPlugs, uncorded, 250 Pr/Dsp	33	Ea	\$44.30
6645	05881141	PlugStation w/ SparkPlugs, uncorded, 500 Pr/Dsp	33	Ea	\$85.20
▲ 6880	05879531	PlugStation w/ SparkPlugs, corded, 150 Pr/Dsp	33	Ea	\$53.53



LS500® Disposable Earplug Dispensers

Hygienic and economical source for earplugs. Built with heavy-duty anodized aluminum and designed for wall installation. Dispenses earplugs with simple turning of handle. Ideal for large factories and process industries that have zero tolerance for packaging waste. Holds (500) pairs of Howard Leight™ disposable earplugs. Can be used with MAX®, MAXLite®, and Laser Lite® earplugs. Earplugs sold separately. Refills contain 500 Pair/box.



LL-1-D LS-500



MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
LS-500	05812500	Leight Source 500 earplug dispenser		Ea	\$183.45
MAX-1-D	05810022	MAX, uncorded, LS-500 dispenser refill	33	Bx	\$77.13
▲ LPF-1-D	05810012	MAXLite, uncorded, LS-500 dispenser refill	30	Bx	\$67.20
LL-1-D	05810026	Laser Lite, uncorded, LS-500 dispenser refill	32	Bx	\$67.42



Pura-Fit® Foam Earplugs

Features longer design for easy fitting and removal. Soft, PVC-free foam has non-irritating smooth surface. Tapered for easy insertion into any size ear canal. The bright green color is a symbol of Moldex quality. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.



MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
6800	05806800	Pura-Fit, uncorded, 200 Pr/Bx	33	Bx	\$37.08
6900	05806900	Pura-Fit, corded, 100 Pr/Bx	33	Bx	\$36.03
6844	05881142	PlugStation w/ Pura-Fit, uncorded, 250 Pr/Dsp	33	Ea	\$49.75
6845	05881143	PlugStation w/ Pura-Fit, uncorded, 500 Pr/Dsp	33	Ea	\$96.78
6882	05879529	PlugStation w/ Pura-Fit, corded, 150 Pr/Dsp	33	Ea	\$57.46



HL400-LL-INTRO



HL400™ Earplug Dispensers

Built for lightweight, durable convenience. Accommodates disposable foam earplugs ranging from MAX®, MAXLite®, and Laser Lite®. For refills select either the new prefilled canister or traditional zip top bags.

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
▲ HL400	05853651	HL400 empty dispenser		Ea	\$27.28
▲ HL400-MAX-INTRO	05853652	HL400MAXINTRO dispenser w/ MAX earplugs	33	Ea	\$84.07
▲ HL400-LPF-INTRO	05853654	HL400LPFINTRO dispenser w/ MAXLite earplugs	30	Ea	\$74.60
▲ HL400-LL-INTRO	05853655	HL400LLINTRO dispenser w/ Laser Lite earplugs	30	Ea	\$74.60
▲ HL400-MAX-REFILL	05853657	HL400MAX prefilled canister, 400 Pr, refill included	30	Cs	\$123.16
▲ HL400-LPF-REFILL	05853658	HL400 MAXLite canister, 400 Pr, refill included	30	Cs	\$107.16
▲ HL400-LL-REFILL	05853660	HL400 Laser Lite prefilled canister, 400 Pr, refill included	32	Cs	\$107.16
▲ MAX-LS4-REFILL	05853662	MAXLS4 refill bag, 200 Pr/Bx, 10 Bx/Cs	33	Cs	\$283.92
▲ LPF-LS4-REFILL	05853663	MAXLite LS4 refill bag, 200 Pr/Bx, 10 Bx/Cs	30	Cs	\$246.07

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





330-3001

3M™ Model 1000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive. Features large ear cup openings with foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 20 (over-the-head), NRR 22 (under-the-chin) and (behind-the-head).



MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
330-3001	05833001	Model 1000 multi-position earmuffs	20/22	Pr	\$16.37



3M™ Model 2000H Helmet-Mount Earmuffs

Mounts to most hard hats without adapter and features lightweight, durable plastic construction that is non-conductive for tough environments. "At-rest" position prevents contact with dirty hard hats.



330-3031

MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
330-3031	05833031	Model 2000H helmet-mount earmuffs	21	Pr	\$30.04



3M™ Peltor™ Optime™ 105 Series Earmuffs

Recommended for noise levels up to 105 dBA. Features double-shell ear cup design, wide padded headband and stainless steel headband wires. Offers liquid foam-filled cushions.



H10A

MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
H10A	05820010	Peltor Optime 105 Series, headband	30	Pr	\$25.35



M2 Multi-Position Earmuffs

Low-profile design can be worn over-the-head, behind-the-head or under-the-chin. SoftCoat® covering helps muffle transmitted noise. Special grips molded into cups make fitting and alignment quick and easy. Cup adjustment is infinitely variable, distributing pressure evenly. NRR 26 (over-the-head). Independently tested to ANSI S3.19-1974. 20/Case.



6200

MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
6200	05806200	M2 multi-position earmuffs, iridescent cups	26	Pr	\$20.62



3M™ Peltor™ Optime™ 95 Series Earmuffs

Features slim design, 2-point suspension and liquid foam-filled ear cushions. Recommended for noise levels up to 95 dBA.

MFG #	DILLON #	DESCRIPTION	NRR*	UOM	PRICE
H6A/V	05880615	Peltor Optime 95 Series, headband	21	Pr	\$13.57
▲ H6P3E/V	05880653	Peltor Optime 95 Series, cap-mount	21	Pr	\$13.58

H6A/V



H6P3E/V

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Thunder® Noise-Blocking Earmuffs

Features dual-headband, non-deforming outer headband and dielectric construction. Offers patented Air Flow Control™ technology and cap-mounted earmuffs with adapters. Black. Tested to ANSI S3.19-1974.

1010970-H5



MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
1010970-H5	05810050	T3 Thunder, headband	30	Pr	\$28.24
1011603	05888486	T3H Thunder, cap-mount	27	Pr	\$28.24



Lightning® Noise-Blocking Earmuffs

Features steel wire construction, padded foam headband and soft ear cushions. Offers Air Flow Control™ technology and snap-in ear cushions. Robust steel construction withstands demanding use, especially in tough environments. Padded foam headband delivers superb comfort with minimal pressure on the head. Telescoping height adjustment remains fixed during use. Tested to ANSI S3.19-1974.

1010922-H5



1011991

MFG #	DILLON #	DESCRIPTION	COLOR	NRR	UOM	PRICE
1010922-H5	05801167	L1 Lightning, headband	Light gray	25	Pr	\$11.91
1011991	05870595	L1H Lightning, cap-mount	Dark gray	23	Pr	\$11.91



SoundControl® Cap Model Earmuffs

Designed to fit comfortably under safety hard hats and faceshields. Provides aggressive protection in low-moderate noise environments. Features spring design for low pressure, 3 wearing positions, excellent grip for ease of adjustment, easy-to-remove ear cushions, and unique molded inserts for excellent noise attenuation. Weight: 8.7 oz. Tested to ANSI S3.19-1974.

10061272



MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
10061272	05878818	SoundControl HPE earmuffs for slotted caps	27	Pr	\$32.29



SoundControl® SH Earmuffs

Spring design offers low pressure and a high level of comfort. Soft ear cup material provides for extended wear and has maximum space for the ears inside the cup. Excellent grip makes it easy to adjust the cups, even when wearing gloves. Three distinct wearing positions for ease of use. Easy ear cup height adjustment. Retains the Class E dielectric rating on the V-Gard full brim hard hat.

10129327



MFG #	DILLON #	DESCRIPTION	NRR	UOM	PRICE
10129327	05856026	Earmuffs for full brim hat, slotted	23	Pr	\$50.68



3M™ Noise Indicator NI-100

Designed for variable noise environments to help workers identify potentially hazardous noise levels and know when hearing protection devices (HPDs) may be required. Green flashing LED indicates that noise levels are below 85 dB where HPDs may not need to be worn; red flashing LED indicates noise levels are above 85 dB, a potentially dangerous noise level where HPDs may be required. Small, lightweight design (.6 oz.) clips to shirt or jacket and includes a rechargeable battery that operates for up to 200 hours between charges. If not manually powered off, device will automatically power off after approximately 10 hours. Dimensions: 2" L x 1.4" W x 0.5" D. Can be used as an effective training tool within a hearing conservation program (consult OSHA Standard 29 CFR 1910.95) to help ensure workers know when and where to wear hearing protection. 6' USB 2.0 5-pin mini cable connects a computer or USB hub to the 3M Noise Indicator NI-100 for recharging, sold separately. 10/Case.

NI-100



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
NI-100	05800174	Noise Indicator NI-100	Ea	\$46.85



3M™ Sound Detector SD-200 Kit

Includes key features for the assessment of workplace noise levels, including integration which computes the average sound pressure level. Features LED indicators that flash green, yellow and/or red when preset thresholds have been reached. Rechargeable lithium polymer battery helps to lower the total cost of ownership versus other sound level meters that use replaceable batteries. Kit includes the meter, 53-575 USB cable and SD-WS windscreens with user instructions translated into languages for United States, Canadian and Latin American regions.

SD-200



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SD-200	05896323	3M™ Sound detector SD-200 kit w/ USB cable & windscreen	Ea	\$388.89

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, and the user instructions, warnings, and limitations accompanying each product.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Protective clothing must be worn whenever the wearer faces potential hazards arising from chemical exposure. The following offers ensemble components based on the EPA Levels of Protection: Levels A, B, C, and D. This list can be used as the starting point for ensemble creation; however, each ensemble must be tailored to the specific situation in order to provide the most appropriate level of protection.

Level A:

- Vapor protective suit (meets NFPA 1991)
- Pressure-demand, full-face SCBA
- Inner chemical-resistant gloves, chemical-resistant safety boots, two-way radio communication
- OPTIONAL: Cooling system, outer gloves, hard hat

Level B:

- Liquid splash-protective suit (meets NFPA 1992)
- Pressure-demand, full-facepiece SCBA
- Inner chemical-resistant gloves, chemical-resistant safety boots, two-way radio communications
- Hard hat.
- OPTIONAL: Cooling system, outer gloves

Level C:

- Support Function Protective Garment (meets NFPA 1993)
- Full-facepiece, air-purifying, canister-equipped respirator
- Chemical resistant gloves and safety boots
- Two-way communications system, hard hat
- OPTIONAL: Faceshield, escape SCBA

Level D:

- Coveralls, safety boots/shoes, safety glasses or chemical splash goggles
- OPTIONAL: Gloves, escape SCBA, face-shield

Maritime

Many types of industry have workers who are at risk of falling into the water, including very cold water. In addition to possible drowning, there's also the risk of hypothermia and even death. Employers shall provide PPE associated to these risks and should explore best practices, and develop, implement and comply with Persons In Water (PIW) procedures.

FR Apparel

OSHA's "269" standard (1910.269(l)(6)):

- Requires that workers be trained in the potential hazards of electric arcs and the flames they can produce by igniting other materials in the area.
- Prohibits workers from wearing clothing that, in the presence of an arc, can potentially increase the extent of injury; that is, if the clothing would ignite and continue to burn, or if it melts on the skin. Thus, workers are generally prohibited from wearing clothing materials made entirely of, or blended with, synthetic materials such as acetate, nylon, polyester, or rayon

Go to www.osha.gov for complete details.

PROTECTIVE CLOTHING

Disposable	30-33, 35
Aprons	34
Chemical Protection	35-36
Rainwear	36-39
FR & Heat-Resistant	40-43
Survival	44

DuPont Personal Protection DuPont™ Tyvek® 400 Coveralls

Provides an effective barrier for dry, small particles, even after abrasion, with an ideal balance of protection, durability and comfort. Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light non-hazardous liquid splash. Proprietary comfort-fit design offers greater range of movement and increased worker comfort. Features serged seams and nylon zipper. White. 25/Case.

TY1225



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Collar, Open Wrists and Ankles					
TY1205-M	05814122	Tyvek® 400 coveralls	M	Cs	\$147.55
TY1205-L	05814123	Tyvek® 400 coveralls	L	Cs	\$147.55
TY1205-XL	05814124	Tyvek® 400 coveralls	XL	Cs	\$147.55
TY1205-2XL	05814125	Tyvek® 400 coveralls	2XL	Cs	\$156.52
TY1205-3XL	05801423	Tyvek® 400 coveralls	3XL	Cs	\$166.03
TY1205-4XL	05841418	Tyvek® 400 coveralls	4XL	Cs	\$179.08
TY1205-5XL	05814128	Tyvek® 400 coveralls	5XL	Cs	\$193.48
Attached Hood, Elastic Wrists and Ankles					
TY1275-L	05880058	Tyvek® 400 coveralls	L	Cs	\$178.80
TY1275-XL	05880059	Tyvek® 400 coveralls	XL	Cs	\$178.80
TY1275-2XL	05880060	Tyvek® 400 coveralls	2XL	Cs	\$189.40
TY1275-3XL	05880061	Tyvek® 400 coveralls	3XL	Cs	\$200.82
TY1275-4XL	05880062	Tyvek® 400 coveralls	4XL	Cs	\$216.85

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Collar, Elastic Wrists and Ankles					
TY1255-M	05889555	Tyvek® 400 coveralls	M	Cs	\$166.85
TY1255-L	05801417	Tyvek® 400 coveralls	L	Cs	\$166.85
TY1255-XL	05801418	Tyvek® 400 coveralls	XL	Cs	\$166.85
TY1255-2XL	05800049	Tyvek® 400 coveralls	2XL	Cs	\$176.90
Attached Hood and Boots, Elastic Wrists and Ankles					
TY1225-M	05889473	Tyvek® 400 coveralls	M	Cs	\$181.25
TY1225-L	05888086	Tyvek® 400 coveralls	L	Cs	\$181.25
TY1225-XL	05801414	Tyvek® 400 coveralls	XL	Cs	\$181.25
TY1225-2XL	05801415	Tyvek® 400 coveralls	2XL	Cs	\$192.39
TY1225-3XL	05801416	Tyvek® 400 coveralls	3XL	Cs	\$203.80
TY1225-4XL	05812204	Tyvek® 400 coveralls	4XL	Cs	\$220.11
TY1225-5XL	05812205	Tyvek® 400 coveralls	5XL	Cs	\$237.77



DuPont Personal Protection DuPont™ Tyvek® 400 D Coveralls

Garments combine protection, durability and comfort of Tyvek® fabric on front and comfort, softness and breathability of ProShield® 10 fabric on back. Enables a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment. Multiple interlocking threads are sewn around raw edges of garment material to create a strong, stress-resistant seam. Features storm flap, thumb loop to keep garment sleeve in place, and elastic opening for tighter fit at wrist and ankle. White. 25/Case.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
TD1255-M	05870605	Tyvek® 400 D coveralls w/ laydown collar	M	Cs	\$155.63
TD1255-L	05870606	Tyvek® 400 D coveralls w/ laydown collar	L	Cs	\$155.63
TD1255-XL	05870607	Tyvek® 400 D coveralls w/ laydown collar	XL	Cs	\$155.63
TD1255-2XL	05870608	Tyvek® 400 D coveralls w/ laydown collar	2XL	Cs	\$164.96
TD1255-3XL	05870609	Tyvek® 400 D coveralls w/ laydown collar	3XL	Cs	\$174.87
TD1255-4XL	05870610	Tyvek® 400 D coveralls w/ laydown collar	4XL	Cs	\$188.86
TD1275-M	05870612	Tyvek® 400 D coveralls w/ attached respirator-fit hood	M	Cs	\$166.43
TD1275-L	05870613	Tyvek® 400 D coveralls w/ attached respirator-fit hood	L	Cs	\$166.43
TD1275-XL	05870614	Tyvek® 400 D coveralls w/ attached respirator-fit hood	XL	Cs	\$166.43
TD1275-2XL	05870615	Tyvek® 400 D coveralls w/ attached respirator-fit hood	2XL	Cs	\$176.42
TD1275-3XL	05870616	Tyvek® 400 D coveralls w/ attached respirator-fit hood	3XL	Cs	\$187.01
TD1275-4XL	05870617	Tyvek® 400 D coveralls w/ attached respirator-fit hood	4XL	Cs	\$201.97



SMS Coveralls

Material consists of a meltblown layer sandwiched between two spunbond layers, laminated together for maximum protection and durability. Offers protection from dry particulates and liquid sprays. Breathable and comfortable. Features zipper front closure and elastic wrists and ankles. White. 25/Case.

2223

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2223-M	05889519	SMS Coveralls	M	Cs	\$92.22
2223-L	05889514	SMS Coveralls	L	Cs	\$92.22
2223-XL	05889518	SMS Coveralls	XL	Cs	\$92.22
2223-2XL	05889515	SMS Coveralls	2XL	Cs	\$99.08
2223-3XL	05889520	SMS Coveralls	3XL	Cs	\$99.72
2223-4XL	05889516	SMS Coveralls	4XL	Cs	\$100.52



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



MicroGuard MP™ Coveralls

State-of-the-art lamination technology combines soft non-woven fabric with microporous film for superior liquid barrier, excellent particulate barrier, tear resistance, breathability and low lint. Recyclable and economical option. Applications include fiberglass manufacturing/installation, industrial research, woodworking and food processing. White. Passes ASTM 1670 for blood penetration. 25/Case.

8012



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Elastic Back and Wrists, Open Ankles					
8012-M	05880129	MicroGuard MP coveralls	M	Cs	\$101.93
8012-L	05880123	MicroGuard MP coveralls	L	Cs	\$101.93
8012-XL	05848012	MicroGuard MP coveralls	XL	Cs	\$101.93
8012-2XL	05858012	MicroGuard MP coveralls	2XL	Cs	\$101.93
8012-3XL	05880127	MicroGuard MP coveralls	3XL	Cs	\$110.45
8012-4XL	05880126	MicroGuard MP coveralls	4XL	Cs	\$115.30
Attached Hood and Boots					
8019-M	05880192	MicroGuard MP coveralls	M	Cs	\$131.07
8019-L	05880193	MicroGuard MP coveralls	L	Cs	\$131.07
8019-XL	05880194	MicroGuard MP coveralls	XL	Cs	\$131.07
8019-2XL	05880195	MicroGuard MP coveralls	2XL	Cs	\$131.07
8019-3XL	05880196	MicroGuard MP coveralls	3XL	Cs	\$131.68
8019-4XL	05880197	MicroGuard MP coveralls	4XL	Cs	\$138.54



PyroGuard® FR Coveralls

Disposable garments constructed of a breathable, lightweight cloth-like material with a base fabric of hydro-entangled wood pulp and polyester. Flame-retardant treated. Fabric chars at temperatures below the ignition point resulting in no flaming or molten drip. Generous sizing prevents rip-outs. Feature zipper front closure. Blue. Passes ASTM 6413 Vertical Flame Testing and meets NFPA 2113 requirements for section 5.1.9. 25/Case.

9019



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Elastic Wrists and Open Ankles					
▲ 9012-M	05889491	PyroGuard FR coveralls	M	Cs	\$177.12
▲ 9012-L	05889493	PyroGuard FR coveralls	L	Cs	\$177.12
▲ 9012-XL	05889496	PyroGuard FR coveralls	XL	Cs	\$177.12
▲ 9012-2XL	05889494	PyroGuard FR coveralls	2XL	Cs	\$177.12
▲ 9012-3XL	05889495	PyroGuard FR coveralls	3XL	Cs	\$210.86
Attached Hood and Boots, Elastic Wrists					
▲ 9019-L	05889579	PyroGuard FR coveralls	L	Cs	\$217.29
▲ 9019-XL	05889481	PyroGuard FR coveralls	XL	Cs	\$217.29
▲ 9019-2XL	05889480	PyroGuard FR coveralls	2XL	Cs	\$217.29
▲ 9019-3XL	05889580	PyroGuard FR coveralls	3XL	Cs	\$258.73



MicroMaxNS Coveralls

Offers lightweight and economical microporous protection from dirt, grease, grime and light chemical splash. Features high moisture vapor transmission rate (MVTR) for better ventilation, worker comfort and strength, wet or dry. Zipper front closure. White. 25/Case.

CTL412



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Collar, Open Wrists and Ankles					
CTL412-L	05827725	MicroMaxNS coveralls	L	Cs	\$76.90
CTL412-XL	05827719	MicroMaxNS coveralls	XL	Cs	\$76.90
CTL412-2X	05827711	MicroMaxNS coveralls	2XL	Cs	\$76.90
CTL412-3X	05827712	MicroMaxNS coveralls	3XL	Cs	\$80.71
Attached Hood, Elastic Wrists and Ankles					
▲ CTL428-L	05827720	MicroMaxNS coveralls	L	Cs	\$89.39
▲ CTL428-XL	05827714	MicroMaxNS coveralls	XL	Cs	\$89.39
▲ CTL428-2X	05827708	MicroMaxNS coveralls	2XL	Cs	\$89.39
▲ CTL428-3X	05827709	MicroMaxNS coveralls	3XL	Cs	\$93.86



MicroMaxNS Cool Suit™

Keeps workers cool while protecting against dirt, grease and spills with an added spunbond polypropylene back panel. Elastic back waist offers improved comfort and fit. Front and sides are made of microporous film on a polypropylene substrate which provides barrier protection and a flap cover over the zipper protects against splashes. Back panel offers only a light particulate barrier. Zipper front closure. White. 25/Case.

COL428



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Collar, Open Wrists and Ankles					
COL412-S	05804991	MicroMaxNS Cool Suit	S	Cs	\$87.77
COL412-M	05804990	MicroMaxNS Cool Suit	M	Cs	\$87.77
COL412-L	05804989	MicroMaxNS Cool Suit	L	Cs	\$87.77
COL412-XL	05804988	MicroMaxNS Cool Suit	XL	Cs	\$87.77
COL412-2X	05804987	MicroMaxNS Cool Suit	2XL	Cs	\$87.77
COL412-3X	05804986	MicroMaxNS Cool Suit	3XL	Cs	\$92.12
COL412-4X	05804985	MicroMaxNS Cool Suit	4XL	Cs	\$97.55
COL412-5X	05804984	MicroMaxNS Cool Suit	5XL	Cs	\$104.89
Attached Hood, Elastic Wrists and Ankles					
▲ COL428-S	05804983	MicroMaxNS Cool Suit	S	Cs	\$111.96
▲ COL428-M	05804982	MicroMaxNS Cool Suit	M	Cs	\$111.96
▲ COL428-L	05804981	MicroMaxNS Cool Suit	L	Cs	\$111.96
▲ COL428-XL	05804980	MicroMaxNS Cool Suit	XL	Cs	\$111.96
▲ COL428-2X	05804979	MicroMaxNS Cool Suit	2XL	Cs	\$111.96
▲ COL428-3X	05804978	MicroMaxNS Cool Suit	3XL	Cs	\$117.66
▲ COL428-4X	05804977	MicroMaxNS Cool Suit	4XL	Cs	\$124.73
▲ COL428-5X	05804976	MicroMaxNS Cool Suit	5XL	Cs	\$133.97

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





TY212

DuPont Personal Protection

DuPont™ Tyvek® 400 Lab Coats

Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Features snap front, (2) pockets and open wrists. White. 30/Case.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ TY212S-L	05880048	Tyvek® 400 lab coats	L	Cs	\$143.00
TY212S-XL	05850027	Tyvek® 400 lab coats	XL	Cs	\$143.00
▲ TY212S-2XL	05814301	Tyvek® 400 lab coats	2XL	Cs	\$151.59
▲ TY212S-3XL	05850029	Tyvek® 400 lab coats	3XL	Cs	\$160.70
▲ TY212S-4XL	05850036	Tyvek® 400 lab coats	4XL	Cs	\$173.55

DuPont Personal Protection

DuPont™ Tyvek® 400 FC Shoe Covers

Made from Tyvek® 400 with skid-resistant coating and elastic top. Features serged seams. 5" Height. Universal. Gray. 200/Case.



FC450SGY00020000

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FC450SGY00020000	05800165	Tyvek® 400 FC shoe covers	Cs	\$124.82



Disposable Shoe Covers

Made of anti-skid polypropylene. Blue. 300/Case.

V3100



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
V3100-3-XL	05831003	Disposable shoe covers	XL	Cs	\$40.95

DuPont Personal Protection

DuPont™ Tyvek® 400 FC Boot Covers

Made with spunbonded olefin with skid-resistant friction coating. Features elastic top and serged seams. 18" Length. Universal. Gray. 100/Case.



FC454SGY00010000

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FC454SGY00010000	05800164	Tyvek® 400 FC boot covers	Cs	\$93.80



Polypropylene Bouffant Caps

Excellent for light splash protection from water and non-oil based liquids. Great for light manufacturing, food service and computer assembly. White spunbond polypropylene. 100/Bag.



04WBC

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
04WBC	05810004	Bouffant caps, .40 oz.	M/L (21"-24")	Bg	\$3.10

DuPont Personal Protection

DuPont™ Tyvek® 400 Shoe Covers

Flashspun high-density polyethylene provides an ideal balance of durability and comfort. Provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. 5" Height. Universal. White. 200/Case.



TY450SWH00020000

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
TY450SWH00020000	05814440	Tyvek® 400 shoe covers	Cs	\$88.79



Polypropylene Accessories

Bouffant caps keep hair in place, beard covers offer protective barrier. Both provide breathable all-day comfort. White polypropylene with elastic band for flexible fit. 100/Bag.



UB-24-1000 & UBC-1000

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
UB-24-1000	05807085	Bouffant caps	24"	Bg	\$3.59
UBC-1000	05807086	Beard covers	Universal	Bg	\$2.77

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Contamination Control Mats

Adhesive-coated mats help prevent dust and other particulates on the bottom of foot protection from entering cleanrooms and controlled environments.

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
30 Layers, Contamination Control Mats, 8/Cs					
100-93-243638W	05892436	White	24" x 36"	Cs	\$127.15
▲ 100-93-243638B	05876998	Blue	24" x 36"	Cs	\$127.13
60 Layers, Contamination Control Mats, 4/Cs					
▲ 100-93-366064G	05893660	Gray	36" x 60"	Cs	\$322.77

100-93-243638W



100-93-243638B



CleanTeam® Class 100 Nitrile Disposable Gloves

Features 5-mil thickness with textured fingers and 9 1/2" length. Powder-free, chlorinated and electrostatic dissipative. Ideal for biotechnology, medical device manufacturing and computer assembly. Exceeds standard required for use in class 100 and other controlled environments. 100/Bag; 10 bags/case.



100-332400

MFG #	DILLON #	SIZES	UOM	PRICE
CleanTeam Class 100 Nitrile Disposable Gloves				
▲ 100-332400/S	05834457	S	Cs	\$249.35
▲ 100-332400/M	05834458	M	Cs	\$249.35
▲ 100-332400/L	05834459	L	Cs	\$249.35
▲ 100-332400/XL	05834460	XL	Cs	\$249.35



SHOWA® N-DEX® C9905PF Gloves

Delivers exceedingly low ESD and particulate counts. Textured fingertips provides enhanced grip and tactile discrimination. Features 5-mil thickness, 12" length and beaded cuff. Powder-free. Ideal for cleanroom, lab and food processing environments where exacting standards of industrial hygiene are required. 100/Bag; 10 bags/case.



C9905PF

MFG #	DILLON #	SIZES	UOM	PRICE
SHOWA N-DEX Gloves				
▲ C9905PFS	05800041	S	Cs	\$293.04
▲ C9905PFM	05800042	M	Cs	\$293.04
▲ C9905PFL	05800043	L	Cs	\$293.04
▲ C9905PFXL	05800044	XL	Cs	\$293.04



Spray Sock

Provides comfortable protection against overspray and other particulates. Fits over the head and can be worn with goggles, half mask or full mask respirators. Stretch knit material is breathable and cool to wear. Universal. White.

1410



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1410	05821410	Spray sock	Ea	\$1.17

PD524E



Dispensers

Made of clear acrylic with dust cover lid to protect contents. Use on table or mount on wall.



PD325E


MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ PD325E	05815885	Beard cover dispenser	Ea	\$123.32
▲ PD524E	05815886	Bouffant cap dispenser	Ea	\$123.32

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



56-300
(YV-45)

073S4



56-512



A2836D4



TY273B



Vinyl Apron

Made with 8-mil blue vinyl with sewn edge and (3) strings.
Measures: 35" x 45". 6 Dozen/case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
073S4	05810057	Tyvek® 400 aprons	Ea	\$1.92



Heavy-Duty PVC Apron

Heavyweight PVC/on tough nylon backing. Offers excellent resistance to punctures and abrasions. Durable, cost effective and good for use in cold temperatures. Resistant to acids, fats, oil and grease. 45" Length. Yellow. 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
56-300 (YV-45)	05880160	Heavy-duty PVC apron	Ea	\$9.00



Hycar™ Apron

Ideal for working with animal fats or grease. Used for chemical processing, oil refining, petrochemicals, food packing and handling, meat packaging, food processing and industrial maintenance. Heavyweight, 18-mil bib-style. Measures: 35" x 45". Black.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
56-512	05856411	Hycar apron	Ea	\$18.50



Denim Apron

Heavy-duty, pre-shrunk denim with hip and chest pockets and durable, metal grommets.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
A2836D4	05828364	Denim apron	Ea	\$7.10

DuPont Personal Protection DuPont™ Tyvek® 400 Aprons

Flashspun high-density polyethylene substrate provides comfortable inherent barrier protection against hazardous dry particles and light liquid splash. Features bound seams around neck and ties at waist. Measures: 28" x 36". White. 100/Case.


MFG #	DILLON #	DESCRIPTION	UOM	PRICE
TY273B	05800601	Tyvek® 400 aprons	Ea	\$1.41



Denim Sleeve

Pre-shrunk, heavy-duty denim with elastic at both ends. Applications include general industrial, construction and maintenance. 18" Length.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
C18D8	05801808	Denim sleeve	Ea	\$2.43



C18D8

DuPont Personal Protection DuPont™ Tyvek® 400 Sleeves

Offers extra protection for arms and garments. Effective barrier to hazardous dry particles, aerosols and non-hazardous light liquid splash. Features elastic ends to ensure secure fit and serged seams. 18" Length. White. 200/Case.



TY500S

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
TY500S	05800850	Tyvek® 400 sleeves	Pr	\$0.93


All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



MicroMaxNS Sleeves

Offers lightweight and economical microporous protection from dirt, grease, grime and light chemical splash. Features high moisture vapor transmission rate (MVTR) for better ventilation, worker comfort and strength, wet or dry. 18" Length. White. 100 Pair/case.

CTL850-18



Vinyl Sleeves

Made of 6-mil blue vinyl, elastic both ends. 18" Length. 120/Case.



S063E4

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
CTL850-18	05827793	MicroMaxNS sleeves	Cs	\$58.48

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
S063E4	05810135	Vinyl sleeves	Pr	\$0.86

DuPont Personal Protection

DuPont™ Tychem® 2000 Coveralls

Made with polyethylene-coated fabric which provides protection against light liquid splash. Bright yellow color creates contrast across a wide range of natural backgrounds for high visibility in the workplace. Lightweight fabric is durable and resistant to tear and abrasion. Ideal for use in chemical processing and manufacturing applications. Features zipper front. 12/Case.

Warning: Not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



QC122S

DuPont Personal Protection

DuPont™ Tychem® 10000 Level A Suits

Offers high-level protection against toxic, corrosive gases, liquids and solid chemicals with taped seams and gas-tight zipper closure. Fully encapsulated and vapor-protective with expanded back. Lime yellow for high visibility. Chemical barrier fabric is 100% non-woven, sandwiched between proprietary films, offering high strength and great tear resistance. Each suit has a unique serial number and is fully tested at time of manufacture including positive air pressure integrity testing per ASTM F1052.

Features:

- Expanded back and rear entry
- Faceshield with wide 220° viewing angle, made of 3-layer laminate (40-mil PVC/5-mil Teflon®/20-mil PVC)
- Storm flap covers zipper and secures with hook and loop
- Multi-layer gloves provide mechanical and physical durability
- Replaceable gloves are attached with vapor-tight ring and clamp system
- Integrated socks composed of garment material
- Attached flaps cover boot tops
- (2) Exhaust valves
- Internal adjustable waist belt
- Additional barrier material sewn at knees and over-taped

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



TK555T

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Collar, Open Wrists and Ankles - Bound Seams					
▲ QC120B-M	05815873	Tychem® 2000 coveralls	M	Cs	\$145.15
▲ QC120B-L	05815872	Tychem® 2000 coveralls	L	Cs	\$145.15
▲ QC120B-XL	05815874	Tychem® 2000 coveralls	XL	Cs	\$145.15
▲ QC120B-2XL	05881120	Tychem® 2000 coveralls	2XL	Cs	\$153.89
▲ QC120B-3XL	05881130	Tychem® 2000 coveralls	3XL	Cs	\$163.13
Attached Hood and Socks, Elastic Wrists and Face - Serged Seams					
▲ QC122S-M	05889533	Tychem® 2000 coveralls	M	Cs	\$140.34
▲ QC122S-L	05889531	Tychem® 2000 coveralls	L	Cs	\$140.34
▲ QC122S-XL	05889527	Tychem® 2000 coveralls	XL	Cs	\$148.77
▲ QC122S-2XL	05889544	Tychem® 2000 coveralls	2XL	Cs	\$148.77
▲ QC122S-3XL	05889534	Tychem® 2000 coveralls	3XL	Cs	\$157.68
▲ QC122S-4XL	05889537	Tychem® 2000 coveralls	4XL	Cs	\$170.27
Attached Hood, Elastic Face, Wrists and Ankles - Serged Seams					
▲ QC127S-M	05889505	Tychem® 2000 coveralls	M	Cs	\$125.84
▲ QC127S-L	05889506	Tychem® 2000 coveralls	L	Cs	\$125.84
▲ QC127S-XL	05889511	Tychem® 2000 coveralls	XL	Cs	\$125.84
▲ QC127S-2XL	05889508	Tychem® 2000 coveralls	2XL	Cs	\$133.37
▲ QC127S-3XL	05889509	Tychem® 2000 coveralls	3XL	Cs	\$141.37
▲ QC127S-4XL	05889517	Tychem® 2000 coveralls	4XL	Cs	\$152.64

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ TK555T-L	05889488	Tychem® 10000 Level A suit	L	Ea	\$1,254.24
▲ TK555T-XL	05889484	Tychem® 10000 Level A suit	XL	Ea	\$1,254.24

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Interceptor® Level A Suits

Fully encapsulated configuration offers dependable protection over a broad range of chemical challenges in a wide range of environments. Constructed with a combination of barrier film layers and a non-woven diffusion layer. Heat-sealed seams. Blue. Manufactured to CE Type 1 requirements.

Features:

- ShurSeal Teflon® visor process permanently seals the visor into the suit with no sewing involved
- Teflon outer layer on visor prevents impairment of vision due to chemical contact



MFG #	DILLON #	SIZES	UOM	PRICE
Interceptor Level A Suit, Front Entry				
▲ 80640-L	05853784	L	Ea	\$832.62
▲ 80640-XL	05853785	XL	Ea	\$832.62
▲ 80640-2X	05853786	2XL	Ea	\$874.26
▲ 80640-3X	05853787	3XL	Ea	\$917.98
▲ 80640-4X	05853788	4XL	Ea	\$963.87
▲ 80640-5X	05853789	5XL	Ea	\$1,012.08

MFG #	DILLON #	SIZES	UOM	PRICE
Interceptor Level A Suit, Back Entry				
▲ 80650-L	05853790	L	Ea	\$832.62
▲ 80650-XL	05853791	XL	Ea	\$832.62
▲ 80650-2X	05853792	2XL	Ea	\$874.26
▲ 80650-3X	05853793	3XL	Ea	\$917.98
▲ 80650-4X	05853794	4XL	Ea	\$978.10
▲ 80650-5X	05853795	5XL	Ea	\$1,013.67



Icon™ Hi-Viz Apparel

ANSI/ISEA 107 Type R Class 3 compliant jacket, coat and Class E compliant overalls. Premium, high-viz outerwear in breathable, fluorescent yellow-green material for excellent daytime visibility with 2" silver reflective tape for 360° nighttime conspicuity. Includes comfortable mesh/taffeta lining and stitched and taped sealed seams for 100% waterproof, breathable protection. Test Method ASTM E96.

Jacket and coat feature:

- Overhead shoulder design for maximum freedom of movement
- 2-Way zipper/storm-fly front with throat guard to seal out wind and rain
- Roll-a-way adjustable hood in collar design
- Full-vented cape back with D-ring access for fall protection harness
- Pockets: hand warmers on sides, front cargo with hook and loop closures, front radio with clear badge holder, and inner breast with zipper closure
- Elastic cuffs on jacket with hook and loop take-up straps on sleeves
- Jacket has tapered sweep with adjustable elastic drawcord for added protection
- (2) Mic tabs
- Jacket has black front to help conceal dirt

Overalls feature:

- Snap-fly front and snap take-ups at waist
- Hook and loop take-up straps on leg cuffs
- Heavy-duty suspenders with quick-release buckles and crossover



MFG #	DILLON #	SIZES	UOM	PRICE
Icon Jacket with Attached Hood				
▲ J24122-S	05815833	S	Ea	\$71.73
▲ J24122-M	05815832	M	Ea	\$71.73
▲ J24122-L	05815831	L	Ea	\$71.73
▲ J24122-XL	05815838	XL	Ea	\$71.73
▲ J24122-2X	05815834	2XL	Ea	\$74.72
▲ J24122-3X	05815835	3XL	Ea	\$74.72
▲ J24122-4X	05815836	4XL	Ea	\$74.72
▲ J24122-5X	05815837	5XL	Ea	\$74.72

MFG #	DILLON #	SIZES	UOM	PRICE
Icon Overalls with Snap-Fly Front				
▲ O24122-S	05815788	S	Ea	\$42.70
▲ O24122-M	05815787	M	Ea	\$42.70
▲ O24122-L	05815786	L	Ea	\$42.70
▲ O24122-XL	05815793	XL	Ea	\$42.70
▲ O24122-2X	05815789	2XL	Ea	\$45.70
▲ O24122-3X	05815790	3XL	Ea	\$45.70
▲ O24122-4X	05815791	4XL	Ea	\$45.70
▲ O24122-5X	05815792	5XL	Ea	\$45.70

MFG #	DILLON #	SIZES	UOM	PRICE
Icon Coat with Attached Hood, 48"				
▲ C24122-S	05823658	S	Ea	\$84.54
▲ C24122-M	05823657	M	Ea	\$84.54
▲ C24122-L	05823656	L	Ea	\$84.54
▲ C24122-XL	05823659	XL	Ea	\$84.54
▲ C24122-2X	05823652	2XL	Ea	\$87.53
▲ C24122-3X	05823653	3XL	Ea	\$87.53
▲ C24122-4X	05823654	4XL	Ea	\$87.53
▲ C24122-5X	05823655	5XL	Ea	\$87.53

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Eclipse™ FR Apparel

Revolutionary Quad-Hazard™ protection offers high visibility, liquid proof, arc flash and flash fire protection. Patent pending Thermo-Grid™ technology helps block out heat energy while the flame resistant PVC coating on Nomex® provides 100% liquid proof protection in a soft, lightweight suit. Therm-O-Rad sealed seams for 100% liquid protection, and 2" silver reflective tape that reflects light for 360° nighttime conspicuity. Features FR corduroy collar with roll-a-way hood, oversized 3-piece hood with adjustable hook and loop take-up strap, full-vented cape back, D-ring access for fall protection harness, hook and loop take-up straps on wrists, adjustable elastic drawcord on jacket, zipper/storm fly front with snap closure and hidden hardware, self material suspenders with heavy-duty quick release buckles and crossover, and non-conductive, non-corrosive hardware. Fluorescent yellow-green. Conforms to ASTM F1891 for Arc Thermal performance and NFPA 70E - CAT2. Arc rating: 8.7 cal/cm². Conforms to ASTM F2733 for Flash Fire performance. ANSI/ISEA 107 Type R Class 3 compliant for flame resistance and high visibility.



J44122

O44122



MFG #	DILLON #	SIZES	UOM	PRICE
Eclipse Jacket				
▲ J44122-S	05899192	S	Ea	\$126.11
▲ J44122-M	05899191	M	Ea	\$126.11
▲ J44122-L	05899190	L	Ea	\$126.11
▲ J44122-XL	05899189	XL	Ea	\$126.11
▲ J44122-2X	05899188	2XL	Ea	\$130.26
▲ J44122-3X	05899187	3XL	Ea	\$134.40
▲ J44122-4X	05899186	4XL	Ea	\$138.54
▲ J44122-5X	05899185	5XL	Ea	\$142.70

MFG #	DILLON #	SIZES	UOM	PRICE
Eclipse Overalls				
▲ O44122-S	05899184	S	Ea	\$76.60
▲ O44122-M	05899183	M	Ea	\$76.60
▲ O44122-L	05819983	L	Ea	\$76.60
▲ O44122-XL	05819982	XL	Ea	\$76.60
▲ O44122-2X	05899181	2XL	Ea	\$80.75
▲ O44122-3X	05819980	3XL	Ea	\$84.89
▲ O44122-4X	05899179	4XL	Ea	\$89.04
▲ O44122-5X	05899178	5XL	Ea	\$93.18



Base10™ Rain Suit

Constructed of .10 mm single ply PVC with adjustable snaps at wrists, waist and ankles for better fit. All hardware is non-conductive and non-corrosive. Jacket features detachable hood with drawstring, underarm vents, storm flap front with (2) flap pockets and self-material collar. Pants have elastic waist for easy on/off. Yellow.

201-100



MFG #	DILLON #	SIZES	UOM	PRICE
Base10 3-Piece Suit				
201-100-L	05895051	L	Ea	\$5.25
201-100-XL	05895052	XL	Ea	\$5.25
201-100-2XL	05848804	2XL	Ea	\$5.25
201-100-3XL	05895048	3XL	Ea	\$5.25
201-100-4XL	05895049	4XL	Ea	\$5.59
201-100-5XL	05895050	5XL	Ea	\$5.59



DuraScrib™ Apparel

Open-weave, polyester scrim fabric sandwiched between (2) layers of flame resistant PVC coating provides high tear strength. Thicker outside coating offers abrasion resistance and light interior coating protects fabric from chemical contamination. Three-piece suit consists of jacket, detachable hood and snap-fly front overall. FR: self-extinguishing with flameout and afterglow less than or equal to 2 seconds after removal of ignition source and char length less than 6" per Test Method ASTM D6413. Features full-cut shoulder with 90° sleeve-to-body angle for maximum freedom of movement, Therm-O-Rad sealed seams, storm-fly front on jacket, detachable hood, snap-fly front on overall, take-up snaps on sleeves and ankle cuffs for adjustable fit, self-material collar and non-conductive, non-corrosive hardware. Mildew resistant. 100% Waterproof. Yellow.



S56307

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ S56307-S	05823666	DuraScrib 3-piece suit	S	Ea	\$20.79
▲ S56307-M	05823665	DuraScrib 3-piece suit	M	Ea	\$20.79
S56307-L	05823664	DuraScrib 3-piece suit	L	Ea	\$20.79
S56307-XL	05823667	DuraScrib 3-piece suit	XL	Ea	\$20.79
S56307-2X	05823660	DuraScrib 3-piece suit	2XL	Ea	\$21.40
S56307-3X	05823661	DuraScrib 3-piece suit	3XL	Ea	\$21.40
S56307-4X	05823662	DuraScrib 3-piece suit	4XL	Ea	\$21.40
S56307-5X	05823663	DuraScrib 3-piece suit	5XL	Ea	\$21.40

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





2403



230C



200C



2083SR

Classic Plus 3-Piece Suit

Made of .35 mm PVC-on-polyester broadloom fabric. Features bib pants and jacket with corduroy collar, cape-vented back and detachable hood. Ideal for construction, utilities, airlines, municipalities and more. Yellow.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2403-M	05810032	Classic Plus 3-piece suit	M	Ea	\$12.73
2403-L	05810033	Classic Plus 3-piece suit	L	Ea	\$12.73
2403-XL	05810034	Classic Plus 3-piece suit	XL	Ea	\$12.73
2403-2X	05810036	Classic Plus 3-piece suit	2XL	Ea	\$13.37
2403-3X	05810039	Classic Plus 3-piece suit	3XL	Ea	\$14.08
2403-4X	05833637	Classic Plus 3-piece suit	4XL	Ea	\$14.77

Classic 49" Industry-Grade Raincoat

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and long-term durability. Knee length coat features snap front, take up snaps at wrists, detachable hood with drawstring, and (2) patch pockets. Perfect for construction, utilities, airlines, municipalities and more. Yellow.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 230C-M	05823139	Classic 49" industry-grade raincoat	M	Ea	\$8.36
230C-L	05823040	Classic 49" industry-grade raincoat	L	Ea	\$8.36
230C-XL	05823032	Classic 49" industry-grade raincoat	XL	Ea	\$8.36
230C-2X	05813346	Classic 49" industry-grade raincoat	2XL	Ea	\$8.78
230C-3X	05833246	Classic 49" industry-grade raincoat	3XL	Ea	\$9.25
230C-4X	05853246	Classic 49" industry-grade raincoat	4XL	Ea	\$9.72

Classic Series 49" Raincoat

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and long-term durability. Applications include construction, utilities, airlines, municipalities and more. Features cape-vented back and (2) patch pockets. Yellow.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 200C-M	05881251	Classic Series 49" raincoat	M	Ea	\$9.02
200C-L	05881250	Classic Series 49" raincoat	L	Ea	\$9.02
200C-XL	05810070	Classic Series 49" raincoat	XL	Ea	\$9.02
200C-2X	05881252	Classic Series 49" raincoat	2XL	Ea	\$9.02
200C-3X	05810071	Classic Series 49" raincoat	3XL	Ea	\$9.66
▲ 200C-4X	05893253	Classic Series 49" raincoat	4XL	Ea	\$10.14
▲ 200C-5X	05813345	Classic Series 49" raincoat	5XL	Ea	\$10.60

Luminator™ Premium Rainwear

Designed with reflective striping for high visibility, double-stitched and taped seams and color-matched take-up snaps. Jacket features zipper front with storm flap, drawstring hood, no pockets and plain back. Bib pants feature fly front and partial elastic suspenders with quick release snaps.

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
ANSI 107 Class 3 with 2" Silver Stripes						
▲ 2083SR-S	05831181	Luminator 3-piece rainsuit, .38 mm	Fluorescent lime	S	Ea	\$61.22
▲ 2083SR-M	05831188	Luminator 3-piece rainsuit, .38 mm	Fluorescent lime	M	Ea	\$61.22
2083SR-L	05831284	Luminator 3-piece rainsuit, .38 mm	Fluorescent lime	L	Ea	\$61.22
2083SR-XL	05831384	Luminator 3-piece rainsuit, .38 mm	Fluorescent lime	XL	Ea	\$61.22
2083SR-2X	05818444	Luminator 3-piece rainsuit, .38 mm	Fluorescent lime	2XL	Ea	\$64.04
2083SR-3X	05818446	Luminator 3-piece rainsuit, .38 mm	Fluorescent lime	3XL	Ea	\$66.86
2083SR-4X	05818249	Luminator 3-piece rainsuit, .38 mm	Fluorescent lime	4XL	Ea	\$69.67
Non-ANSI with 2" Yellow/Silver Stripes						
▲ 2013R-S	05813189	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	S	Ea	\$61.61
▲ 2013R-M	05813183	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	M	Ea	\$61.61
▲ 2013R-L	05810080	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	L	Ea	\$61.61
▲ 2013R-XL	05810081	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	XL	Ea	\$61.61
▲ 2013R-2X	05810082	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	2XL	Ea	\$64.52
▲ 2013R-3X	05818547	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	3XL	Ea	\$67.45
▲ 2013R-4X	05816649	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	4XL	Ea	\$70.75
▲ 2013R-5X	05818445	Luminator 3-piece rainsuit, .35 mm	Fluorescent orange	5XL	Ea	\$74.05

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Dominator Rainwear

Made with .42 mm PVC/hi-tensile polyester/PVC in green for easy identification. Offers excellent splash protection and is a good choice for use in environments with exposure to chemicals and acids. Jacket has attached hood and zipper front with storm flap; bib pants have plain front and black plastic take-up snaps at ankles. Limited flammability tested in accordance with ASTM D6413-08 test method.



3882

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 3882-M	05838822	Dominator 2-piece rain suit	M	Ea	\$44.71
▲ 3882-L	05810125	Dominator 2-piece rain suit	L	Ea	\$44.71
3882-XL	05810126	Dominator 2-piece rain suit	XL	Ea	\$44.71
3882-2X	05810127	Dominator 2-piece rain suit	2XL	Ea	\$46.84
3882-3X	05810128	Dominator 2-piece rain suit	3XL	Ea	\$48.88
▲ 3882-4X	05810129	Dominator 2-piece rain suit	4XL	Ea	\$50.92
▲ 3882-5X	05810131	Dominator 2-piece rain suit	5XL	Ea	\$53.05



5182

Luminator™ Rain Suit

Made from .40 mm polyurethane on a knitted polyester backing with 2" silver reflective stripes. Two-piece suit features elastic waist pants with expandable ankle gussets, and jacket with roll-up hood, zipper front closure with storm flap, elastic inner cuff and (2) front patch pockets. Fluorescent lime. Treated to be limited flammability and has been tested in accordance with the ASTM D-6413 test method. Meets or exceeds ANSI 107-2015 Class 3, Type R standard.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 5182-L	05886963	Luminator 2-piece rain suit	L	Ea	\$104.27
▲ 5182-XL	05886968	Luminator 2-piece rain suit	XL	Ea	\$104.27
▲ 5182-2X	05886965	Luminator 2-piece rain suit	2XL	Ea	\$109.03
▲ 5182-3X	05886966	Luminator 2-piece rain suit	3XL	Ea	\$114.09
▲ 5182-4X	05886967	Luminator 2-piece rain suit	4XL	Ea	\$118.25

Hydroblast Rainwear

Suits offer excellent strength and durability with tough .35 mm fabric. Features Velcro® closures at neck, ankles and front of jacket for a watertight seal. Includes attached hood and overall-style pants. Ideal for light hydroblasting applications or any cleanup operation. Yellow. Limited flammability tested in accordance with ASTM D6413-08.

2603



MFG #	DILLON #	SIZES	UOM	PRICE
Hydroblast Rainwear				
▲ 2603-M	05859375	M	Ea	\$26.39
▲ 2603-L	05859376	L	Ea	\$26.39
▲ 2603-XL	05859377	XL	Ea	\$26.39
▲ 2603-2X	05859378	2XL	Ea	\$27.72
▲ 2603-3X	05859379	3XL	Ea	\$28.85
▲ 2603-4X	05859380	4XL	Ea	\$30.01
▲ 2603-5X	05859381	5XL	Ea	\$31.22
▲ 2603-6X	05859382	6XL	Ea	\$32.48

Premium Rainwear

Breathable polyester/polyurethane (PU) rainwear with polyester lining and double-stitched and taped seams. Designed with 2" white reflective striping. Jacket features zipper front closure with hook-and-loop storm flap, hybrid elastic/hook-and-loop wrist closures, attached drawstring hood and covered zippered pockets. Pants feature elastic waist with drawstring, expandable zipper ankle gussets, side pockets and back zipper pocket with hook-and-loop storm flap. Fluorescent lime. ANSI 107-2010 Class 3 (jacket) and Class E (pants) compliant.



598RJH

598RPW

MFG #	DILLON #	SIZES	UOM	PRICE
Premium Jacket				
▲ 598RJH-M	05886972	M	Ea	\$81.63
▲ 598RJH-L	05886971	L	Ea	\$81.63
▲ 598RJH-XL	05886976	XL	Ea	\$81.63
▲ 598RJH-2X	05886973	2XL	Ea	\$85.52
▲ 598RJH-3X	05886974	3XL	Ea	\$89.40
▲ 598RJH-4X	05886975	4XL	Ea	\$93.29
Premium Pants				
▲ 598RPW-M	05886978	M	Ea	\$64.14
▲ 598RPW-L	05886977	L	Ea	\$64.14
▲ 598RPW-XL	05886982	XL	Ea	\$64.14
▲ 598RPW-2X	05886979	2XL	Ea	\$68.02
▲ 598RPW-3X	05886980	3XL	Ea	\$71.91
▲ 598RPW-4X	05886981	4XL	Ea	\$75.80

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Flame-Resistant Denim Jeans

Made of Max Comfort™ 14.75 oz. FR heavyweight durable indigo denim. Features reinforced belt loops, 3-sided coin pocket, 8" single needle topstitch at top of outseam, bartacked stress points and (2) large patch pockets on seat. Enzyme wash for softness, comfort, and a great look. NFPA 70E CAT2 compliant. UL® and NFPA 2112 certified.



MFG #	DILLON #	SIZES	UOM	PRICE
FR Denim Jeans				
▲ P1D-28x30	05856058	28" x 30"	Ea	\$72.07
▲ P1D-28x32	05856059	28" x 32"	Ea	\$72.07
▲ P1D-28x34	05856060	28" x 34"	Ea	\$72.07
▲ P1D-30x28	05856061	30" x 28"	Ea	\$72.07
▲ P1D-30x30	05856062	30" x 30"	Ea	\$72.07
▲ P1D-30x32	05856063	30" x 32"	Ea	\$72.07
▲ P1D-30x34	05856064	30" x 34"	Ea	\$72.07
▲ P1D-30x36	05856065	30" x 36"	Ea	\$72.07
▲ P1D-32x30	05856066	32" x 30"	Ea	\$72.07
▲ P1D-32x32	05856067	32" x 32"	Ea	\$72.07
▲ P1D-32x34	05856068	32" x 34"	Ea	\$72.07
▲ P1D-32x36	05856069	32" x 36"	Ea	\$72.07
▲ P1D-34x28	05856070	34" x 28"	Ea	\$72.07
▲ P1D-34x30	05856071	34" x 30"	Ea	\$72.07
▲ P1D-34x32	05856072	34" x 32"	Ea	\$72.07
▲ P1D-34x34	05856073	34" x 34"	Ea	\$72.07
▲ P1D-34x36	05856074	34" x 36"	Ea	\$72.07
▲ P1D-36x30	05856075	36" x 30"	Ea	\$72.07

MFG #	DILLON #	SIZES	UOM	PRICE
▲ P1D-36x32	05856076	36" x 32"	Ea	\$72.07
▲ P1D-36x34	05856077	36" x 34"	Ea	\$72.07
▲ P1D-36x36	05856078	36" x 36"	Ea	\$72.07
▲ P1D-38x30	05856079	38" x 30"	Ea	\$72.07
▲ P1D-38x32	05856080	38" x 32"	Ea	\$72.07
▲ P1D-38x34	05856081	38" x 34"	Ea	\$72.07
▲ P1D-38x36	05856082	38" x 36"	Ea	\$72.07
▲ P1D-40x28	05856083	40" x 28"	Ea	\$72.07
▲ P1D-40x30	05856084	40" x 30"	Ea	\$72.07
▲ P1D-40x32	05856085	40" x 32"	Ea	\$72.07
▲ P1D-40x34	05856086	40" x 34"	Ea	\$72.07
▲ P1D-40x36	05856087	40" x 36"	Ea	\$72.07
▲ P1D-42x30	05856088	42" x 30"	Ea	\$72.07
▲ P1D-42x32	05856089	42" x 32"	Ea	\$72.07
▲ P1D-42x34	05856090	42" x 34"	Ea	\$72.07
▲ P1D-50x30	05856091	50" x 30"	Ea	\$72.07
▲ P1D-50x32	05856092	50" x 32"	Ea	\$72.07
▲ P1D-50x34	05856093	50" x 34"	Ea	\$72.07
▲ P1D-50x36	05856094	50" x 36"	Ea	\$72.07

Flame-Resistant Coveralls

Made of Max Comfort™ 7 oz., 100% cotton FR twill fabric. Features 2-needle reinforced stitching on major seams, heavy-duty 2-way YKK® brass breakaway zipper with Nomex® tape, protective storm flap with snap closure to cover front zipper, side pass-through with snap closure, bi-swing action back gussets for ease of movement, and adjustable snap closure on cuffs of sleeves and legs. Pockets: (2) chest pockets, (2) front hip pockets, (2) back patch pockets and tool pocket on right leg. Navy. Complies with ASTM F1506 Electric Arc Protection and NFPA 70E for CAT2. NFPA 2112 UL® certified. Other colors available.



Flame-Resistant Shirt

Made of Max Comfort™ 6.5 oz., 88% cotton/12% nylon FR sateen fabric. Features double-needle stitching on main seams, adjustable cuffs with (2) buttons at bottom of sleeves, extended back tail to stay tucked in, (1) pleat at bottom of sleeves and (2) chest pockets-left with pen tunnel. Tan. Complies with ASTM F1506 Electric Arc Protection and NFPA 70E for CAT2. NFPA 2112 UL® Certified. Other colors available.



S1T

MFG #	DILLON #	SIZES	UOM	PRICE
FR Contractor Coveralls				
▲ CC1N34	05856041	34"	Ea	\$98.09
▲ CC1N36	05856042	36"	Ea	\$98.09
▲ CC1N38	05856043	38"	Ea	\$98.09
▲ CC1N40	05856044	40"	Ea	\$98.09
▲ CC1N42	05856045	42"	Ea	\$98.09
▲ CC1N44	05856046	44"	Ea	\$98.09
▲ CC1N46	05856047	46"	Ea	\$98.09
▲ CC1N48	05856048	48"	Ea	\$98.09
▲ CC1N50	05856049	50"	Ea	\$98.09
FR Contractor Coveralls, Tall				
▲ CC1N36T	05856050	36"	Ea	\$98.09
▲ CC1N38T	05856051	38"	Ea	\$98.09
▲ CC1N40T	05856052	40"	Ea	\$98.09
▲ CC1N42T	05856053	42"	Ea	\$98.09
▲ CC1N44T	05856054	44"	Ea	\$98.09
▲ CC1N46T	05856055	46"	Ea	\$98.09
▲ CC1N48T	05856056	48"	Ea	\$98.09
▲ CC1N50T	05856057	50"	Ea	\$98.09

MFG #	DILLON #	SIZES	UOM	PRICE
FR Work Shirt				
▲ S1T-M	05856095	M	Ea	\$64.07
▲ S1T-L	05856096	L	Ea	\$64.07
▲ S1T-XL	05856097	XL	Ea	\$64.07
▲ S1T-2X	05856098	2XL	Ea	\$64.07
▲ S1T-3X	05856099	3XL	Ea	\$70.07
▲ S1T-4X	05856100	4XL	Ea	\$70.07
FR Work Shirt, Tall				
▲ S1T-MT	05856101	M	Ea	\$64.07
▲ S1T-LT	05856102	L	Ea	\$64.07
▲ S1T-XLT	05856103	XL	Ea	\$64.07
▲ S1T-2XT	05856104	2XL	Ea	\$64.07
▲ S1T-3XT	05856105	3XL	Ea	\$70.07
▲ S1T-4XT	05856106	4XL	Ea	\$70.07

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Flame-Resistant Sweatshirt

Made of Max Comfort™ 12 oz., 100% cotton FR interlock fleece shell. Features attached 3-section hood with FR draw-cord closure, Nomex® FR separating zipper, inner and outer protective flaps cover zipper, rib-knit cuffs and (2) front hand-warmer pockets. Navy. Arc rating: 18 cal/cm², CAT2. UL® and NFPA 2112 certified.



SS1N

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ SS1N-S	05856107	FR hooded sweatshirt	S	Ea	\$160.15
▲ SS1N-M	05856108	FR hooded sweatshirt	M	Ea	\$160.15
▲ SS1N-L	05856109	FR hooded sweatshirt	L	Ea	\$160.15
▲ SS1N-XL	05856110	FR hooded sweatshirt	XL	Ea	\$160.15
▲ SS1N-2X	05856111	FR hooded sweatshirt	2XL	Ea	\$160.15
▲ SS1N-3X	05856112	FR hooded sweatshirt	3XL	Ea	\$178.16
▲ SS1N-4X	05856113	FR hooded sweatshirt	4XL	Ea	\$178.16
▲ SS1N-5X	05856114	FR hooded sweatshirt	5XL	Ea	\$178.16



Flame-Resistant Henley Shirt

Made of Max Comfort™ 7 oz., 100% cotton FR interlock knit shell. Features 3-button placket front, left chest pocket, rib-knit collar and cuff, and high temperature FR poly buttons. Fabric is moisture wicking and breathable. Navy. Arc rating: 9.6 cal/cm², CAT2. UL® and NFPA 2112 Certified. Gray color also available.



H1N

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ H1N-S	05856129	FR Henley shirt	S	Ea	\$70.07
▲ H1N-M	05856130	FR Henley shirt	M	Ea	\$70.07
▲ H1N-L	05856131	FR Henley shirt	L	Ea	\$70.07
▲ H1N-XL	05856132	FR Henley shirt	XL	Ea	\$70.07
▲ H1N-2X	05856133	FR Henley shirt	2XL	Ea	\$70.07
▲ H1N-3X	05856134	FR Henley shirt	3XL	Ea	\$82.08
▲ H1N-4X	05856135	FR Henley shirt	4XL	Ea	\$82.08
▲ H1N-5X	05856136	FR Henley shirt	5XL	Ea	\$82.08



Flame-Resistant Bomber Jacket

Made of Max Comfort™ 7.5 oz., 88% cotton/12% nylon outer shell and 11.5 oz. quilted lining. Features double-needle stitching on main seams, pleated action back that provides arms with 360° full range of motion, FR Nomex® 1-way separating front zipper closure with protective storm flap with snap closure, and knit cuffs and waistband. Sewn with FR aramid thread. Water-repellant. Navy. Arc rating: 35 cal/cm², CAT3. UL® and NFPA 2112 certified.



B3N

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ B3N-S	05856115	FR insulated bomber jacket	S	Ea	\$198.18
▲ B3N-M	05856116	FR insulated bomber jacket	M	Ea	\$198.18
▲ B3N-L	05856117	FR insulated bomber jacket	L	Ea	\$198.18
▲ B3N-XL	05856118	FR insulated bomber jacket	XL	Ea	\$198.18
▲ B3N-2X	05856119	FR insulated bomber jacket	2XL	Ea	\$198.18
▲ B3N-3X	05856120	FR insulated bomber jacket	3XL	Ea	\$228.22
▲ B3N-4X	05856121	FR insulated bomber jacket	4XL	Ea	\$228.22
▲ B3N-5X	05856122	FR insulated bomber jacket	5XL	Ea	\$228.22
▲ B3N-LT	05856123	FR insulated bomber jacket, tall	L	Ea	\$198.18
▲ B3N-XLT	05856124	FR insulated bomber jacket, tall	XL	Ea	\$198.18
▲ B3N-2XT	05856125	FR insulated bomber jacket, tall	2XL	Ea	\$198.18
▲ B3N-3XT	05856126	FR insulated bomber jacket, tall	3XL	Ea	\$228.22
▲ B3N-4XT	05856127	FR insulated bomber jacket, tall	4XL	Ea	\$228.22
▲ B3N-5XT	05856128	FR insulated bomber jacket, tall	5XL	Ea	\$228.22



Industrial Flame-Resistant Coveralls

Made of high-quality, 7 oz. FR fabric (88% cotton/12% high-tenacity nylon). Flame resistance guaranteed for the life of the garment if proper laundering instructions are followed. Features increased softness and superior protection from electric arc and flash fire exposures. Includes elastic waistband, full-action back, pass-through, concealed brass zipper front closure and concealed snap closures. Royal blue. Arc rating: 8.7 cal/cm², CAT2. Other colors available.



US7681-RB

MFG #	DILLON #	SIZES	UOM	PRICE
Industrial FR Coveralls				
▲ US7681-RB-S	05859400	S	Ea	\$87.18
▲ US7681-RB-M	05859401	M	Ea	\$87.18
▲ US7681-RB-L	05859402	L	Ea	\$87.18
▲ US7681-RB-XL	05859403	XL	Ea	\$87.18
▲ US7681-RB-2XL	05859404	2XL	Ea	\$95.90
▲ US7681-RB-3XL	05859405	3XL	Ea	\$104.62
▲ US7681-RB-4XL	05859406	4XL	Ea	\$113.36

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



FR Cotton Coveralls with Reflective Trim

Made of 7 oz., 88% cotton/12% nylon with 2" reflective trim to enhance visibility in low light or night work environments. Features pleated bi-swing back, elastic waist, (2) chest pockets, (2) hip pockets, (2) swing pockets with internal pass-throughs, (1) utility pocket on right leg, adjustable sleeve cuffs and flared leg cuffs. Sewn throughout with FR thread. Navy. Arc rating: 8.9 cal/cm², CAT2. Meets or Exceeds NFPA 2112, UL® certified.

MFG #	DILLON #	SIZES	UOM	PRICE
FR Cotton Coveralls with Reflective Trim				
▲ C071RT-S	05864323	S	Ea	\$121.39
▲ C071RT-M	05864324	M	Ea	\$121.39
▲ C071RT-L	05864325	L	Ea	\$121.39
▲ C071RT-XL	05864326	XL	Ea	\$121.39

MFG #	DILLON #	SIZES	UOM	PRICE
▲ C071RT-2X	05864327	2XL	Ea	\$121.39
▲ C071RT-3X	05864328	3XL	Ea	\$151.72
▲ C071RT-4X	05864329	4XL	Ea	\$151.72
▲ C071RT-5X	05864330	5XL	Ea	\$151.72

C071RT



HRC2 Arc Flash Kit - 8 Cal/cm²

Contains coveralls, balaclava, hard hat with arc shield, safety glasses and carry bag. NFPA 70E compliant.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9150-5388E-S	05864332	HRC2 Arc flash kit, 8 cal/cm ²	S	Ea	\$293.98
▲ 9150-5388E-M	05864333	HRC2 Arc flash kit, 8 cal/cm ²	M	Ea	\$293.98
▲ 9150-5388E-L	05864334	HRC2 Arc flash kit, 8 cal/cm ²	L	Ea	\$293.98
▲ 9150-5388E-XL	05864335	HRC2 Arc flash kit, 8 cal/cm ²	XL	Ea	\$293.98
▲ 9150-5388E-2X	05864336	HRC2 Arc flash kit, 8 cal/cm ²	2XL	Ea	\$297.41
▲ 9150-5388E-3X	05864337	HRC2 Arc flash kit, 8 cal/cm ²	3XL	Ea	\$300.85
▲ 9150-5388E-4X	05864338	HRC2 Arc flash kit, 8 cal/cm ²	4XL	Ea	\$304.28
▲ 9150-5388E-5X	05894041	HRC2 Arc flash kit, 8 cal/cm ²	5XL	Ea	\$307.73

9150-52500



HRC2 Arc Flash Kit - 12 Cal/cm²

Contains a hard hat with arc shield and storage bag, balaclava, safety glasses and back pack. NFPA 70E compliant.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 9150-52500	05864331	HRC2 Arc flash kit, 12 cal/cm ²	Ea	\$281.95



HRC3 Arc Flash Kit - 33 Cal/cm²

Contains jacket, overalls, arc hood, safety glasses, hard hat and back pack. NFPA 70E compliant.



9150-21712

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9150-21712-S	05864339	HRC3 Arc flash kit, 33 cal/cm ²	S	Ea	\$1,320.30
▲ 9150-21712-M	05864340	HRC3 Arc flash kit, 33 cal/cm ²	M	Ea	\$1,320.30
▲ 9150-21712-L	05864341	HRC3 Arc flash kit, 33 cal/cm ²	L	Ea	\$1,320.30
▲ 9150-21712-XL	05864342	HRC3 Arc flash kit, 33 cal/cm ²	XL	Ea	\$1,320.30
▲ 9150-21712-2X	05864343	HRC3 Arc flash kit, 33 cal/cm ²	2XL	Ea	\$1,378.47
▲ 9150-21712-3X	05864344	HRC3 Arc flash kit, 33 cal/cm ²	3XL	Ea	\$1,441.91
▲ 9150-21712-4X	05864345	HRC3 Arc flash kit, 33 cal/cm ²	4XL	Ea	\$1,513.29
▲ 9150-21712-5X	05864346	HRC3 Arc flash kit, 33 cal/cm ²	5XL	Ea	\$1,592.61
▲ 9150-21712-6X	05864347	HRC3 Arc flash kit, 33 cal/cm ²	6XL	Ea	\$1,668.09



HRC4 Arc Flash Kit - 75 Cal/cm²

Contains jacket, overalls, arc hood, safety glasses, hard hat and carry bag. NFPA 70E compliant.



9150-75050

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9150-75050-M	05864348	HRC4 Arc flash kit, 75 cal/cm ²	M	Ea	\$2,443.68
▲ 9150-75050-L	05864349	HRC4 Arc flash kit, 75 cal/cm ²	L	Ea	\$2,443.68
▲ 9150-75050-XL	05864350	HRC4 Arc flash kit, 75 cal/cm ²	XL	Ea	\$2,443.68
▲ 9150-75050-2X	05864351	HRC4 Arc flash kit, 75 cal/cm ²	2XL	Ea	\$2,618.16
▲ 9150-75050-3X	05864352	HRC4 Arc flash kit, 75 cal/cm ²	3XL	Ea	\$2,811.20
▲ 9150-75050-4X	05864353	HRC4 Arc flash kit, 75 cal/cm ²	4XL	Ea	\$3,025.28
▲ 9150-75050-5X	05864354	HRC4 Arc flash kit, 75 cal/cm ²	5XL	Ea	\$3,257.93

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



NATIONAL
SAFETY APPAREL

Faceshield with Slotted Hard Hat

Features anti-fog faceshield with high visible light transmission (VLT). Includes chin cup for added protection. White slotted hard hat. Arc rating: 10 cal/cm².



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ H16HAT10CALCAFS	05815760	Anti-fog faceshield w/ slotted hard hat & chin cup	Ea	\$97.91

9150-56510

H16HAT10CALCAFS



Arc Shield with Hard Hat - 12 Cal/cm²

Contains arc shield and hard hat. Available with cap-style hard hat or full brim hard hat. NFPA 70E compliant.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 9150-56510	05899203	Arc shield w/ cap-style hard hat	Ea	\$126.41
▲ 9150-56511	05899202	Arc shield w/ full brim hard hat	Ea	\$128.28



Aluminized Rayon Jacket

Made of 15 oz. aluminized rayon with FR cotton-lined, lay-down collar. Features semi-raglan sleeves, covered snap closures and snap adjustments at wrists. Seams are sew-serged and safety stitched for added wear. 35" Length.

ARL1136-35

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ ARL1136-35-L	05823680	Aluminized rayon jacket	L	Ea	\$273.46
▲ ARL1136-35-XL	05823681	Aluminized rayon jacket	XL	Ea	\$273.46



Aluminized Rayon Overpants

Made of 15 oz. aluminized rayon. Features reinforced waistband, suspender buttons, leather belt loops and covered snap-fly front closure.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ ARL410-L	05815883	Aluminized rayon overpants	L-38" W	Ea	\$212.68
▲ ARL410-XL	05815884	Aluminized rayon overpants	XL-42" W	Ea	\$212.68
▲ ARL410-2XL	05800056	Aluminized rayon overpants	2XL-46" W	Ea	\$233.96

ARL410



Aluminized Carbon/Kevlar® Leggings

Springless style is made of 19 oz. aluminized carbon/Kevlar. Rear Velcro® closure with pull tab for easy removal. The 5" flare is sewn with Kevlar and features a malleable metal instep clamp under flare. 16" Length.

MFG #	DILLON #	SIZES	UOM	PRICE
Aluminized Leggings				
▲ ACK 395-16 M-L	05823679	L	Pr	\$106.08
▲ ACK 395-16 M-XL	05815880	XL	Pr	\$107.18

ACK 395-16 M



Arc-Rated Knit Balaclava Hoods

Durable, lightweight and comfortable top knit hoods. Universal.

H11RY: 6.5 oz. UltraSoft®. rc rating: 12 cal/cm². Navy.

H61INK: Double layer Nomex® fiber. Arc rating: 10 cal/cm². White.



H61INK

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ H11RY	05815759	UltraSoft 6.5 oz. single layer balaclava	Ea	\$22.39
▲ H61INK	05815761	Nomex double layer balaclava	Ea	\$39.28

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





90 Series ProChaps™

JE-9036



Patented asymmetric design provides extended protection on the left side of each leg where most injuries occur. Lightweight, flexible and strong 420-denier nylon cover fabric. Easy on/off apron-style design. Quick-release buckles for waist and legs. Each leg is secured by (2) sets of buttons. Zippered front pocket. Safety orange. Meets UL® ASTM F-1414 and ASTM F-1897-2008 standards.

Note: Size indicates length from waist to bottom.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
JE-9036	05801630	ProChaps 90 series	36"	Ea	\$88.42
JE-9039	05801631	ProChaps 90 series	39"	Ea	\$90.23



91 Series ProChaps™ with Full Calf Protection

JE-9136



Wraparound calf coverage for work conditions that may require extra protection for the lower legs. Outer shell is 1,000-denier CORDURA® nylon, designed for durability even in severe environments. Each leg is secured by (3) sets of buckles and wraparound section below knees is secured by (2) sets of buckles. Safety orange. Meets UL® ASTM F-1414 and ASTM F-1897-2008 standards.

Note: Size indicates length in inches from waist to bottom.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
JE-9136	05801632	ProChaps 91 series	36"	Ea	\$117.30
JE-9139	05801633	ProChaps 91 series	39"	Ea	\$120.91



Chain Saw Safety Kit

Includes Omega II® Mega Ratchet® safety helmet, Model 4000 steel mesh face screen, Model 5000 visor carrier attachment, Model 2800 deluxe earmuff attachment, Model 116 perforated anti-fog goggles and Model 1116 chin strap. Offers a full range of protection in a convenient package.

14371



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
14371	05801170	Chain saw safety kit	Ea	\$67.28



General Purpose Vest

Features (2) encircling body belts and (1) chest strap, durable CROSSTECH® flotation foam and 200-denier nylon oxford outer shell. Includes 3M™ Scotchlite™ Reflective Material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. International orange. USCG Approved, Type III.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2000011389	05815897	General purpose vest	Ea	\$40.04



Work Zone Gear™ Vest

Designed with soft, lightweight mesh on upper half for comfort and ventilation. Features tough, nylon oxford outer shell, (2) 1" encircling body straps, zipper front and (2) pockets with Velcro® closure. Includes lightweight, durable CROSSTECH® flotation foam, D-rings for attaching gear and 3M™ Scotchlite™ Reflective Material, SOLAS-grade on panels. International orange. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.



2000011357

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2000011409	05815889	Work Zone Gear vest	S	Ea	\$53.05
2000011410	05815888	Work Zone Gear vest	M	Ea	\$59.28
2000011357	05815890	Work Zone Gear vest	L	Ea	\$59.28
2000011412	05815891	Work Zone Gear vest	XL	Ea	\$59.28
2000011413	05815892	Work Zone Gear vest	2XL	Ea	\$59.28
2000011414	05815893	Work Zone Gear vest	3XL	Ea	\$59.28



Welders Vest

Economical, heavy-duty personal flotation device (PFD) with tough fiberglass shell and Vislon® zipper. Features side adjustments for secure fit. Includes Aquafoam™ flotation foam, roomy armholes, marine mesh inner lining and fiberglass front for marine welding. International orange. Universal. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.



I405ORG-00-000F

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
I405ORG-00-000F	05815887	Welders vest	Ea	\$100.86



I030ORG-00-REF

Type IV Ring Buoy

Industrial ring buoys are molded from high-impact linear, low-density polyethylene for superior life expectancy in the most severe environmental conditions. Encircling rope is replaceable. REF style features SOLAS grade, 3150-A PS 3M™ Scotchlite™ Reflective Material with adhesive backing and complies with SOLAS 74/83. For use with quick-release ring buoy brackets. USCG Approved Type IV.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
I030ORG-00-REF	05815896	Ring buoy w/ reflective tape	Ea	\$129.40
I031ORG-00-000	05815895	Type IV ring buoy	Ea	\$117.10

2000011389



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



The following are the key elements of worker safety and temporary traffic control management that should be considered to improve worker safety:

- A. Training**– all workers should be trained on how to work next to motor vehicle traffic in a way that minimizes their vulnerability. Workers having specific responsibilities should be trained in the proper techniques, device usage, and placement.
- B. Worker Safety Apparel**– all workers exposed to the risks of moving roadway traffic or construction equipment should wear high-visibility safety apparel meeting the requirements of ISEA “American National Standard for High-Visibility Safety Apparel” and labeled as ANSI 107 standard performance for Class 1, 2, or 3 risk exposures. A competent person designated by the employer to be responsible for the worker safety plan within the activity area of the job-site should make the selection of the appropriate class of garment.
- C. Temporary Traffic Barriers**– temporary traffic barriers should be placed along the work space depending on factors such as lateral clearance of workers from adjacent traffic, speed of traffic, duration and type of operations, time of day, and volume of traffic.
- D. Speed Reduction**– reducing the speed of vehicular traffic, mainly through regulatory speed zoning, funneling, lane reduction, or the use of uniformed law enforcement officers, or flaggers, should be considered.
- E. Activity Area**– planning the internal work activity area to minimize backing-up maneuvers of construction vehicles should be considered to minimize the exposure to risk.
- F. Worker Safety Planning**– a competent person designated by the employer should conduct a basic hazard assessment for the work site and job classifications required in the activity area. This safety professional should determine whether engineering, administrative, or personal protection measures should be implemented.

Go to www.osha.gov for complete details.

HI-VIZ APPAREL

Class 3 Apparel	46-47, 49-50
Class 2 Apparel	47-50
Non-Certified	51
Hats & Gloves	51-52



SV22-3Z Class 3 Two-Tone Vests

Made of lightweight, highly visible polyester mesh that maintains brightness after 25 washings. Features zipper front closure and 2" reflective striping for increased visibility or night work. ANSI/ISEA 107-2015 Type R Class 3 compliant.

SV22-3ZGM

MFG #	DILLON #	SIZES	UOM	PRICE
Two-Tone Class 3 Vest, Hi-Viz Green				
SV22-3ZGM-M	05843552	M	Ea	\$15.38
SV22-3ZGM-L	05843553	L	Ea	\$15.38
SV22-3ZGM-XL	05843554	XL	Ea	\$15.38
SV22-3ZGM-2XL	05843555	2XL	Ea	\$15.38
SV22-3ZGM-3XL	05843556	3XL	Ea	\$15.38
SV22-3ZGM-4XL	05843557	4XL	Ea	\$15.38
SV22-3ZGM-5XL	05843558	5XL	Ea	\$15.38

MFG #	DILLON #	SIZES	UOM	PRICE
Two-Tone Class 3 Vest, Hi-Viz Orange				
SV22-3ZOM-M	05870501	M	Ea	\$15.38
SV22-3ZOM-L	05870502	L	Ea	\$15.38
SV22-3ZOM-XL	05870503	XL	Ea	\$15.38
SV22-3ZOM-2XL	05870504	2XL	Ea	\$15.38
SV22-3ZOM-3XL	05870505	3XL	Ea	\$15.38
SV22-3ZOM-4XL	05870506	4XL	Ea	\$15.38
SV22-3ZOM-5XL	05870507	5XL	Ea	\$15.38

SV22-3ZOM



303-HSVP Class 3 Two-Tone Vests

Made of 100% polyester mesh with 2" silver reflective stripes over contrasting trim:

- (1) 360°, (2) vertical and (1) around each sleeve.

Features (2) pockets and zipper closure. ANSI 107 Type R, Class 3 compliant.



303-HSVP-OR

303-HSVP-LY

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Two-Tone Mesh Vest, Lime Yellow				
303-HSVP-LY-M	05805975	M	Ea	\$13.11
303-HSVP-LY-L	05805976	L	Ea	\$13.11
303-HSVP-LY-XL	05805977	XL	Ea	\$13.11
303-HSVP-LY-2X	05805978	2XL	Ea	\$13.11
303-HSVP-LY-3X	05805979	3XL	Ea	\$13.11
303-HSVP-LY-4X	05805980	4XL	Ea	\$13.11
303-HSVP-LY-5X	05805981	5XL	Ea	\$13.11

Class 3 Two-Tone Mesh Vest, Orange

▲	303-HSVP-OR-M	05805968	M	Ea	\$14.04
▲	303-HSVP-OR-L	05805969	L	Ea	\$14.04
▲	303-HSVP-OR-XL	05805970	XL	Ea	\$14.04
▲	303-HSVP-OR-2X	05805971	2XL	Ea	\$14.04
▲	303-HSVP-OR-3X	05805972	3XL	Ea	\$14.04
▲	303-HSVP-OR-4X	05805973	4XL	Ea	\$14.04
▲	303-HSVP-OR-5X	05805974	5XL	Ea	\$14.04



SV24-3Z Class 3 Two-Tone Breakaway Vests

Made of 100% polyester mesh. Features 5-point breakaway with lower breakaway line on shoulders for improved comfort, and (1) horizontal stripe and (2) vertical stripes made of 2" silver reflective material with orange border. Designed with (2) upper outside pockets and (2) lower inside pockets. ANSI/ISEA 107-2015 Type R Class 3 compliant.



SV24-3ZOM

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Breakaway Vest, Hi-Viz Green				
SV24-3ZGM-M/L	05870559	M/L	Ea	\$17.23
SV24-3ZGM-XL/2XL	05870560	XL/2XL	Ea	\$17.23
SV24-3ZGM-3XL/5XL	05870561	3XL/5XL	Ea	\$17.23
Class 3 Breakaway Vest, Hi-Viz Orange				
SV24-3ZOM-M/L	05870562	M/L	Ea	\$17.23
SV24-3ZOM-XL/2XL	05870563	XL/2XL	Ea	\$17.23
SV24-3ZOM-3XL/5XL	05870564	3XL/5XL	Ea	\$17.23



SV83 Standard Class 3 Vests

Mesh, 100% polyester with zipper closure and 2" silver reflective stripes, (2) horizontal and (2) vertical. Features (2) pockets each on upper outside, lower inside and upper inside. Short sleeve design. Hi-viz green. Custom imprinting available. ANSI/ISEA 107-2015 Type R Class 3 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Short Sleeve Mesh Vest				
SV83GM-L	05883001	L	Ea	\$15.82
SV83GM-XL	05883002	XL	Ea	\$15.82
SV83GM-2XL	05883003	2XL	Ea	\$15.82

MFG #	DILLON #	SIZES	UOM	PRICE
SV83GM-3XL	05883014	3XL	Ea	\$15.82
SV83GM-4XL	05883005	4XL	Ea	\$15.82
SV83GM-5XL	05815146	5XL	Ea	\$15.82



SV83GM

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





305-HSSVFR-OR

305-HSSVFR-LY

FR-Treated Class 3 Vests

Treated to self-extinguishing solid polyester to prevent after-flame with 2" FR reflective tape stripes: (2) horizontal, (2) vertical and (1) on each sleeve. Features hook-and-loop front closure. ANSI 107 Type R, Class 3 compliant. Not for use in ARC Flash or Flash Fire applications.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 FR Vest, Lime Yellow				
▲ 305-HSSVFR-LY-S/M	05885737	S/M	Ea	\$31.28
▲ 305-HSSVFR-LY-L/XL	05885736	L/XL	Ea	\$31.28
▲ 305-HSSVFR-LY-2X/3X	05885735	2XL/3XL	Ea	\$31.28
▲ 305-HSSVFR-LY-4X/5X	05885734	4XL/5XL	Ea	\$31.28

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 FR Vest, Orange				
▲ 305-HSSVFR-OR-S/M	05885741	S/M	Ea	\$31.28
▲ 305-HSSVFR-OR-L/XL	05885740	L/XL	Ea	\$31.28
▲ 305-HSSVFR-OR-2X/3X	05885739	2XL/3XL	Ea	\$31.28
▲ 305-HSSVFR-OR-4X/5X	05885738	4XL/5XL	Ea	\$31.28

Class 3 Flame-Resistant Mesh Vests

Short-sleeved vest made of mesh GlenGuard® modacrylic fabric with 2" 3M™ Scotchlite™ silver reflective tape. Features hook-and-loop closure and (1) internal pocket. Lime yellow. Arc rating: 5.1 cal/cm², CAT1. Meets ASTM F1506; ANSI 107 Type R, Class 3 compliant.



305-3100

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 FR Mesh Vest				
▲ 305-3100-M	05856034	M	Ea	\$90.58
▲ 305-3100-L	05856035	L	Ea	\$90.58
▲ 305-3100-XL	05856036	XL	Ea	\$90.58
▲ 305-3100-2X	05856037	2XL	Ea	\$90.58
▲ 305-3100-3X	05856038	3XL	Ea	\$90.58
▲ 305-3100-4X	05856039	4XL	Ea	\$90.58
▲ 305-3100-5X	05856040	5XL	Ea	\$90.58

Class 2 Flame-Resistant Mesh Vests

Vest made of mesh GlenGuard® modacrylic fabric with 2" 3M™ Scotchlite™ FR silver reflective tape and FR hook-and-loop closure. Features (1) internal pocket. Lime yellow. Arc rating: 5.1 cal/cm², CAT1. Meets ASTM F1506; ANSI 107 Type R, Class 2 compliant.



305-2100

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 FR Mesh Vest				
▲ 305-2100-M	05856027	M	Ea	\$76.08
▲ 305-2100-L	05856028	L	Ea	\$76.08
▲ 305-2100-XL	05856029	XL	Ea	\$76.08
▲ 305-2100-2X	05856030	2XL	Ea	\$76.08
▲ 305-2100-3X	05856031	3XL	Ea	\$76.08
▲ 305-2100-4X	05856032	4XL	Ea	\$76.08
▲ 305-2100-5X	05856033	5XL	Ea	\$76.08

Class 2 Two Pocket Mesh Vests

Made of breathable polyester mesh with 2" silver reflective tape. Features zipper front closure, (1) internal lower pocket and (1) external chest pocket. ANSI 107 Type R, Class 2 compliant.



302-0702Z-OR

302-0702Z-LY

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Mesh Vest, Lime Yellow				
302-0702Z-LY-M	05830838	M	Ea	\$6.04
302-0702Z-LY-L	05830839	L	Ea	\$6.04
302-0702Z-LY-XL	05830840	XL	Ea	\$6.04
302-0702Z-LY-2X	05830841	2XL	Ea	\$6.04
302-0702Z-LY-3X	05830842	3XL	Ea	\$6.04
302-0702Z-LY-4X	05830843	4XL	Ea	\$6.04
302-0702Z-LY-5X	05830844	5XL	Ea	\$6.04
Class 2 Mesh Vest, Orange				
▲ 302-0702Z-OR-M	05830831	M	Ea	\$6.26
▲ 302-0702Z-OR-L	05830832	L	Ea	\$6.26
▲ 302-0702Z-OR-XL	05830833	XL	Ea	\$6.26
▲ 302-0702Z-OR-2X	05830834	2XL	Ea	\$6.26
▲ 302-0702Z-OR-3X	05830835	3XL	Ea	\$6.26
▲ 302-0702Z-OR-4X	05830836	4XL	Ea	\$6.26
▲ 302-0702Z-OR-5X	05830837	5XL	Ea	\$6.26

Class 2 Value Two-Tone Mesh Vests

Made of breathable mesh polyester with 2" two-tone tape. Features (2) internal lower pockets and zipper closure. ANSI 107 Type R, Class 2 compliant.



302-MV-LY

302-MV-OR

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Two-Tone Mesh Vest, Lime Yellow				
302-MV-LY-M	05805989	M	Ea	\$9.09
302-MV-LY-L	05805990	L	Ea	\$9.09
302-MV-LY-XL	05805991	XL	Ea	\$9.09
302-MV-LY-2X	05805992	2XL	Ea	\$9.09
302-MV-LY-3X	05805993	3XL	Ea	\$9.09
302-MV-LY-4X	05805994	4XL	Ea	\$9.09
302-MV-LY-5X	05805995	5XL	Ea	\$9.09
Class 2 Two-Tone Mesh Vest, Orange				
▲ 302-MV-OR-M	05805982	M	Ea	\$9.43
▲ 302-MV-OR-L	05805983	L	Ea	\$9.43
▲ 302-MV-OR-XL	05805984	XL	Ea	\$9.43
▲ 302-MV-OR-2X	05805985	2XL	Ea	\$9.43
▲ 302-MV-OR-3X	05805986	3XL	Ea	\$9.43
▲ 302-MV-OR-4X	05805987	4XL	Ea	\$9.43
▲ 302-MV-OR-5X	05805988	5XL	Ea	\$9.43

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



SV22-2ZOM

SV22-2ZGM

SV22-2Z Economy Class 2 Vests with Two-Tone Trim

Made of 100% polyester mesh with zipper front. Features 2" silver reflective stripes with contrasting trim detail, (1) horizontal and (2) vertical. Designed with (1) upper left front pocket and (1) lower right inside pocket. ANSI/ISEA 107-2015 Type R Class 2 compliant.



MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Economy Two-Tone Vest, Hi-Viz Green				
SV22-2ZGM-M	05870508	M	Ea	\$9.68
SV22-2ZGM-L	05870509	L	Ea	\$9.68
SV22-2ZGM-XL	05870510	XL	Ea	\$9.68
SV22-2ZGM-2XL	05870511	2XL	Ea	\$9.68
SV22-2ZGM-3XL	05870512	3XL	Ea	\$9.68
SV22-2ZGM-4XL	05870513	4XL	Ea	\$9.68
SV22-2ZGM-5XL	05870514	5XL	Ea	\$9.68

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Economy Two-Tone Vest, Hi-Viz Orange				
SV22-2ZOM-M	05870515	M	Ea	\$9.68
SV22-2ZOM-L	05870516	L	Ea	\$9.68
SV22-2ZOM-XL	05870517	XL	Ea	\$9.68
SV22-2ZOM-2XL	05870518	2XL	Ea	\$9.68
SV22-2ZOM-3XL	05870519	3XL	Ea	\$9.68
SV22-2ZOM-4XL	05870520	4XL	Ea	\$9.68
SV22-2ZOM-5XL	05870521	5XL	Ea	\$9.68



SV2ZGM

SV2ZOM

SV2Z Economy Class 2 Vests with Zipper

Made of 100% polyester mesh with zipper closure and 2" silver reflective stripes, (1) horizontal and (2) vertical. Features (1) upper left outside pocket and (1) lower right inside pocket. Custom imprinting available. ANSI/ISEA 107-2015 Type R Class 2 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Economy Vest, Hi-Viz Green				
SV2ZGM-M	05802703	M	Ea	\$7.01
SV2ZGM-L	05802702	L	Ea	\$7.01
SV2ZGM-XL	05802701	XL	Ea	\$7.01
SV2ZGM-2XL	05802699	2XL	Ea	\$7.01
SV2ZGM-3XL	05802698	3XL	Ea	\$7.01
SV2ZGM-4XL	05802697	4XL	Ea	\$7.01
SV2ZGM-5XL	05802696	5XL	Ea	\$7.01

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Economy Vest, Hi-Viz Orange				
SV2ZOM-M	05870522	M	Ea	\$7.01
SV2ZOM-L	05870523	L	Ea	\$7.01
SV2ZOM-XL	05870524	XL	Ea	\$7.01
SV2ZOM-2XL	05870525	2XL	Ea	\$7.01
SV2ZOM-3XL	05870526	3XL	Ea	\$7.01
SV2ZOM-4XL	05870527	4XL	Ea	\$7.01
SV2ZOM-5XL	05870528	5XL	Ea	\$7.01



SV46G

SV46O



SV92-2VGSFR

SV46 Class 2 Breakaway Surveyor Vests

Solid 100% polyester front with mesh back and zipper closure. Features mic tab on both shoulders, 5-point breakaway and 2" silver reflective stripes with contrasting trim, (2) vertical and (1) horizontal. Pockets: upper split pad/pencil, upper radio/phone, (2) lower with flaps, (2) deep, open inside and (1) inside flashlight. Custom imprinting available. ANSI/ISEA 107-2015 Type R Class 2 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Breakaway Surveyor Vest, Hi-Viz Green				
SV46G-M	05804602	M	Ea	\$19.92
SV46G-L	05846103	L	Ea	\$19.92
SV46G-XL	05846104	XL	Ea	\$19.92
SV46G-2XL	05846105	2XL	Ea	\$19.92
SV46G-3XL	05846106	3XL	Ea	\$19.92
SV46G-4XL	05846107	4XL	Ea	\$19.92
SV46G-5XL	05870529	5XL	Ea	\$19.92

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Breakaway Surveyor Vest, Hi-Viz Orange				
SV46O-M	05870530	M	Ea	\$19.92
SV46O-L	05870531	L	Ea	\$19.92
SV46O-XL	05870532	XL	Ea	\$19.92
SV46O-2XL	05870533	2XL	Ea	\$19.92
SV46O-3XL	05870534	3XL	Ea	\$19.92
SV46O-4XL	05870535	4XL	Ea	\$19.92
SV46O-5XL	05870536	5XL	Ea	\$19.92

SV92-2VGSFR Basic Modacrylic FR Class 2 Vests

Fabric made of 5.5 oz., 95% modacrylic/5% Twaron® material. Features 3M™ Scotchlite™ FR reflective tape and hook-and-loop closure. Maximum 50 washes. Hi-viz green. Arc rating: 5.4 cal/cm². Meets ASTM F1506 and FTS 191A Method 5903. ANSI/ISEA 107-2015 Type R Class 2 compliant. Meets and exceeds NFPA 1971, 2000 Edition, Sections 5-1.4 and 6.2.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Modacrylic FR Vest				
SV92-2VGSFR-M	05801560	M	Ea	\$75.75
SV92-2VGSFR-L	05801559	L	Ea	\$75.75
SV92-2VGSFR-XL	05801558	XL	Ea	\$75.75

MFG #	DILLON #	SIZES	UOM	PRICE
SV92-2VGSFR-2XL	05801557	2XL	Ea	\$75.33
SV92-2VGSFR-3XL	05801556	3XL	Ea	\$84.82
SV92-2VGSFR-4XL	05801555	4XL	Ea	\$89.29
SV92-2VGSFR-5XL	05801554	5XL	Ea	\$93.82

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Class 2 Crew Neck T-Shirts

Polyester sports knit with moisture-wicking fabric. Features left upper chest pocket, 2" silver reflective tape and gray collar that helps hide dirt. ANSI 107 Type R, Class 2 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Crew Neck T-Shirt, Lime Yellow				
312-1200-LY-M	05856251	M	Ea	\$11.13
312-1200-LY-L	05856250	L	Ea	\$11.13
312-1200-LY-XL	05856249	XL	Ea	\$11.13
312-1200-LY-2X	05856248	2XL	Ea	\$11.13
312-1200-LY-3X	05856247	3XL	Ea	\$11.13
312-1200-LY-4X	05856246	4XL	Ea	\$11.13
312-1200-LY-5X	05856245	5XL	Ea	\$11.13

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Crew Neck T-Shirt, Orange				
312-1200-OR-M	05856258	M	Ea	\$11.93
312-1200-OR-L	05856257	L	Ea	\$11.93
312-1200-OR-XL	05856256	XL	Ea	\$11.93
312-1200-OR-2X	05856255	2XL	Ea	\$11.93
312-1200-OR-3X	05856254	3XL	Ea	\$11.93
312-1200-OR-4X	05856253	4XL	Ea	\$11.93
312-1200-OR-5X	05856252	5XL	Ea	\$11.93

312-1200-OR



312-1200-LY



ST22 Class 2 Hi-Viz Long Sleeve Polos

Long sleeve polo with Max-Dri™ moisture wicking mesh. Features 2" heat transfer reflective tape, (1) upper left front pocket and collar with (2) buttons. ANSI/ISEA 107-2015 Type R Class 2 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Long Sleeve Hi-Viz Polo, Hi-Viz Green				
▲ ST22-2PGS-M	05853735	M	Ea	\$22.61
▲ ST22-2PGS-L	05853736	L	Ea	\$22.61
▲ ST22-2PGS-XL	05853737	XL	Ea	\$22.61
▲ ST22-2PGS-2X	05853738	2XL	Ea	\$22.61
▲ ST22-2PGS-3X	05853739	3XL	Ea	\$22.61
▲ ST22-2PGS-4X	05853740	4XL	Ea	\$22.61
▲ ST22-2PGS-5X	05853741	5XL	Ea	\$22.61

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Long Sleeve Hi-Viz Polo, Hi-Viz Orange				
▲ ST22-2POS-M	05853742	M	Ea	\$22.61
▲ ST22-2POS-L	05853743	L	Ea	\$22.61
▲ ST22-2POS-XL	05853744	XL	Ea	\$22.61
▲ ST22-2POS-2X	05853745	2XL	Ea	\$22.61
▲ ST22-2POS-3X	05853746	3XL	Ea	\$22.61
▲ ST22-2POS-4X	05853747	4XL	Ea	\$22.61
▲ ST22-2POS-5X	05853748	5XL	Ea	\$22.61

ST22-2POS



ST22-2PGS



Class 3 Short Sleeve T-Shirts

Made of 100% polyester birdseye mesh, durable lightweight performance wicking material. Features 2" silver reflective tape and (1) chest pocket. ANSI 107 Type R, Class 3 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Short Sleeve T-Shirt, Lime Yellow				
313-CNTSE-LY-M	05856265	M	Ea	\$14.34
313-CNTSE-LY-L	05856264	L	Ea	\$14.34
313-CNTSE-LY-XL	05856263	XL	Ea	\$14.34
313-CNTSE-LY-2X	05856262	2XL	Ea	\$14.34
313-CNTSE-LY-3X	05856261	3XL	Ea	\$14.34
313-CNTSE-LY-4X	05856260	4XL	Ea	\$14.34
313-CNTSE-LY-5X	05856259	5XL	Ea	\$14.34

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Short Sleeve T-Shirt, Orange				
▲ 313-CNTSE-OR-M	05856272	M	Ea	\$15.37
▲ 313-CNTSE-OR-L	05856271	L	Ea	\$15.37
▲ 313-CNTSE-OR-XL	05856270	XL	Ea	\$15.37
▲ 313-CNTSE-OR-2X	05856269	2XL	Ea	\$15.37
▲ 313-CNTSE-OR-3X	05856268	3XL	Ea	\$15.37
▲ 313-CNTSE-OR-4X	05856267	4XL	Ea	\$15.37
▲ 313-CNTSE-OR-5X	05856266	5XL	Ea	\$15.37

313-CNTSE-LY



313-CNTSE-OR



ST21-3 Class 3 Long Sleeve T-Shirts

Made with 100% polyester, birdseye mesh. Maxi-Dri™ technology accelerates evaporation for maximum dryness and comfort. Features durable, 2" silver reflective tape and (1) upper left pocket. Maximum 25 washes. ANSI/ISEA 107-2015 Type R Class 3 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Long Sleeve T-Shirt, Hi-Viz Green				
▲ ST21-3PGS-M	05800877	M	Ea	\$20.93
▲ ST21-3PGS-L	05800878	L	Ea	\$20.93
▲ ST21-3PGS-XL	05800879	XL	Ea	\$20.93
▲ ST21-3PGS-2XL	05800880	2XL	Ea	\$20.93

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Long Sleeve T-Shirt, Hi-Viz Orange				
▲ ST21-3POS-M	05800873	M	Ea	\$21.59
▲ ST21-3POS-L	05800874	L	Ea	\$21.59
▲ ST21-3POS-XL	05800875	XL	Ea	\$21.59
▲ ST21-3POS-2XL	05800876	2XL	Ea	\$21.59

ST21-3PGS



ST21-3POS

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





RADIANS ST12 Class 2 Hi-Viz Polo Shirts

Short sleeve polo with Max-Dri™ moisture wicking mesh. Features 2" heat transfer reflective tape, (1) upper left front pocket and collar with (2) buttons. ANSI/ISEA 107-2015 Type R Class 2 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Polo Shirt, Hi-Viz Green				

▲ ST12-2PGS-M	05853721	M	Ea	\$18.28
▲ ST12-2PGS-L	05853722	L	Ea	\$18.28
▲ ST12-2PGS-XL	05853723	XL	Ea	\$18.28
▲ ST12-2PGS-2XL	05853724	2XL	Ea	\$18.28
▲ ST12-2PGS-3XL	05853725	3XL	Ea	\$18.28
▲ ST12-2PGS-4XL	05853726	4XL	Ea	\$18.28
▲ ST12-2PGS-5XL	05853727	5XL	Ea	\$18.28

MFG #	DILLON #	SIZES	UOM	PRICE
Class 2 Polo Shirt, Hi-Viz Orange				

▲ ST12-2POS-M	05853728	M	Ea	\$18.28
▲ ST12-2POS-L	05853729	L	Ea	\$18.28
▲ ST12-2POS-XL	05853730	XL	Ea	\$18.28
▲ ST12-2POS-2XL	05853731	2XL	Ea	\$18.28
▲ ST12-2POS-3XL	05853732	3XL	Ea	\$18.28
▲ ST12-2POS-4XL	05853733	4XL	Ea	\$18.28
▲ ST12-2POS-5XL	05853734	5XL	Ea	\$18.28

ST12-2POS



ST12-2PGS



333-1766-LY



Class 3 Bomber Jackets with Zip Out Lining

Durable, waterproof, lime yellow polyester outer shell with taped seams. Black trim and collar helps conceal dirt. Features removable black fleece liner, black knit waist band and cuff, 2" silver reflective tape, adjustable hideaway hood, (2) mic tabs, (5) pockets with radio and pen pockets. ANSI 107 Type R, Class 3 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Class 3 Bomber Jacket with Zip Out Lining				
333-1766-LY-M	05820783	M	Ea	\$57.57
333-1766-LY-L	05820784	L	Ea	\$57.57
333-1766-LY-XL	05820785	XL	Ea	\$57.57

MFG #	DILLON #	SIZES	UOM	PRICE
333-1766-LY-2X	05820786	2XL	Ea	\$57.57
333-1766-LY-3X	05820787	3XL	Ea	\$57.57
333-1766-LY-4X	05820788	4XL	Ea	\$57.57
333-1766-LY-5X	05820789	5XL	Ea	\$57.57



RADIANS SJ210B Deluxe 3-in-1 Bomber Jackets

Made of PU-coated, weatherproof, 300-denier Oxford polyester shell with zip-out, removable fleece jacket and 2" silver reflective tape. Features concealed attached hood, dual mic tabs and clear chest badge holder. Elasticized waistband and wrist cuffs with closure. Designed with (1) cell phone/radio chest pocket, (2) left sleeve pencil pockets and covered, fleece-lined slash pockets. Hi-viz green with black front. ANSI/ISEA 107-2015 Type R Class 3 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Deluxe 3-in-1 Bomber Jacket				
SJ210B-3ZGS-M	05820791	M	Ea	\$61.63
SJ210B-3ZGS-L	05820792	L	Ea	\$61.63
SJ210B-3ZGS-XL	05820793	XL	Ea	\$61.63

MFG #	DILLON #	SIZES	UOM	PRICE
SJ210B-3ZGS-2XL	05820794	2XL	Ea	\$61.63
SJ210B-3ZGS-3XL	05820795	3XL	Ea	\$61.63
SJ210B-3ZGS-4XL	05820796	4XL	Ea	\$61.63
SJ210B-3ZGS-5XL	05820797	5XL	Ea	\$61.63

SJ210B-3ZGS



S78122



Job Sight™ Type R Class 3 Zip-Up Hoodie

Made of comfortable high-density polyester material with black elasticized polyester knit sleeve cuffs and waistband. Features 2" silver reflective tape, zipper closure, (2) pockets and hood. Fluorescent yellow-green with black pockets to help conceal dirt. ANSI/ISEA 107 Type R Class 3 compliant.

MFG #	DILLON #	SIZES	UOM	PRICE
Type R Class 3 Hooded Sweatshirt				
S78122-M	05800435	M	Ea	\$37.72
S78122-L	05800434	L	Ea	\$37.72
S78122-XL	05800433	XL	Ea	\$37.72

MFG #	DILLON #	SIZES	UOM	PRICE
S78122-2X	05800432	2XL	Ea	\$37.72
S78122-3X	05878122	3XL	Ea	\$37.72
S78122-4X	05800436	4XL	Ea	\$37.72
S78122-5X	05800430	5XL	Ea	\$37.72

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Beanie Hats

Hi-viz knit cap features silver reflective stripe for increased visibility. One size fits most.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
360-BEANNIE-LY	05800533	Beanie hat	Lime yellow	Ea	\$7.15
360-BEANNIE-OR	05800532	Beanie hat	Orange	Ea	\$7.15

360-BEANNIE-LY



360-BEANNIE-OR



SP61 Class E Surveyor Pants

Made of 100% polyester mesh bottom and solid top with 2" silver reflective stripes and contrasting trim. Features full-length zipper on each leg, (2) upper slash-through pockets and (2) back pockets. ANSI/ISEA 107-2015 Type R Class E compliant.



SP61-EPGS

SP61-EPOS

MFG #	DILLON #	SIZES	UOM	PRICE
Class E Surveyor Pants, Hi-Viz Green				
SP61-EPGS-M/L	05870551	M/L	Ea	\$21.21
SP61-EPGS-XL/2XL	05870552	XL/2XL	Ea	\$21.21
SP61-EPGS-3XL/4XL	05870553	3XL/4XL	Ea	\$21.21
SP61-EPGS-5XL/6XL	05870554	5XL/6XL	Ea	\$21.21
Class E Surveyor Pants, Hi-Viz Orange				
▲ SP61-EPOS-M/L	05870555	M/L	Ea	\$21.21
▲ SP61-EPOS-XL/2XL	05870556	XL/2XL	Ea	\$21.21
▲ SP61-EPOS-3XL/4XL	05870557	3XL/4XL	Ea	\$21.21
▲ SP61-EPOS-5XL/6XL	05870558	5XL/6XL	Ea	\$21.21



GloWear® Non-Certified Vests

Made of 2.6 oz. polyester mesh with hook-and-loop closure and 1" silver reflective stripes. Universal. Non-ANSI 107 compliant.



20030

20040

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
20030	05815742	8020HL Non-certified standard vest	Orange	Ea	\$4.16
20040	05815743	8020HL Non-certified standard vest	Lime	Ea	\$4.16



S230 Boonie Hat

Woven, 300-denier Oxford polyester with polyurethane (PU) coating, mesh venting and 1" reflective tape with contrasting trim. Universal, 24" circumference. ANSI/ISEA 107 compliant.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
61587	05837306	S230 Boonie hat	Lime	Ea	\$8.75
▲ 61588	05837307	S230 Boonie hat	Orange	Ea	\$8.75



61587

61588



S108 Hi-Viz Baseball Caps

Made of 100% polyester 300 denier Oxford with (2) mesh venting panels and silver reflective material. Adjustable hook-and-loop closure. Conforms to ANSI/ISEA 107- Class Headwear.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
61705	05820419	S108 Hi-viz baseball cap	Lime	Ea	\$8.15
61706	05815047	S108 Hi-viz baseball cap	Orange	Ea	\$8.15



61706

61705

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





33-425LY



G-Tek® HV Gloves

Features hi-viz lime yellow polyurethane-coated palm and fingers on hi-viz lime yellow seamless knit 13-gauge polyester. Seamless knit polyester offers great dexterity. Polyurethane-coated palm and fingers provides abrasion resistance. Breathable back for comfort. Ideal for electronic and computer assembly, quality control, inspection and general assembly.

MFG #	DILLON #	SIZES	UOM	PRICE
G-Tek HV Gloves				
▲ 33-425LY/S	05811765	S	Dz	\$22.30
▲ 33-425LY/M	05811764	M	Dz	\$22.30

MFG #	DILLON #	SIZES	UOM	PRICE
▲ 33-425LY/L	05811763	L	Dz	\$22.30
▲ 33-425LY/XL	05811762	XL	Dz	\$22.30
▲ 33-425LY/XXL	05811761	2XL	Dz	\$22.30



Hi-Viz Acrylic Terry Gloves

Seamless construction for a comfortable fit. Acrylic gloves provide economical cold weather protection. Latex crinkle coating provides superior grip in wet/dry conditions. Knit wrist prevents dirt and debris from entering glove. Ideal for refrigeration, utilities, food processing, commercial fishing and construction.

MFG #	DILLON #	SIZES	UOM	PRICE
Hi-Viz Acrylic Terry Gloves				
▲ 41-1420/S	05811369	S	Pr	\$3.77
41-1420/M	05811368	M	Pr	\$3.77
41-1420/L	05811367	L	Pr	\$3.77
41-1420/XL	05811366	XL	Pr	\$3.77



41-1420



Flex Hi-Viz Gloves

Shell is 13-gauge, hi-viz yellow nylon/polyester with black foam latex-dipped palm and fingers. CE 3131.

MFG #	DILLON #	SIZES	UOM	PRICE
Hi-Viz Flex Gloves				
▲ 96731HV-S	05882086	S	Dz	\$26.74
▲ 96731HV-M	05882087	M	Dz	\$26.74
▲ 96731HV-L	05801166	L	Dz	\$26.74
▲ 96731HV-XL	05882088	XL	Dz	\$26.74




96731HV

NMC Retroreflective Hard Hat Strips

Reflective sticker made of pressure sensitive vinyl. Measures: 1" x 4". 16/Sheet.

MFG #	DILLON #	COLOR	UOM	PRICE
Hard Hat Strips				
HH200	05801224	Yellow	Sheet	\$12.92
HH202	05801222	Silver	Sheet	\$12.92
HH201	05801223	Orange	Sheet	\$12.92


HH200



HH202



HH201



CLASSES OF CONSPICUITY

Within ANSI 107, three classes of conspicuity are defined:

Conspicuity Class 1

- Worker can give full and undivided attention to approaching traffic.
- Ample separation between worker and vehicular traffic.
- Background is not too complex.
- Vehicle/equipment speeds do not exceed 25 mph.

Conspicuity Class 2

- Greater visibility is desired during inclement weather.
- Complex backgrounds are present.
- Employees perform tasks that divert attention away from approaching vehicles.
- Vehicle/equipment speeds exceed 25 mph, but less than 50 mph.
- Work activities take place in or near vehicle traffic space.

Conspicuity Class 3

- Vehicle/equipment speeds exceed 50 mph.
- Worker and vehicle operator have high task loads.
- Wearer must be conspicuous through the full range of body motions at a minimum of a ¼ mile (390 m) and must be identifiable as a person.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



If a workplace hazard assessment reveals that employees face potential injury to hands and arms that cannot be eliminated through engineering and work practice controls, employers must ensure that employees wear appropriate protection. Potential hazards include skin absorption of harmful substances, chemical or thermal burns, electrical dangers, bruises, abrasions, cuts, punctures, fractures and amputations. Protective equipment includes gloves, finger guards and arm coverings or elbow-length gloves. Employers should explore all possible engineering and work practice controls to eliminate hazards and use PPE to provide additional protection against hazards that cannot be completely eliminated through other means. For example, machine guards may eliminate a hazard. Installing a barrier to prevent workers from placing their hands at the point of contact between a table saw blade and the item being cut is another method.

Go to www.osha.gov for complete details.

GLOVES

Disposable	54-56
Chemical-Resistant	57-58
General Purpose & Coated	58-60
Multi-Task	60-62
Leather	62-64
Heat-Resistant & Electrical	65
Cut-Resistant	66-68
Sleeves and Accessories	69-70



Industry Standard Disposable Latex Gloves

Features rolled cuff, wing thumb and 4-mil thickness. Powder-free. Ideal for industrial and food service use. Component materials comply with all relevant federal regulations for food contact. 100/Box; 10 Bx/Cs.

5054



MFG #	DILLON #	SIZES	UOM	PRICE
Disposable Latex Gloves				
▲ 5054-S	05850548	S	Bx	\$6.35
▲ 5054-M	05850542	M	Bx	\$6.35
5054-L	05850543	L	Bx	\$6.35
5054-XL	05850544	XL	Bx	\$6.35

NitriShield® Disposable Nitrile Gloves

Features chlorinated, textured finish for better grip. Powdered nitrile gloves are available in 4-mil thickness. Resistant to a wide variety of chemicals. Ideal for industrial, food service, chemical processing, handling biohazards, mail sorting, biomedical and other industrial applications needing tactile sensitivity and puncture and abrasion resistance. Blue. 100/Box; 10 Bx/Cs.

6020



MFG #	DILLON #	SIZES	UOM	PRICE
NitriShield Disposable Gloves				
▲ 6020-S	05806020	S	Bx	\$9.58
6020-M	05806021	M	Bx	\$9.58
6020-L	05806022	L	Bx	\$9.58
6020-XL	05806023	XL	Bx	\$9.58

NitriShield Stealth™ Black Nitrile Disposable Gloves

Made of nitrile and contains no latex proteins. Offers excellent resistance to punctures and tears. Features rolled, beaded cuff and 3-mil thickness with textured finish for better grip. Resistant to a wide variety of chemicals. Powder-free. 100/Box; 10 Bx/Cs.

6060



MFG #	DILLON #	SIZES	UOM	PRICE
NitriShield Stealth Black Nitrile Gloves				
▲ 6060-S	05800606	S	Bx	\$9.55
6060-M	05800607	M	Bx	\$9.55
6060-L	05800608	L	Bx	\$9.55
6060-XL	05800609	XL	Bx	\$9.55

Sensaguard™ Disposable Latex Gloves

Industrial-grade, 5-mil thick unsupported latex gloves offer great dexterity. Non-sterile, ambidextrous gloves with a smooth grip. Features rolled cuff and 9 1/2" length. Ideal for industrial, food service, chemical processing, handling biohazards, and other industrial applications needing tactile sensitivity with puncture and abrasion resistance. Complies with FDA food handling requirements (21 CFR 177.2600). 100/Box; 10 Bx/Cs.

5060



MFG #	DILLON #	SIZES	UOM	PRICE
Sensaguard Disposable Latex Gloves, Powder-Free				
5055-S	05805057	S	Bx	\$8.34
5055-M	05805056	M	Bx	\$8.34
5055-L	05805055	L	Bx	\$8.34
5055-XL	05805054	XL	Bx	\$8.34
Sensaguard Disposable Latex Gloves, Powdered				
▲ 5060-S	05805061	S	Bx	\$6.17
▲ 5060-M	05805062	M	Bx	\$6.17
5060-L	05805060	L	Bx	\$6.17
5060-XL	05805063	XL	Bx	\$6.35

Durashield® Disposable Nitrile Gloves

Latex-free gloves have textured grip and are resistant to a wide variety of chemicals. Ideal for industrial, food service, chemical processing, handling biohazards, mail sorting, biomedical and other applications requiring tactile sensitivity and puncture and abrasion resistance. Ambidextrous, 4-mil thick and powder-free. 100/Box; 10 Bx/Cs.

6001



MFG #	DILLON #	SIZES	UOM	PRICE
Durashield Disposable Nitrile Gloves				
6001-S	05860010	S	Bx	\$9.02
6001-M	05860011	M	Bx	\$9.02
6001-L	05860018	L	Bx	\$9.02
6001-XL	05860019	XL	Bx	\$9.02
▲ 6001-2XL	05856001	2XL	Bx	\$9.02
▲ 6001-3XL	05836402	3XL	Bx	\$10.88

Sensatouch™ Disposable Vinyl Gloves

Features 5-mil thickness and powder-free. Ideal for medical use. Clear. 100/Box; 10 Bx/Cs.

5010



MFG #	DILLON #	SIZES	UOM	PRICE
Sensatouch Disposable Vinyl Gloves				
▲ 5010-S	05805010	S	Bx	\$4.98
5010-M	05805011	M	Bx	\$4.98
5010-L	05805012	L	Bx	\$4.98
▲ 5010-XL	05805013	XL	Bx	\$4.98

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Diamond Grip Plus™ Latex Gloves

Latex gloves offer durable comfort and lasting wear. Features standard 9 1/2" length, fully-textured grip and beaded cuff. Ambidextrous. Powder-free. Natural. 100/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
DPG-350-S	05892780	Diamond Grip Plus latex gloves	S	Bx	\$13.97
DPG-350-M	05803508	Diamond Grip Plus latex gloves	M	Bx	\$13.97
DPG-350-L	05803507	Diamond Grip Plus latex gloves	L	Bx	\$13.97
DPG-350-XL	05803506	Diamond Grip Plus latex gloves	XL	Bx	\$13.97



DGP-350



Diamond Grip™ Latex Exam Gloves

Made from natural rubber latex. Features beaded cuff, textured fingers, standard 9" length, powder-free and chlorinated. Ambidextrous. Thicker than typical latex for enhanced protection. Provides greatest protection at fingertips to prevent ripping and tearing. Natural. 100/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
MF-300-S	05874196	Diamond Grip latex exam gloves	S	Bx	\$16.17
MF-300-M	05874198	Diamond Grip latex exam gloves	M	Bx	\$16.17
MF-300-L	05874200	Diamond Grip latex exam gloves	L	Bx	\$16.17
MF-300-XL	05874202	Diamond Grip latex exam gloves	XL	Bx	\$16.17



MF-300



N-DEX® Nitrile Gloves

Chemical/splash-resistant, 4-mil, ambidextrous gloves provide better puncture resistance than natural rubber and vinyl disposables. Ideal for food handling and processing, automotive, lab and pharmaceutical professionals. Powdered. Blue. 100/Box.



7005

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
7005-S	05899336	N-DEX nitrile gloves	S	Bx	\$15.63
7005-M	05899338	N-DEX nitrile gloves	M	Bx	\$15.63
7005-L	05879335	N-DEX nitrile gloves	L	Bx	\$15.63
7005-XL	05879336	N-DEX nitrile gloves	XL	Bx	\$15.63
7005-2XL	05892770	N-DEX nitrile gloves	2XL	Bx	\$15.63



Ambi-dex® Disposable Nitrile Gloves

For light hand protection from liquids, chemicals and debris. Contains no natural rubber latex proteins. Features 5-mil thickness and textured grip. Powder-free. Ambidextrous. Meets FDA Regulations for food contact, 21 CFR, 170-199. Blue. 100/Box.



63-332PF

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
63-332PF/S	05859576	Ambi-dex disposable nitrile gloves	S	Bx	\$11.78
63-332PF/M	05859567	Ambi-dex disposable nitrile gloves	M	Bx	\$11.78
63-332PF/L	05859566	Ambi-dex disposable nitrile gloves	L	Bx	\$11.78
63-332PF/XL	05859577	Ambi-dex disposable nitrile gloves	XL	Bx	\$11.78
63-332PF/2XL	05859578	Ambi-dex disposable nitrile gloves	2XL	Bx	\$13.17



Assurance® Nitrile Gloves

Provides superior resistance to physical hazards and many chemical hazards, including solvents and oil-based chemicals. Features 15-mil thickness, flock lining and raised diamond grip for superior grip in wet and dry applications. Made from component materials which comply with FDA regulations for food contact. 21CFR 170-199.



50-N160G

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
50-N160G/S	05800257	Assurance nitrile gloves	S	Pr	\$1.62
50-N160G/M	05800258	Assurance nitrile gloves	M	Pr	\$1.62
50-N160G/L	05800259	Assurance nitrile gloves	L	Pr	\$1.62
50-N160G/XL	05802510	Assurance nitrile gloves	XL	Pr	\$1.62



Nitrile Disposable Gloves

Features 4-mil thickness, bisque finish, rolled cuff for easy donning and industry standard 9 1/2" length. Powder-free. Blue. 100/Box.



7500PF

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
7500PF-M	05888429	Nitrile disposable gloves	M	Bx	\$9.67
7500PF-L	05888430	Nitrile disposable gloves	L	Bx	\$9.67
7500PF-XL	05888431	Nitrile disposable gloves	XL	Bx	\$9.67
7500PF-2XL	05888432	Nitrile disposable gloves; 10Bx/Cs	2XL	Bx	\$9.67

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Unsupported Flock-Lined Latex Gloves

Features 18-mil thickness, embossed grip on palm and fingers and straight cuff. Chlorinated for easy on/off. Suited for food processing industries, janitorial work, poultry and research laboratories. Made with FDA-accepted materials for use in food processing applications. Yellow.

Note: Contains natural rubber latex, which may cause allergic reactions in some people.



5270P

MFG #	DILLON #	SIZES	UOM	PRICE
Unsupported Flock-Lined Latex Gloves				
5270P	05827016	7-7 1/2	Pr	\$0.93
5280P	05805281	8-8 1/2	Pr	\$0.93
5290P	05815290	9-9 1/2	Pr	\$0.93
5299P	05815299	10	Pr	\$0.93



Double-Dipped Green PVC/Nitrile Gloves

Offers maximum resistance to chemicals, oils, solvents and strong acids. Made with soft jersey lining and double-dipped in green PVC with a sandy finish. Ideal for oils and solvents, petrochemicals and refining.



6422

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
6422	05864220	Double-dipped industrial PVC gloves, 12" length	Pr	\$2.25
6414	05806414	Premium double-dipped PVC gloves, 14" length	Pr	\$3.71
6424	05864240	Economy double-dipped industrial PVC gloves, 14" length	Pr	\$2.48



Dipped Black PVC Gloves

Offers strong resistance to chemicals, oils, solvents and strong acids. Features 12" gauntlet cuff and interlock lining. Dipped in PVC with a sandy finish. Ideal for basic liquid and mild chemical protection, auto industry, construction and mining.



6212

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
6212	05806212	Single-dipped PVC gloves	Pr	\$1.70



Double-Dipped Black PVC Gloves

Offers strong resistance to chemicals, oils, solvents and strong acids. Features interlock lining and double-dipped in black PVC with a sandy finish. Ideal for basic liquid, mild chemical protection, auto industry, construction and mining.



6522S

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
6522S	05806523	Double-dipped PVC gloves	Pr	\$2.33



Scorpio® 8-354 Neoprene-Coated Gloves

Heavy-duty protection against a wide range of chemicals. Specially designed neoprene construction with a knit-liner for comfort and easy donning and doffing. Features 14" gauntlet cuff and textured finish for excellent grip on wet and slippery materials with great flexibility. Snug fit with high degree of fingertip sensitivity. Interlock knit cotton 2-piece lining eliminates seams that can cause hand irritation. Green.



8-354

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
8-354-8	05892771	Scorpio 8-354 gloves	8	Dz	\$87.00
8-354-9	05808354	Scorpio 8-354 gloves	9	Pr	\$7.25
8-354-10	05883541	Scorpio 8-354 gloves	10	Pr	\$7.25



PVC Gloves

Jersey-lined PVC construction gloves provide barrier protection from chemicals, oil and grease. Abrasion-resistant. Useful in any general-purpose industrial setting or application. Features rough finish for working in wet/oily conditions. CFIA Approved.



7714R

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
7712R-10	05879357	PVC gloves w/ 12" gauntlet	L	Pr	\$3.41
7714R-10	05879358	PVC gloves w/ 14" gauntlet	L	Pr	\$3.71

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



BlackJack® Supported Neoprene Gloves

Ergonomically designed to follow contour of hand and wrist. Made with 100% cotton brushed interlock lining. Features 31" shoulder length and smooth finish. Treated with Actifresh® to help retard odors and eliminate germs by controlling bacterial buildup. Universally sized.



6950

7900



7102



Cotton Jersey Gloves

Breathable and absorbent. Features Clute cut with knit wrist. For comfort in general purpose applications.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
-------	----------	-------------	-------	-----	-------

6950	05870500	Supported neoprene gloves	L	Pr	\$51.96
------	----------	---------------------------	---	----	---------



String Knit Gloves with PVC Coating

Cotton/polyester knit gloves allow breathability with less hand fatigue. Single-sided PVC dots for added grip and durability. Seamless pattern increases comfort.



36-110PD

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
36-110PD/S	05861120	String knit gloves w/ single-side dots	S	Pr	\$0.50
36-110PD/L	05801120	String knit gloves w/ single-side dots	L	Pr	\$0.50



Cotton Jersey Gloves

Breathable and absorbent with straight thumb and knit wrist. Designed for comfort and breathability in general purpose applications.

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
7100	05804497	Cotton jersey gloves		Men's	Pr	\$0.59
7102	05837102	Cotton jersey gloves		Women's	Pr	\$0.57
7100C	05807100	Cotton jersey gloves, heavyweight, premium quality		Men's	Pr	\$0.86



9660S



PVC-Coated String Knit Gloves

Features regular weight, 7-gauge cotton/polyester blend with PVC coating on one or both sides. PVC dots offer improved grip and provide abrasion resistance.

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
9650S-S	05809651	Regular weight string knit gloves w/ 1-sided dots	White	S	Pr	\$0.57
9650S-L	05809650	Regular weight string knit gloves w/ 1-sided dots	White	L	Pr	\$0.57
9660S-S	05839658	Regular weight string knit gloves w/ 2-sided dots	Bleached white	S	Pr	\$0.68
9660S-L	05839660	Regular weight string knit gloves w/ 2-sided dots	Bleached white	L	Pr	\$0.68



String Knit Gloves

Made from a variety of blends and weights. Reversible pattern allows gloves to be worn on either hand to extend glove life. Can be worn alone or used as glove liners. Launderable. Ideal for refrigerated areas, food processing, general maintenance, parts handling, shipping/receiving and automotive plants. Made with FDA-accepted materials for use in food processing applications.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
9500SM-S	05829501	String knit gloves, standard weight & hemmed	S	Pr	\$0.45
9500LM-L	05829500	String knit gloves, standard weight & hemmed	L	Pr	\$0.45
9506LM-S	05895061	String knit 100% cotton gloves, heavyweight & hemmed	S	Pr	\$0.64
9506LM-L	05809506	String knit 100% cotton gloves, heavyweight & hemmed	L	Pr	\$0.64

9500LM



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



SHOWA SHOWA® ATLAS® 451 Gloves

Made of a 10-cut, heavyweight, cotton, poly and acrylic napped knit shell. Natural rubber coating on palm and fingertips for abrasion resistance. Features insulated seamless knit liner for added warmth and open back. Color-coded over-edge allows for easy sorting after laundering. Light gray/gray.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
451M-08	05800827	SHOWA ATLAS 451 gloves	M	Pr	\$4.34
451L-09	05800828	SHOWA ATLAS 451 gloves	L	Pr	\$4.34
451XL-10	05800819	SHOWA ATLAS 451 gloves	XL	Pr	\$4.34



SHOWA SHOWA® ATLAS® 300 Gloves

Gray with blue, natural rubber palm coating. Features 10-gauge seamless knit liner, ergonomic shape and wrinkle grip. Machine washable.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 300S-07	05824957	SHOWA 300 gloves	S	Dz	\$34.92
▲ 300M-08	05825016	SHOWA 300 gloves	M	Dz	\$34.92

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
300L-09	05824958	SHOWA 300 gloves	L	Pr	\$2.91
300XL-10	05825108	SHOWA 300 gloves	XL	Pr	\$2.91



Cotton/Polyester Knit Gloves with Latex Coating

Seamless gray/blue cotton/polyester knit with elastic wrist. Orange latex coating on palm and fingertips. Ideal for medium- and heavy-duty applications.



P700816

MFG #	DILLON #	SIZES	UOM	PRICE
Cotton/Polyester Knit Gloves with Latex Coating				
P700816S	05850534	S	Pr	\$2.34
P700816M	05821386	M	Pr	\$2.34
P700816L	05821387	L	Pr	\$2.34
P700816XL	05821388	XL	Pr	\$2.34



Hi-Viz Acrylic Insulated Terry Gloves

Seamless construction for a comfortable fit. Acrylic gloves provide economical cold weather protection. Latex crinkle coating provides superior grip in wet/dry conditions. Knit wrist prevents dirt and debris from entering glove. Ideal for refrigeration, utilities, food processing, commercial fishing and construction.



41-1420

MFG #	DILLON #	SIZES	UOM	PRICE
Insulated Hi-Viz Acrylic Terry Gloves				
▲ 41-1420/S	05811369	S	Pr	\$3.77
41-1420/M	05811368	M	Pr	\$3.77
41-1420/L	05811367	L	Pr	\$3.77
41-1420/XL	05811366	XL	Pr	\$3.77



Flex-Tuff® Latex-Dipped Work Gloves

Made from 10-gauge 50% cotton/50% polyester shell dipped in natural rubber latex, which provides exceptional abrasion resistance. Features textured palm and fingertips for added durability and grip. Ideal for use in material and glass handling, fishing and plywood industries, sanitation, and general maintenance.



9680

MFG #	DILLON #	SIZES	UOM	PRICE
Flex-Tuff Latex-Dipped Gloves				
9680-S	05809680	S	Pr	\$2.42
9680-M	05809681	M	Pr	\$2.42
9680-L	05809682	L	Pr	\$2.42
9680-XL	05809683	XL	Pr	\$2.42



Ninja® HPT™ Coated Palm and Fingertips Gloves

Made with athletic grade nylon shell for increased comfort. Proprietary HPT coating process creates encapsulated air molecules repelling liquids for firm wet or dry grip. Ideal for assembly, general purpose, material handling, plumbing, shipping, and warehousing.



N9699

MFG #	DILLON #	SIZES	UOM	PRICE
Ninja HPT Gloves				
▲ N9699-S	05800094	S	Pr	\$2.85
N9699-M	05800093	M	Pr	\$2.85
N9699-L	05839699	L	Pr	\$2.85
N9699-XL	05800092	XL	Pr	\$2.85

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

G-Tek® Gray Solid Nitrile Gloves

Seamless construction provides excellent dexterity. Solid nitrile-coated palm and fingers ensure superior grip along with great snag resistance. Designed with breathable back for all day comfort. Ideal for use in manufacturing and assembly applications especially where abrasion, cut and puncture resistance is needed.



34-225

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 34-225/XS	05892758	G-Tek gray solid nitrile gloves	XS	Pr	\$1.20
34-225/S	05802251	G-Tek gray solid nitrile gloves	S	Pr	\$1.20
34-225/M	05823002	G-Tek gray solid nitrile gloves	M	Pr	\$1.20
34-225/L	05823003	G-Tek gray solid nitrile gloves	L	Pr	\$1.20
34-225/XL	05823004	G-Tek gray solid nitrile gloves	XL	Pr	\$1.20

G-Tek® Gloves with Nitrile Coating

Features 13-gauge blue nylon liner with black nitrile MicroSurface coating and knit wrist. MicroSurface provides superior grip in dry, wet and oily conditions by reacting like tiny suction cups attaching firmly to material being handled. Excellent resistance to liquid permeation. Strong protection from punctures and abrasions. Ideal for general assembly of oily parts, metal handling, fishing and machine operation.



34-500

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
34-500/S	05833780	G-Tek gloves w/ nitrile coating	S	Pr	\$2.40
34-500/M	05805812	G-Tek gloves w/ nitrile coating	M	Pr	\$2.40
34-500/L	05805813	G-Tek gloves w/ nitrile coating	L	Pr	\$2.40
34-500/XL	05805814	G-Tek gloves w/ nitrile coating	XL	Pr	\$2.40
▲ 34-500/2XL	05800418	G-Tek gloves w/ nitrile coating	2XL	Pr	\$2.66

G-Tek® NPG Polyurethane-Coated Gloves

Polyurethane-coated palm and fingers offer abrasion resistance. Features seamless, gray knit nylon for great dexterity and breathable back for extra comfort. Use in electronic and computer assembly, quality control, inspection and general assembly.



33-G125

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 33-G125/XS	05856242	G-Tek NPG polyurethane-coated gloves	XS	Pr	\$1.20
33-G125/S	05812501	G-Tek NPG polyurethane-coated gloves	S	Pr	\$1.20
33-G125/M	05812502	G-Tek NPG polyurethane-coated gloves	M	Pr	\$1.20
33-G125/L	05812503	G-Tek NPG polyurethane-coated gloves	L	Pr	\$1.20
▲ 33-G125/XL	05812504	G-Tek NPG polyurethane-coated gloves	XL	Pr	\$1.20
▲ 33-G125/2XL	05856243	G-Tek NPG polyurethane-coated gloves	2XL	Pr	\$1.20
▲ 33-G125/3XL	05856244	G-Tek NPG polyurethane-coated gloves	3XL	Pr	\$1.20

MaxiFlex® Ultimate™ By ATG® Micro-Foam Nitrile-Coated Nylon Gloves

Cool, seamless, gray knit nylon liner and black nitrile micro-foam coating keep hands cool and dry. Contoured hand shape provides fit, dexterity, sensitivity and tactility. Excellent dry grip. Pre-laundered to reduce shrinkage. Non-marking to reduce contamination. Delivers patented 360° breathability.



34-874

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
34-874/S	05848742	MaxiFlex Ultimate gloves w/ coated palm & fingertips	S	Pr	\$4.58
34-874/M	05848743	MaxiFlex Ultimate gloves w/ coated palm & fingertips	M	Pr	\$4.58
34-874/L	05848744	MaxiFlex Ultimate gloves w/ coated palm & fingertips	L	Pr	\$4.58
34-874/XL	05848745	MaxiFlex Ultimate gloves w/ coated palm & fingertips	XL	Pr	\$4.58
34-874/2XL	05828722	MaxiFlex Ultimate gloves w/ coated palm & fingertips	2XL	Pr	\$4.58
▲ 34-874/3XL	05830815	MaxiFlex Ultimate gloves w/ coated palm & fingertips	3XL	Pr	\$4.73
▲ 34-875/S	05848752	MaxiFlex Ultimate gloves w/ full fingers & knuckles	S	Pr	\$4.84
34-875/M	05848753	MaxiFlex Ultimate gloves w/ full fingers & knuckles	M	Pr	\$4.84
34-875/L	05848754	MaxiFlex Ultimate gloves w/ full fingers & knuckles	L	Pr	\$4.84
34-875/XL	05848755	MaxiFlex Ultimate gloves w/ full fingers & knuckles	XL	Pr	\$4.84

MaxiDry® Gloves by ATG®

Ultra lightweight nitrile on fine gauge seamless knit nylon liner. GripTech® coating for non-slip capabilities. Locking cuff ensures glove doesn't slip and LiquiTech® Barrier Technology provides resistance to oil and liquids. 10" Length.



56-425

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 56-425/S	05877003	ATG MaxiDry 3/4-coated gloves	S	Pr	\$6.43
56-425/M	05877002	ATG MaxiDry 3/4-coated gloves	M	Pr	\$6.43
56-425/L	05877001	ATG MaxiDry 3/4-coated gloves	L	Pr	\$6.43
56-425/XL	05877000	ATG MaxiDry 3/4-coated gloves	XL	Pr	\$6.43
▲ 56-425/2XL	05876999	ATG MaxiDry 3/4-coated gloves	2XL	Pr	\$6.43

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



11-830

Ansell

HyFlex® 11-830 Light-Duty Multi-Purpose Gloves

Features patented Zonz™ Knit Advanced Comfort Technology which reduces hand fatigue by providing stress release in the knuckle areas. Open visible stitch allows for hand ventilation. Features Enhanced Cuff Overedge (ECO) for elasticity in cuff area for easier donning and doffing, and D3Pinky design for a more natural fit. Ideal for dry or light oil environments.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 11-830-6	05892773	HyFlex 11-830 multi-purpose gloves	6	Dz	\$48.78
▲ 11-830-7	05892774	HyFlex 11-830 multi-purpose gloves	7	Dz	\$48.78
▲ 11-830-8	05892775	HyFlex 11-830 multi-purpose gloves	8	Dz	\$48.78
▲ 11-830-9	05892776	HyFlex 11-830 multi-purpose gloves	9	Dz	\$48.78
▲ 11-830-10	05892777	HyFlex 11-830 multi-purpose gloves	10	Dz	\$48.78
▲ 11-830-11	05823695	HyFlex 11-830 multi-purpose gloves	11	Dz	\$48.78



MaxiFoam® By ATG® Premium Gray Foam Nitrile Gloves

Designed to channel oil away from the glove surface ensuring excellent wet or dry grip. Coated palm and fingertips. Minimal penetration (strike through) keeps the white seamless liner soft. Produces minimal dust and lint and provides excellent dexterity, sensitivity and tactility. Silicone-free. Pre-laundered to reduce extractables and eliminate additional shrinking or stiffness after washing.



34-800

MFG #	DILLON #	SIZES	UOM	PRICE
MaxiFoam Premium Gray Foam Nitrile Gloves				
34-800/S	05848002	S	Pr	\$4.32
34-800/M	05848003	M	Pr	\$4.32
34-800/L	05848004	L	Pr	\$4.32
34-800/XL	05848005	XL	Pr	\$4.32



HANDLITE 400N Nitrile Foam-Coated Gloves

Seamless white knitted gloves with gray nitrile foam coating on palm/fingertips and knit wrist. Ideal for dry or slightly oily applications.



P701617

MFG #	DILLON #	SIZES	UOM	PRICE
HANDLITE 400N Nitrile Foam-Coated Gloves				
P701617S	05850535	S	Pr	\$4.00
P701617M	05834519	M	Pr	\$4.00
P701617L	05834520	L	Pr	\$4.00
P701617XL	05834521	XL	Pr	\$4.00
P701617XXL	05834530	2XL	Pr	\$4.00



SHOWA® 4545 Gloves

Combines durable and extended 3/4 over-the-knuckle nitrile palm dip with acrylic fleece liner for warmth. Nitrile coating will not stiffen and retains maximum flexibility in temps down to -15° F. Fully launderable with color-coded cuff.



4545

MFG #	DILLON #	SIZES	UOM	PRICE
SHOWA 4545 Gloves				
4545-08	05888440	8	Pr	\$7.05
4545-09	05888441	9	Pr	\$7.05
4545-10	05888442	10	Pr	\$7.05
4545-11	05888443	11	Pr	\$7.05



Fasguard™ 901 Multi-Purpose Gloves

Premium grain deerskin on the palm and fingers insulates against heat and cold, repels stains and mildew, and resists wind and water. Durable and lightweight, launderable by hand or machine washable, or dry clean. Features a black nylon spandex back for a snug fit, Velcro® wrist closure vented finger sidewalls and fourchettes. Ideal for auto repair, driving, ranching, search and rescue and forestry.



901

MFG #	DILLON #	SIZES	UOM	PRICE
Fasguard 901 Multi-Purpose Gloves				
901-M	05890126	M	Pr	\$15.49
901-L	05890130	L	Pr	\$15.49
901-XL	05890140	XL	Pr	\$15.49
▲ 901-2XL	05836404	2XL	Pr	\$15.49

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Fasguard™ 900 Multi-Purpose Gloves

Multi-task gloves constructed of Clarino® synthetic leather. Adjustable Velcro® wrist closure provides a snug fit and keeps debris out. Breathable spandex back keeps hands cool and comfortable. Vented finger sidewalls with fourchettes and a wing thumb for improved dexterity and gripping power. Strong, durable and lightweight. Ideal for auto repair and construction. Also useful as driving gloves.



900

MFG #	DILLON #	SIZES	UOM	PRICE
Fasguard 900 Multi-Purpose Gloves				
900-M	05890023	M	Pr	\$10.74
900-L	05890030	L	Pr	\$10.74
900-XL	05890040	XL	Pr	\$10.74
▲ 900-2XL	05861126	2XL	Pr	\$10.74



Flex Tuff® Multi-Task Series Gloves

Premium black synthetic palm with red silicone tire tread pattern grip. Features black 2-way spandex back with breathable fourchettes and hook-and-loop closure at wrist with ID box. Ideal for assembly, automotive, carpentry, construction, farming, landscaping, material handling, mechanics and salvage.



FT2901

MFG #	DILLON #	SIZES	UOM	PRICE
Flex Tuff Multi-Task Gloves				
▲ FT2901M	05853275	M	Pr	\$12.11
▲ FT2901L	05853276	L	Pr	\$12.11
▲ FT2901XL	05853277	XL	Pr	\$12.11
▲ FT2901XXL	05853278	2XL	Pr	\$12.11



ForceFlex™ B100 Gloves

Features ergonomically designed, synthetic rough-textured palm pad to enhance grip in dry applications. Injection molded thermoplastic rubber (TPR) padding covers back of hand and fingers for full dorsal/metacarpal protection.



B100

MFG #	DILLON #	SIZES	UOM	PRICE
ForceFlex B100 Gloves				
▲ B100M	05802388	M	Pr	\$33.21
B100L	05802389	L	Pr	\$33.21
B100XL	05802390	XL	Pr	\$33.21
▲ B1002XL	05820782	2XL	Pr	\$33.21



Construction Performance Gloves

Features single-ply synthetic leather palm with extra tacky fingertip and fabric back with Max logo. Vented finger side panels offer extra fit and breathability. Nylon pull strap for easy off/on and adjustable wrist closure.



MB100

MFG #	DILLON #	SIZES	UOM	PRICE
Construction Performance Gloves				
▲ MB100-M	05888459	M	Pr	\$12.74
MB100-L	05888460	L	Pr	\$12.74
▲ MB100-XL	05888461	XL	Pr	\$12.74
▲ MB100-2XL	05888462	2XL	Pr	\$12.74



TILLMAN® 1470 TrueFit® Goatskin Performance Gloves

Top-grain goatskin construction for dexterity. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1470M	05814702	TrueFit goatskin gloves	M	Pr	\$11.70
1470L	05814703	TrueFit goatskin gloves	L	Pr	\$11.70
1470XL	05814704	TrueFit goatskin gloves	XL	Pr	\$11.70



1470



TILLMAN® 1490 Goatskin TrueFit® Ultra Performance Gloves

Features top-grain goatskin double palm and thumb, double reinforced finger tips. Clute cut design improves finger and thumb mobility. Top-grain side bolsters provide additional protection for side surface work. Spandex back for precision fit, longer elastic cuff with hook-and-loop closure. Additional padding in palm for increased comfort and longer wear. Breathable finger design wicks away moisture. Not designed for welding.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1490M	05800994	TrueFit Ultra goatskin gloves	M	Pr	\$17.54
1490L	05800993	TrueFit Ultra goatskin gloves	L	Pr	\$17.54
1490XL	05800992	TrueFit Ultra goatskin gloves	XL	Pr	\$17.54
▲ 14902X	05818812	TrueFit Ultra goatskin gloves	2XL	Pr	\$17.54



1490

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



1480 Deerskin TrueFit® Performance Gloves

Top-grain deerskin construction for all day comfort and protection. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out double palm for longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters add additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding.



1480

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 1480S	05811480	TrueFit deerskin gloves	S	Pr	\$21.65
▲ 1480M	05821480	TrueFit deerskin gloves	M	Pr	\$21.65
▲ 1480L	05831480	TrueFit deerskin gloves	L	Pr	\$21.65
▲ 1480XL	05851480	TrueFit deerskin gloves	XL	Pr	\$21.65



1475 TrueFit® Cowhide Performance Gloves

Top-grain cowhide construction for long-lasting wear. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding.



1475

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1475M	05814752	TrueFit cowhide gloves	M	Pr	\$14.63
1475L	05814753	TrueFit cowhide gloves	L	Pr	\$14.63
1475XL	05800991	TrueFit cowhide gloves	XL	Pr	\$14.63
▲ 14752X	05818813	TrueFit cowhide gloves	2XL	Pr	\$14.63



Artic Jack® Insulated Pigskin Leather Palm Gloves

Made with premium grain leather with Thermosock® lining and 2 1/2" safety cuff. Pigskin tends to become softer with use and withstands moisture without stiffening. Ideal for construction and farming, forklifts, ranching, truck driver, utility work, insulated conditions and wet conditions plus general purpose applications requiring greater dexterity.



1955

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1955-S	05819551	Artic Jack insulated pigskin leather palm gloves	S	Pr	\$7.11
1955-M	05819552	Artic Jack insulated pigskin leather palm gloves	M	Pr	\$7.11
1955-L	05819553	Artic Jack insulated pigskin leather palm gloves	L	Pr	\$7.11
1955-XL	05819554	Artic Jack insulated pigskin leather palm gloves	XL	Pr	\$7.45



Split "C" Shoulder Leather Palm Gloves

Made from "C" shoulder leather with full feature Gunn cut pattern. Ideal for general purpose applications requiring abrasion protection combined with the breathability of cotton and durability of leather.



1200

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1220DX	05881054	Split leather gloves w/ denim cuff & palm patch	L	Pr	\$1.82
1200S	05821200	Leather gloves w/ safety cuff	L	Pr	\$2.36
1200-XL	05841200	Leather gloves w/ safety cuff	XL	Pr	\$2.95
▲ 1200-2XL	05852965	Leather gloves w/ safety cuff	2XL	Pr	\$2.95
1211-L	05801210	Double palm leather gloves w/ safety cuff	L	Pr	\$3.51
1211J	05821211	Jointed leather economy gloves w/ safety cuff	L	Pr	\$2.60
1270B	05831270	Select shoulder leather economy gloves w/ plasticized safety cuff	L	Pr	\$2.91
1205L	05812053	Double palm leather gloves w/ safety cuff & red fleece-lined	L	Pr	\$3.46



Big Jake® Leather Palm Gloves

Made of heavy, select premium A+ chrome-tanned, side-split leather, 9 oz. cotton back and absorbent 8 oz. fleece-lined palm with 2 3/4" safety cuff. Fully in-sewn on thumb and little finger with strong, heat-resistant DuPont™ Kevlar® thread. Ideal for assembly, cable construction, farming, foundry, iron and steel work, lumberjack and millwright operations, mining, pipe fitting, re-barb, rope handling, and stamping.



1700

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 1700-S	05801701	Big Jake leather palm gloves	S	Pr	\$8.24
▲ 1700-M	05801702	Big Jake leather palm gloves	M	Pr	\$8.24
1700-L	05831703	Big Jake leather palm gloves	L	Pr	\$8.24
1700-XL	05801700	Big Jake leather palm gloves	XL	Pr	\$8.99
▲ 1700-2XL	05853665	Big Jake leather palm gloves	2XL	Pr	\$10.08

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

WESTCHESTER
PROTECTIVE GEAR

Select Shoulder Leather Palm Work Gloves

Full feature, select shoulder leather palm work gloves feature red/blue striped canvas back, elastic at wrists, pull tab for easy on and off, wing thumb, leather fingertips and knuckle strap and 2 1/2" rubberized safety cuff.

MFG #	DILLON #	SIZES	UOM	PRICE
Select Shoulder Leather Gloves				
558/M	05803185	M	Pr	\$2.38
558/L	05800558	L	Pr	\$2.38

MFG #	DILLON #	SIZES	UOM	PRICE
558/XL	05803186	XL	Pr	\$2.62
558/XXL	05803187	2XL	Pr	\$2.74

558



1400A



Select "A" Leather Palm Gloves

Made from premium select "A" shoulder split leather with full feature Gunn cut pattern and durable 2 1/2" safety cuff. Ideal for construction, farming, metal work, mining, pipe fitting and any general purpose application requiring leather protection.

MFG #	DILLON #	SIZES	UOM	PRICE
Select "A" Leather Gloves with Safety Cuff				
▲ 1400A-S	05815001	S	Pr	\$4.59
▲ 1400A-M	05801400	M	Pr	\$4.59
1400A-L	05831400	L	Pr	\$4.59
1400A-XL	05801399	XL	Pr	\$5.02

MFG #	DILLON #	SIZES	UOM	PRICE
1400A-2XL	05801398	2XL	Pr	\$5.61
1400A-3XL	05852966	3XL	Pr	\$6.17

MFG #	DILLON #	SIZES	UOM	PRICE
Select "A" Double Leather Palm Gloves with Safety Cuff				
1411A	05801411	L	Pr	\$5.96



Straight Thumb Drivers Gloves

Available in select grade or economy grade cowhide leather. Unlined. Ideal for construction, farm equipment, forklifts, ranching, utility work, auto industry, material handling, chainsaw operations, fabricating, mining, repackaging and bundling operations, stamping, plus all general purpose applications requiring greater dexterity. Durable and launderable by hand or machine washable, or dry clean.

MFG #	DILLON #	SIZES	UOM	PRICE
Select Grade Leather Gloves				
3201-S	05801202	S	Pr	\$8.85
3201-M	05801203	M	Pr	\$8.85
3201-L	05831201	L	Pr	\$8.85
3201-XL	05803201	XL	Pr	\$8.85
▲ 3201-2XL	05880541	2XL	Pr	\$9.05

MFG #	DILLON #	SIZES	UOM	PRICE
Economy Grade Leather Gloves				
3202-S	05803202	S	Pr	\$5.83
3202-M	05832022	M	Pr	\$5.83
3202-L	05843202	L	Pr	\$5.83
3202-XL	05833202	XL	Pr	\$6.03
3202-2XL	05810419	2XL	Pr	\$6.33

3201



Road Hustler™ Keystone Thumb Drivers Gloves

Premium grain leather with shirred elastic back, rolled leather hem and keystone thumb. Unlined. Ideal for construction, forklifts, ranching, utility work, auto industry, material handling, chainsaw operations, fabricating, lumber industry, mining, repackaging and bundling operations, stamping, plus all general-purpose applications requiring greater dexterity. Durable and launderable by hand or machine washable, or dry clean.

MFG #	DILLON #	SIZES	UOM	PRICE
Premium Grade Drivers Gloves				
▲ 3200-S	05831198	S	Pr	\$14.73
3200-M	05831199	M	Pr	\$14.73

MFG #	DILLON #	SIZES	UOM	PRICE
3200-L	05831200	L	Pr	\$14.73
3200-XL	05831202	XL	Pr	\$15.45

3200



Cowhide Drivers Gloves

Features straight thumb, shirred elastic back and slip-on cuff. Available in economy grade or select grade grain cowhide. Unlined. Ideal for medium/heavy-duty handling in dry environments. Used in construction, driving, equipment operations and any general-purpose application requiring dexterity.

MFG #	DILLON #	SIZES	UOM	PRICE
Select Grain Cowhide Drivers Gloves				
P702787-M	05880204	M	Pr	\$8.10
P702787-L	05880205	L	Pr	\$8.10
P702787-XL	05880206	XL	Pr	\$8.10
P702787-2XL	05880207	2XL	Pr	\$8.29

MFG #	DILLON #	SIZES	UOM	PRICE
Economy Grade Grain Cowhide Drivers Gloves				
P702788-M	05880199	M	Pr	\$5.08
P702788-L	05880200	L	Pr	\$5.08
P702788-XL	05880201	XL	Pr	\$5.08
P702788-2XL	05880202	2XL	Pr	\$5.59

P702787



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Insulated Cow Leather Drivers Gloves

Lined gloves are made with select or premium grade grain cowhide leather. Available with red fleece or thermal cotton lining with straight or keystone thumb. Ideal for construction and farming, forklifts, ranching, truck driver, utility work plus general purpose applications requiring greater dexterity.



3280

MFG #	DILLON #	SIZES	UOM	PRICE
Select Grade Gloves with Thermal Cotton Lining & Keystone Thumb				
3280-S	05832801	S	Pr	\$10.92
3280-M	05832802	M	Pr	\$10.92
3280-L	05832803	L	Pr	\$10.92
3280-XL	05832804	XL	Pr	\$11.66
3280-2XL	05880542	2XL	Pr	\$12.21
Premium Grain Gloves with Red Fleece Lining & Straight Thumb				
3250-S	05881062	S	Pr	\$11.37
3250-M	05881061	M	Pr	\$11.37
3250-L	05881060	L	Pr	\$11.37
3250-XL	05881063	XL	Pr	\$11.78



1414 Grain/Split Cowhide Drivers Gloves

Features top-grain cowhide palm, split cowhide leather back and keystone thumb. Unlined with double stitching on forefinger for extra strength. Pearl/bourbon.



1414

MFG #	DILLON #	SIZES	UOM	PRICE
Unlined Cowhide Drivers Gloves				
1414M	05848386	M	Pr	\$9.96
1414L	05848385	L	Pr	\$9.96
1414XL	05848387	XL	Pr	\$9.96
14142X	05848388	2XL	Pr	\$9.96



Cotton Canvas Hot Mill Gloves

Made of quilted 100% cotton fabric with nap-in material, thumb and index finger for extra heat protection. Knuckle straps provide extra protection over the back of hand. Used in general purpose and applications requiring mild heat protection.



9124K

MFG #	DILLON #	SIZES	UOM	PRICE
Hot Mill Gloves, Regular Weight & Band Top				
9124K	05839124	L	Pr	\$1.98



Cow Split Leather Drivers Gloves

Constructed of unlined cow split leather with slip-on cuffs, shirred elastic back, straight thumb and color-coded hem to identify size. Ideal for construction and farm equipment, forklifts, ranching, utility work, auto industry, material handling, chainsaw operations, fabricating, mining, repackaging and bundling operations, stamping, plus all general purpose applications requiring greater dexterity. Durable. Launder by hand, machine washable, or dry clean.



3100

MFG #	DILLON #	SIZES	UOM	PRICE
Premium Grade Leather Gloves				
3100-S	05831106	S	Pr	\$4.55
3100-M	05831108	M	Pr	\$4.55
3100-L	05803100	L	Pr	\$4.55
3100-XL	05803101	XL	Pr	\$4.90



Unlined Pigskin Drivers Gloves

Made from regular grade pigskin with keystone thumb and color-coded hem for easy size identification. Pigskin returns to its original softness after becoming wet. Unlined.



3401

MFG #	DILLON #	SIZES	UOM	PRICE
Regular Grade Pigskin Gloves				
3401-S	05834011	S	Pr	\$5.29
3401-M	05803402	M	Pr	\$5.29
3401-L	05803401	L	Pr	\$5.29
3401-XL	05803404	XL	Pr	\$5.64
3401-2XL	05843401	2XL	Pr	\$6.00



Cowhide Drivers Gloves with Split Leather Back

Made from top-grain pearl cowhide palm with bourbon cowhide split leather back. Features keystone thumb and double stitching on forefinger for extra strength. Unlined. Ideal for farming, machinery, mining and standard industry applications.



P702786

MFG #	DILLON #	SIZES	UOM	PRICE
Cowhide Drivers Gloves				
P702786-M	05880209	M	Pr	\$8.77
P702786-L	05880210	L	Pr	\$8.77
P702786-XL	05880211	XL	Pr	\$8.77
P702786-XXL	05880212	2XL	Pr	\$8.77

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Kevlar® Blend High Heat Protection Gloves

Durable, flame-resistant, heat- and cut-resistant. Features Thermal blend, full 11 oz. wool lining, 14" length and Kevlar stitching for added protection.



TH210-14F

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
TH210-14F	00101677	14" High heat gloves	Pr	\$45.71

WELLS LAMONT Industrial

Jomac® Extra Heavyweight Terry Cloth Gloves

Brown and white loop-out terry cloth gloves with 5" gauntlet. Reversible and ambidextrous. Lined to protect up to 450° F.



636HRL

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
636HRL	05882100	Extra heavyweight terry cloth gloves	XL	Pr	\$18.00



150-SK-1



NOVAX® Electrical Safety Product Kits

Each kit includes: (1) pair of rubber insulating gloves, (1) pair of leather protectors and (1) carry bag. Other sizes and classes available. Call for more information.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 150-SK-00/10	05862394	Class 00, 11" glove kit	10	Ea	\$114.08
▲ 150-SK-0/10	05862393	Class 0, 11" glove kit	10	Ea	\$122.08
▲ 150-SK-1/10	05862392	Class 1, 14" glove kit	10	Ea	\$163.59
▲ 150-SK-2/10	05862391	Class 2, 14" glove kit	10	Ea	\$198.07



Temp-Gard™ Gloves

Impervious to cryogenic liquids and most other liquids and chemicals. Offers excellent grip and dexterity even at extreme temperatures. Will not stiffen. Silicone coating on outside is easy to clean and will not absorb chemicals or stain.

MFG #	DILLON #	SIZES	UOM	PRICE
Temp-Gard Gloves, Wrist Length				
▲ 202-1012/S	05805051	S	Pr	\$140.05
▲ 202-1012/M	05800649	M	Pr	\$140.05
▲ 202-1012/L	05800648	L	Pr	\$140.05
Temp-Gard Gloves, Mid-Arm Length				
▲ 202-1015/S	05892750	S	Pr	\$172.48
▲ 202-1015/M	05892751	M	Pr	\$172.48
▲ 202-1015/L	05892752	L	Pr	\$172.48
Temp-Gard Gloves, Shoulder Length				
▲ 202-1027/S	05892754	S	Pr	\$235.57
▲ 202-1027/M	05892755	M	Pr	\$235.57
▲ 202-1027/L	05892756	L	Pr	\$235.57



202-1027



Aluminized High Heat Gloves

Features all Aluminized Carbon Kevlar® (ACK) construction with double wool-lined palm. 14" Length.



993

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
993XL	05892779	Aluminized high heat gloves	XL	Pr	\$81.89



GK0011B

SALISBURY

by Honeywell

Insulating Rubber Glove Kits

Necessary for every electrical worker's complete safety. Leather protectors rubber insulating gloves mechanical protection from cuts, abrasions and punctures. To keep gloves and protectors in top condition, proper storage is very important. Kits include a pair of rubber insulating gloves, leather protectors, and appropriate size glove bag. Type II gloves are ozone resistant. Meets or exceeds ASTM D120 and IEC EN60903 standards.

MFG #	DILLON #	SIZES	UOM	PRICE
Type I Glove Kit, Class 00				
▲ GK0011B/8	05888473	8	Ea	\$139.26
▲ GK0011B/9	05888474	9	Ea	\$139.26
▲ GK0011B/10	05888475	10	Ea	\$139.26
▲ GK0011B/11	05888476	11	Ea	\$139.26
Type I Glove Kit, 11" Length, Class 0				
▲ GK011B/8	05888477	8	Ea	\$144.93
▲ GK011B/9	05805259	9	Ea	\$144.93
▲ GK011B/10	05805260	10	Ea	\$144.93
▲ GK011B/11	05805261	11	Ea	\$144.93

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Cut-resistance is a function of a glove's material composition and thickness. Increased cut protection can be achieved by increasing material weight (i.e. ounces per square yard), using high-performance materials such as Spectra, Kevlar®, etc., or by using composite yarns made with varying combinations of stainless steel, fiberglass, synthetic yarns and high-performance yarns.

For complete details on OSHA requirements for Hand Protection go to www.osha.gov

ANSI/ISEA 105 (2005/2011)		ANSI/ISEA 105 (2016)	
Old Cut Level Rating	Weight (grams) needed to cut thru material*: ASTM F1790-97 or ASTM F1790-05	Weight (grams) needed to cut thru material**: ASTM F2992/F2992M-15 (20 mm of blade travel)	NEW Cut Level Rating
0	< 200	n/a	n/a
1	≥ 200	≥ 200	A1
2	≥ 500	≥ 500	A2
3	≥ 1000	≥ 1000	A3
4	≥ 1500	≥ 1500	A4
5	≥ 3500	≥ 2200	A5
n/a	n/a	≥ 3000	A6
n/a	n/a	≥ 4000	A7
n/a	n/a	≥ 5000	A8
n/a	n/a	≥ 6000	A9

* 25mm (1.0 in.) of blade travel – ASTM F1790-97
20mm (0.8 in.) of blade travel – ASTM F1790-05

** 20mm (0.8 in.) of blade travel



Kevlar® Cut-Resistant PVC Dotted Gloves

Made with DuPont™ Kevlar fiber for high-tensile strength. Will not melt, ignite or conduct electricity. Black PVC dots are printed on both sides. All 100% Kevlar brand fiber non-coated styles are made with FDA-accepted materials for use in food processing applications. Washable. ANSI cut level A3.



9366

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9366-S	05893661	Kevlar gloves w/ 2-sided PVC dots	S	Pr	\$5.90
9366-M	05892735	Kevlar gloves w/ 2-sided PVC dots	M	Pr	\$5.90
9366-L	05809367	Kevlar gloves w/ 2-sided PVC dots	L	Pr	\$5.90
9366-XL	05893664	Kevlar gloves w/ 2-sided PVC dots	XL	Pr	\$6.37

Dyneema® PU Gloves

Salt and pepper Dyneema blended shell with gray polyurethane coating on palm and fingers. Features 13-gauge thickness. Ideal for automotive, metal fabrication, ceramics, paper/pulp industry, textile industry and other applications requiring ultimate cut protection. ANSI cut level A3.



9672

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9672-S	05896721	Memphis PU gloves	S	Pr	\$9.73
▲ 9672-M	05896722	Memphis PU gloves	M	Pr	\$9.73
9672-L	05896723	Memphis PU gloves	L	Pr	\$9.73
9672-XL	05896724	Memphis PU gloves	XL	Pr	\$9.73
▲ 9672-2XL	05805258	Memphis PU gloves	2XL	Pr	\$9.73

Protection against mechanical hazards is expressed by a pictogram followed by four numbers (performance levels), each representing test performance against a specific hazard.

The 'Mechanical Risks' pictogram is accompanied by a 4-digit code:

- Resistance to abrasion:** based on the number of cycles required to abrade through the sample glove.
- Blade cut resistance:** based on the number of cycles required to cut through the sample at a constant speed.
- Tear resistance:** based on the amount of force required to tear the sample.
- Puncture resistance:** based on the amount of force required to pierce the sample with a standard sized point.

Criteria

Performance Guide for EN 388:

Performance Level	0	1	2	3	4	
A Abrasion Resistance (Cycles)	< 100	100+	500+	2000+	8000+	n/a
C Blade Cut Resistance (Index)	< 1.2	1.2+	2.5+	5.0+	10.0+	20.0+
T Tear Resistance (Newtons)	< 10	10+	25+	50+	75+	n/a
P Puncture Resistance (Newtons)	< 20	20+	60+	100+	150+	n/a

Kevlar®/Cotton Cut-Resistant Gloves

Cut-resistant gloves are made with DuPont™ Kevlar fiber outer shell and 100% cotton liner inside for high-tensile strength. Regular weight, 7-gauge gloves will not melt, ignite or conduct electricity. Washable. ANSI cut level A2.



9362

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9362-S	05893621	Kevlar/cotton string knit gloves	S	Pr	\$3.21
9362-M	05892733	Kevlar/cotton string knit gloves	M	Pr	\$3.21
9362-L	05893623	Kevlar/cotton string knit gloves	L	Pr	\$3.21
9362-XL	05892734	Kevlar/cotton string knit gloves	XL	Pr	\$3.71

Grip Sharp® Cut-Resistant Gloves

Made with DuPont™ Kevlar® brand fiber for high-tensile strength. Up to five times stronger than steel and covered with select split shoulder leather over the palm and fingertips. Will not melt, ignite or conduct electricity. Provides an extremely high comfort level which allows improved manual dexterity. Ideal for glass handling, canning, bottling, automotive, sheet metal handling, recycling. ANSI cut level A3.



9686

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9686-S	05896861	Memphis Grip Sharp leather palm gloves	S	Pr	\$15.96
▲ 9686-M	05896862	Memphis Grip Sharp leather palm gloves	M	Pr	\$15.96
9686-L	05896863	Memphis Grip Sharp leather palm gloves	L	Pr	\$15.96
9686-XL	05896864	Memphis Grip Sharp leather palm gloves	XL	Pr	\$16.60

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



UltraTech™ Dyneema® PU Gloves

Made from 13-gauge Dyneema shell and dipped in gray polyurethane over the palm and fingers. Features tactile sensitivity, grip, comfort and fit with greater dexterity and cut/abrasion resistance. Ideal for use in assembly, low lint protection, manufacturing, small parts handling, general purpose. Gloves are lint-free and washable. ANSI cut level A3.

MFG #	DILLON #	SIZES	UOM	PRICE
Dyneema Abrasion Protection Gloves				
9676-S	05814676	S	Pr	\$11.45
9676-M	05814677	M	Pr	\$11.45

MFG #	DILLON #	SIZES	UOM	PRICE
9676-L	05814678	L	Pr	\$11.45
9676-XL	05814679	XL	Pr	\$11.45



9676



4560



SHOWA® 4560 Gloves

Flat-dipped, form-fitting gloves. Made of cut-resistant Kevlar® fibers spun with stretchable, breathable Lycra®. Sponge nitrile-coated gloves have Maximum Oil Absorbency (MXOA). Used for small and sharp parts handling, cutting instruments and blade changing. ANSI cut level A3.

MFG #	DILLON #	SIZES	UOM	PRICE
4560 Gloves				
4560-06	05888444	XS	Dz	\$85.04
4560-07	05845607	S	Dz	\$85.04
4560-08	05845608	M	Pr	\$7.09

MFG #	DILLON #	SIZES	UOM	PRICE
4560-09	05845609	L	Pr	\$7.09
4560-10	05845610	XL	Pr	\$7.09
4560-11	05888445	2XL	Dz	\$96.13



G-Tek® PolyKor™ Polyurethane-Coated Gloves

16-150

Made with PolyKor fiber. Features polyurethane-coated palm and knit wrist. Abrasion- and puncture-resistant. Ideal for electronics, glass cutting and sheet metal handling. ANSI cut level A2.

MFG #	DILLON #	SIZES	UOM	PRICE
G-Tek PolyKor Polyurethane-Coated Gloves				
16-150/XS	05830151	XS	Pr	\$3.96
16-150/S	05830153	S	Pr	\$3.96
16-150/M	05831386	M	Pr	\$3.96

MFG #	DILLON #	SIZES	UOM	PRICE
16-150/L	05813187	L	Pr	\$3.96
16-150/XL	05813188	XL	Pr	\$3.96
16-150/2XL	05820801	2XL	Pr	\$3.96



G-Tek® Polykor™ Polyurethane Grip Gloves

Polykor protects against mechanical hazards in the toughest environments. Seamless construction offers increased comfort and breathability. Features polyurethane-coated palm and fingertips, knit wrist and cotton color binding to denote size. Ideal for electronics, glass cutting, sheet metal handling, parts assembly and other general-duty applications. ANSI cut level A2.

MFG #	DILLON #	SIZES	UOM	PRICE
G-Tek Polykor Polyurethane Grip Gloves				
16-530/S	05891175	S	Pr	\$6.16
16-530/M	05891174	M	Pr	\$6.16

MFG #	DILLON #	SIZES	UOM	PRICE
16-530/L	05891173	L	Pr	\$6.16
16-530/XL	05891172	XL	Pr	\$6.16
16-530/XXL	05891171	2XL	Pr	\$6.16



16-530



MaxiFlex® Cut™ by ATG® Gloves

Seamless knit engineered yarn with premium nitrile-coated micro-foam grip on palm and fingertips. Reinforcement between thumb and forefinger improves cut resistance. Silicone-free. Raised micro dots for increased durability and cushioning in highly repetitive applications requiring precision handling. Ideal for finishing, inspection, assembly, maintenance and handling of small oily parts and components. Made from component material which comply with Federal regulations for food contact, 21CFR, 170-199. ANSI cut level A2.

34-8743

MFG #	DILLON #	SIZES	UOM	PRICE
MaxiFlex Cut by ATG Gloves				
34-8743/S	05830899	S	Pr	\$9.35
34-8743/M	05830898	M	Pr	\$9.35

MFG #	DILLON #	SIZES	UOM	PRICE
34-8743/L	05830897	L	Pr	\$9.35
34-8743/XL	05830896	XL	Pr	\$9.35
34-8743/2XL	05830895	2XL	Pr	\$9.35



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



G-Tek® 3GX GREAT WHITE™ Gloves with Dyneema® Diamond

Features seamless, Dyneema Diamond blend construction. Polyurethane-coated grip for superior puncture and abrasion resistance. Washable. Resistant to chemicals, water and ultraviolet light. Used for electronics, glass cutting, sheet metal handling, general-duty, parts assembly and construction. ANSI cut level A3.



19-D322

MFG #	DILLON #	SIZES	UOM	PRICE
G-Tek 3GX GREAT WHITE Gloves				
19-D322/S	05801014	S	Pr	\$10.15
19-D322/M	05801015	M	Pr	\$10.15
19-D322/L	05819622	L	Pr	\$10.15
19-D322/XL	05801016	XL	Pr	\$10.15
19-D322/2XL	05810049	2XL	Pr	\$10.15



Diamond Tech Gloves

Made from DSM Dyneema® Diamond Technology. Seamless, 10-gauge, blue speckled shell provides abrasion, tear and cut protection. Blue nitrile foam-coated palm offers good to excellent tactile sensitivity. ANSI cut level A6.



9372DT5

MFG #	DILLON #	SIZES	UOM	PRICE
Diamond Tech Gloves				
▲ 9672DT5-S	05801240	S	Pr	\$16.98
▲ 9672DT5-M	05801239	M	Pr	\$16.98
▲ 9672DT5-L	05801238	L	Pr	\$16.98
▲ 9672DT5-XL	05801237	XL	Pr	\$16.98
▲ 9672DT5-2XL	05801236	2XL	Pr	\$16.98



MaxiCut® by ATG® with Dyneema® Gloves

Resistant to water, UV and chemicals. Seamless construction. Features foam nitrile palm coating for puncture and snag resistance. Offers extended wear and great grip. Washable. Used for electronics, glass cutting, metal handling, food and meat processing. ANSI cut level A4.



19-D470

MFG #	DILLON #	SIZES	UOM	PRICE
MaxiCut by ATG with Dyneema Gloves				
▲ 19-D470/S	05892762	S	Pr	\$25.36
19-D470/M	05892763	M	Pr	\$25.36
19-D470/L	05892764	L	Pr	\$25.36
19-D470/XL	05892765	XL	Pr	\$25.36
▲ 19-D470/2XL	05836401	2XL	Pr	\$25.36



HPPE Gloves with PU Coating

Made from high performance polyethylene fiber blend (HPPE). Features palm-coated polyurethane for great grip. Offers excellent fit and comfort. ANSI cut level A5.



P702G24

MFG #	DILLON #	SIZES	UOM	PRICE
HPPE Gloves with PU Coating				
P702G24S	05815108	S	Pr	\$12.07
P702G24M	05815107	M	Pr	\$12.07
P702G24L	05815106	L	Pr	\$12.07
P702G24XL	05815109	XL	Pr	\$12.07



G-Tek® PolyKor™ Gloves

Seamless construction offers increased comfort and breathability. PolyKor-blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Polyurethane-coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip. Knit wrist helps prevent dirt and debris from entering glove. Color-coded hems for easy size identification. Washable, resistant to chemicals, water, and ultraviolet light. ANSI cut level A4.



16-560

MFG #	DILLON #	SIZES	UOM	PRICE
G-Tek PolyKor Gloves				
▲ 16-560/XS	05805996	XS	Pr	\$6.16
▲ 16-560/S	05805997	S	Pr	\$6.16
▲ 16-560/M	05805998	M	Pr	\$6.16
16-560/L	05805967	L	Pr	\$6.16
16-560/XL	05805966	XL	Pr	\$6.16
▲ 16-560/2XL	05805965	2XL	Pr	\$6.16



GuardTec⁴ Cut-Resistant Gloves

Features high cut-resistance fiber for protection from lacerations. Dark shell color conceals dirt and grime and knit wrist construction prevents dirt and debris from entering glove. Sandy nitrile palm coating provides excellent grip in wet and oily environments. Offers great dexterity and fit. ANSI cut level A4.



Y9288

MFG #	DILLON #	SIZES	UOM	PRICE
GuardTec⁴ Cut-Resistant Gloves				
▲ Y9288/XS	05848328	XS	Dz	\$99.65
Y9288/S	05848326	S	Pr	\$8.30
Y9288/M	05848325	M	Pr	\$8.30
Y9288/L	05848324	L	Pr	\$8.30
Y9288/XL	05848327	XL	Pr	\$8.30

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Kevlar® Double-Ply Cut-Resistant Sleeve

Made with 100% DuPont™ Kevlar. Provides high-tensile strength and will not melt, ignite or conduct electricity. High comfort level allows for manual dexterity. Non-coated, 2-ply, washable and made with FDA-accepted materials for use in food processing applications. Do not bleach. 18" Length. Yellow. ANSI cut level A3.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9378TE	05809378	Kevlar econo weight sleeve w/ thumb slot	Ea	\$3.34



Kevlar® Knit Sleeve

Highly durable, cut-resistant 2-ply sleeves offer full arm protection. Features thumb slot and leather pad. Ideal for use in glass operations, light heat applications, meat packing and sheet metal handling. 14" Length. ANSI cut level A4.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 9374TL	05829374	Kevlar sleeve w/ thumb slot & leather pad	Ea	\$4.95



Sleeves Made With Dyneema®

Made with spun Dyneema and stainless steel. Cut-resistant. Gray. ANSI cut level A2.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
20-TG14	05892768	Dyneema sleeve, 14"	Ea	\$4.14
▲ 20-TG16	05800167	Dyneema sleeve, 16"	Ea	\$4.26
▲ 20-TG18	05892769	Dyneema sleeve, 18"	Ea	\$4.68



Whizard® Medium-Duty Armguard

Protects arms from cuts and lacerations. CFR21 approved for food contact. 10" Length. ANSI cut level 4/A7.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 333477	05892782	Armguard II medium-duty w/ clip	Ea	\$21.39



WESTCHESTER
PROTECTIVE GEAR

Denim Sleeve

Pre-shrunk, heavy-duty denim with elastic at both ends. Applications include general industrial, construction and maintenance. 18" Length.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
C18D8	05801808	Denim sleeve	Ea	\$2.43



9378TE

9374TL



20-TG14



333477



C18D8

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Glove Guard® Clips

Attaches to belt loops or directly to clothing to keep gloves close at hand and to reduce the chance of glove loss. Secure locking provides resilience and "creep" resistance. Completely dielectric. Perfect for maintenance crews, transit, construction, utility, industrial, automotive, environmental, and electrical applications. Black.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1939BK	05882532	Glove Guard	Ea	\$5.70



Hot Rods® Hand Warmers

Hand warmers can be slipped into winter liners, gloves or other accessories. Simply open and shake to activate and enjoy warmth all day. Lasts up to 8 hours with an average temperature of 120° F/49° C.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1100-10R	05800352	Hand warmers	Pr	\$0.80



Squids® 3400 and 3405 Grabber

Patented Grabbers keep gloves, ice traction, cooling towels, keys and whatever else always seems to mysteriously disappear close at hand. Versatile dual clip can be used as one unit or detached, clipped to d-rings and used as two separate pieces.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
19112	05878329	3400 Series grabber	Black	Ea	\$3.13
19118	05887231	3400 Series grabber	Orange	Ea	\$3.13
19122	05862347	3405 Series grabber w/ belt clip	Black	Ea	\$3.13



USEFUL LIFE OF INDUSTRIAL GLOVES

With the diversity of industrial glove applications, OSHA publishes guidelines regarding single or repeated use. Disposable (single-use) gloves, such as surgical or examination gloves, shall be replaced as soon as practical when contaminated. They shall not be washed or decontaminated for reuse. Utility gloves may be decontaminated for reuse if the integrity of the glove is not compromised. If gloves are cracked, torn, punctured or exhibit other signs of deterioration, or when their ability to function as a barrier is in question, they must be discarded.

To learn more, visit www.osha.gov - OSHA 29 CFR Part 1910, Item 1910.1389 Hand Protection

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Musculoskeletal disorders (MSDs) affect the muscles, nerves and tendons. Work related MSDs (including those of the neck, upper extremities and low back) are one of the leading causes of lost workday injury and illness. Workers in many different industries and occupations can be exposed to risk factors at work, such as lifting heavy items, bending, reaching overhead, pushing and pulling heavy loads, working in awkward body postures and performing the same or similar tasks repetitively. Exposure to these known risk factors for MSDs increases a worker's risk of injury.

Go to www.osha.gov for complete details.

ERGONOMICS

Back Supports	72
Knee Pads	72-74
Wrist Supports & Gloves	74-76



ProFlex® 1650 Economy Elastic Back Supports

All-elastic body (7 1/2" wide) provides firm support, comfort, fit and durability. Two-stage closure adjusts first for exact fit and then for desired level of tension, reminding wearers to lift properly. Features single layer 5" elastic strap for positive tension and adjustable 1 1/2" knit elastic suspenders that are detachable and cut wide for improved fit. Machine washable. Black.

MFG #	DILLON #	SIZES	UOM	PRICE
Economy Elastic Back Support				
▲ 11091	05892783	XS	Ea	\$14.75
11092	05816501	S	Ea	\$14.75
11093	05816502	M	Ea	\$14.75
11094	05816503	L	Ea	\$14.75
11095	05816504	XL	Ea	\$14.75
11096	05816505	2XL	Ea	\$14.75
▲ 11097	05816506	3XL	Ea	\$14.75
▲ 11098	05816507	4XL	Ea	\$14.75



ProFlex® 100 Economy Back Supports

Durable 280-denier spandex body cloth provides breathable comfort and holds its shape over time. Features rubber-tracked webbing to keep the support in place and stretchable bias binding with zig-zag stitching. Adjustable 2-stage closure reminds wearers to lift properly. Detachable and adjustable 1 1/2" knit elastic suspenders. Black.

MFG #	DILLON #	SIZES	UOM	PRICE
Economy Back Support				
▲ 11381	05811381	XS	Ea	\$23.34
11382	05811382	S	Ea	\$23.34
11383	05811383	M	Ea	\$23.34
11384	05811384	L	Ea	\$23.34
11385	05811385	XL	Ea	\$23.34
11386	05811386	2XL	Ea	\$23.34
11387	05811387	3XL	Ea	\$23.34
▲ 11388	05892786	4XL	Ea	\$23.34

1650

100



ProFlex® 335 Slip-Resistant Cap Knee Pads

Slip-resistant rubber cap design grips work surfaces for firm hold, and 840-denier nylon fabric cover stands up to tough jobs. Features long design for maximum surface coverage and 12 mm NBR foam padding for firm, consistent support. Woven elastic straps extend wear. Anti-odor treated. Wipes clean with damp cloth. Black.



18335

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
18335	05892787	Slip-resistant caps, buckle closure	Pr	\$26.86



Standard Knee Pads

One-piece molded construction for added comfort. Adjustable hook-and-loop straps ensure a secure fit. Surface grid provides skid resistance even in wet areas and superior protection on hard surfaces.



7101

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7101	05817101	Standard knee pads	Pr	\$10.62

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



MaxKnee Pads

Perfect for kneeling on rough abrasive surfaces, MaxKnee is excellent for any application that demands maximum performance. It is designed with a hard poly cap that resists abrasion and works with an extra long pad for optimum comfort. Available with (2) comfortable, fully adjustable elastic straps connecting with hook-and-loop closures. Blue.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7102-GEL	05817102	Gel MaxKnee	Pr	\$17.28



Value Plus Knee Pads

Ideal for dirty, dusty environments. Poly cap is tightly stitched for greater strength and to prevent particles from getting underneath and causing discomfort. Includes (2) fully adjustable straps with hook-and-loop closure for a custom fit. Tough poly fabric exterior protects high-density lightweight foam core, and extended pad provides extra comfort.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
6999	05804727	Value Plus knee pads	Pr	\$12.07



7102-GEL

6999



514



ROVER™ #514 Traditional Kneeling Pads

Made from nitrile sponge. Portable and versatile with built-in handle for ease of carrying and storing. Provides standing and kneeling support. Suitable for dry conditions. Overall thickness: 1". Measures: 14" x 21". Black.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
514.1x14x21BK	05821025	ROVER #514 kneeling mat	Ea	\$22.70

515



ROVER™ #515 3-in-1 Kneel Mat

Portable and versatile. Provides comfort where needed most. Quickly and securely converts from a kneel mat to a roll for head and neck support. For dual comfort, interlock two mats for head and upper back support. Unique nitrile rubber enhanced sponge is non-conductive, petroleum resistant and silicone-free. Measures 14" x 21". Standard 1" thickness. Black.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
515.1x14x21BK	05821024	ROVER #515 kneel mat	Ea	\$22.70

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





ProFlex® Kneeling Pads

Non-conductive, silicone-free, corrosion-resistant design with closed-cell foam rubber construction will not easily compress. Resistant to petroleum products and other liquids. Built-in handle for portability. Model #385 features a beveled edge with orange warning stripe.



18385

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
18380	05892789	Model 380 kneeling pad	14" x 21" x 1"	Ea	\$40.53
▲ 18385	05892790	Model 385 kneeling pad	16" x 28" x 1"	Ea	\$60.85



ProFlex® 4000 Single Strap Wrist Supports

Limits downward wrist movements and features patented Open-Center Stay™ to reduce pressure on the median nerve. Durable fabric design is fully adjustable for an exact fit. Machine washable.



70004

MFG #	DILLON #	SIZES	UOM	PRICE
Single Strap Wrist Support, Right Hand				
70004	05874166	M	Ea	\$13.38
70006	05874162	L	Ea	\$13.38
▲ 70008	05823622	XL	Ea	\$13.38
Single Strap Wrist Support, Left Hand				
70014	05874164	M	Ea	\$13.38
▲ 70016	05874160	L	Ea	\$13.38
▲ 70018	05892794	XL	Ea	\$13.38



Fasguard™ 900 Multi-Purpose Gloves

Multi-task gloves constructed of Clarino® synthetic leather. Adjustable Velcro® wrist closure provides a snug fit and keeps debris out. Breathable spandex back keeps hands cool and comfortable. Vented finger sidewalls with fourchettes and a wing thumb for improved dexterity and gripping power. Strong, durable and lightweight. Ideal for auto repair and construction. Also useful as driving gloves.

MFG #	DILLON #	SIZES	UOM	PRICE
Fasguard 900 Multi-Purpose Gloves				
900-M	05890023	M	Pr	\$10.74
900-L	05890030	L	Pr	\$10.74
900-XL	05890040	XL	Pr	\$10.74
▲ 900-2XL	05861126	2XL	Pr	\$10.74



Fasguard™ 905 Multi-Purpose Gloves

Constructed with gray G-shape palm patch covering a pliable gel palm pad, synthetic leather palm and fingers, and a blue spandex back with multi-layered knuckle protection including extra gel and foam pads. Vented finger sidewalls, fourchettes and a Velcro® wrist closure add greater comfort. Durable and lightweight gloves, launderable by hand or machine washable, or dry clean. Industry applications include light demolition, heavy-duty labor, landscaping, heavy machinery and vibrating power tools.

MFG #	DILLON #	SIZES	UOM	PRICE
Fasguard 905 Multi-Purpose Gloves				
▲ 905-M	05862360	M	Pr	\$13.14
▲ 905-L	05862359	L	Pr	\$13.14
▲ 905-XL	05862358	XL	Pr	\$13.14
▲ 905-2XL	05862357	2XL	Pr	\$13.26



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



ForceFlex™ B100 Gloves

Features ergonomically designed, synthetic rough-textured palm pad to enhance grip in dry applications. Injection molded thermoplastic rubber (TPR) padding covers back of hand and fingers for full dorsal/metacarpal protection.

MFG #	DILLON #	SIZES	UOM	PRICE
ForceFlex B100 Gloves				
▲ B100M	05802388	M	Pr	\$33.21
B100L	05802389	L	Pr	\$33.21
B100XL	05802390	XL	Pr	\$33.21
▲ B100XXL	05820782	2XL	Pr	\$33.21



B100



Flex Tuff® Multi-Task Series Gloves

Premium black synthetic palm with red silicone tire tread pattern grip. Features black 2-way spandex back with breathable fourchettes and hook-and-loop closure at wrist with ID box. Ideal for assembly, automotive, carpentry, construction, farming, landscaping, material handling, mechanics and salvage.



FT2901

MFG #	DILLON #	SIZES	UOM	PRICE
Flex Tuff Multi-Task Gloves				
▲ FT2901M	05853275	M	Pr	\$12.11
▲ FT2901L	05853276	L	Pr	\$12.11
▲ FT2901XL	05853277	XL	Pr	\$12.11
▲ FT2901XXL	05853278	2XL	Pr	\$12.11



Professional Mechanics Gloves, Black and Blue with Logo

Designed to protect the professional mechanic or enthusiast from heat, cold, cuts and abrasions. Palm and thumb are made from Amara® washable synthetic leather. Back is constructed of stretch fabric to provide snug fit for increased grip and finger control. Used in automotive, aerospace and general industrial maintenance. Washable.



120-MX2830

MFG #	DILLON #	SIZES	UOM	PRICE
Professional Mechanics Gloves				
▲ 120-MX2830/S	05891240	S	Pr	\$12.60
▲ 120-MX2830/M	05891241	M	Pr	\$12.60
▲ 120-MX2830/L	05891242	L	Pr	\$12.60
▲ 120-MX2830/XL	05891243	XL	Pr	\$12.60



Maximum Safety® Professional Mechanics Gloves

Designed to protect the professional mechanic or enthusiast from heat, cold, cuts and abrasions. Palm and thumb are made from Amara® washable synthetic leather. Back is constructed of stretch fabric to provide snug fit for increased grip and finger control. Used in automotive, aerospace and general industrial maintenance. Washable. Black.

MFG #	DILLON #	SIZES	UOM	PRICE
Maximum Safety Professional Mechanics Gloves				
▲ 120-MX2805/S	05871414	S	Pr	\$11.12
▲ 120-MX2805/M	05871415	M	Pr	\$11.12
▲ 120-MX2805/L	05871416	L	Pr	\$11.12
▲ 120-MX2805/XL	05871417	XL	Pr	\$11.12
▲ 120-MX2805/2XL	05871413	2XL	Pr	\$11.12

120-MX2805



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



120-MX2840

Professional Mechanics Gloves, Black and Red with Logo

Designed to protect the professional mechanic or enthusiast from heat, cold, cuts and abrasions. Palm and thumb are made from Amara® washable synthetic leather. Back is constructed of stretch fabric to provide snug fit for increased grip and finger control. Used in automotive, aerospace and general industrial maintenance. Washable.



MFG #	DILLON #	SIZES	UOM	PRICE
Professional Mechanics Gloves				
▲ 120-MX2840/S	05871418	S	Pr	\$12.60
▲ 120-MX2840/M	05871419	M	Pr	\$12.60
▲ 120-MX2840/L	05871420	L	Pr	\$12.60
▲ 120-MX2840/XL	05871421	XL	Pr	\$12.60



Maximum Safety® Gloves

Easy-on/easy-off design with brown goatskin leather reinforced palm and back and hi-viz yellow knuckle protectors. Features thermoplastic rubber (TPR) molded knuckle guards, sandy PVC thumb crotch and thumb reinforcement. Kevlar® lining offers extra protection. Ideal for heavy/light construction, auto repair, demolition, manufacturing and landscaping.



120-4100

Note: DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. Products made with Kevlar® Technology are cut-resistant but not cut-proof. Do not use with serrated or moving blades.

MFG #	DILLON #	SIZES	UOM	PRICE
KV Gloves with Kevlar Lining				
▲ 120-4100/S	05819203	S	Pr	\$38.16
▲ 120-4100/M	05819204	M	Pr	\$38.16
▲ 120-4100/L	05819205	L	Pr	\$38.16
▲ 120-4100/XL	05819206	XL	Pr	\$38.16
▲ 120-4100/2XL	05819207	2XL	Pr	\$38.16



Maximum Safety® Heavy-Duty Leather Palm Gloves with Wrist Strap

Ergonomic gloves for use in demanding applications where specialized protection in the palm and wrist is required. Palm pad insert absorbs and dampens shock to the joints of the hand. Wrist support protects hands against injury from repetitive movements. Constructed in a half-finger pattern with hook-and-loop closure for adjustable fit. Used for lifting, material handling and with pneumatic and electric tools.



122-AV20

MFG #	DILLON #	SIZES	UOM	PRICE
Heavy-Duty Leather Palm Gloves with Wrist Strap				
▲ 122-AV20/S	05891244	S	Pr	\$20.93
▲ 122-AV20/M	05891245	M	Pr	\$20.93
▲ 122-AV20/L	05891246	L	Pr	\$20.93
▲ 122-AV20/XL	05819201	XL	Pr	\$20.93
▲ 122-AV20/2XL	05819202	2XL	Pr	\$20.93



Maximum Safety® Reinforced Goatskin Leather Palm Gloves

Reinforced goatskin leather palm and back with split goatskin leather fingertips for added protection. Kevlar® lining offers comfort and enhanced cut protection. Internal foam padded palm absorbs and dampens shock. Thermoplastic rubber (TPR) molded knuckle guards for maximum protection. Features reflective knuckle tape, hook-and-loop closure for easy on/off and sandy PVC thumb crotch and thumb reinforcement. ANSI cut level A3.

MFG #	DILLON #	SIZES	UOM	PRICE
Reinforced Goatskin Leather Palm Gloves				
120-4150/M	05894406	M	Pr	\$38.09
120-4150/L	05894407	L	Pr	\$38.09
120-4150/XL	05894408	XL	Pr	\$38.09
120-4150/XXL	05894409	2XL	Pr	\$38.09



120-4150

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Approved foot protection is required in work areas where there are potential hazards like (not limited to) falling or rolling objects, punctures (including objects piercing the sole) electrical hazards and chemical hazards.

Employers must try to eliminate the dangers through engineering and work practice controls. Where the dangers cannot be omitted, employees shall wear the appropriate personal protection equipment (PPE) including protective footwear.

Go to www.osha.gov for complete details.

FOOT PROTECTION

Leather Safety Boots	78
Overshoes & Boots	79-81
Guards & Insoles	81-82



by Honeywell

65-392



Leather Safety Footwear, 8"

Liquid-, chemical- and barn yard acid-resistant leather, heavy-duty all-terrain dual-density PU/rubber sole, Kevlar® thread on critical wear seams, and NATUREform wide-profile safety toe cap with latex comfort liner under the cap to help eliminate toe discomfort. Features XRD® flexible internal metatarsal guard anti-static sole and lace-in, quick-release zipper attachment. Integrated TPU SAFETYcell for maximum abrasion protection and durability. NANOLite footbed massages feet, promoting greater blood flow to help reduce fatigue. COMFORTcushion impact absorption system with PORON®. 1/2 sizes also available. Meets ASTM F2413-11 M I/75 C/75 Mt/75 SD.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 65-392-6	05859169	Lace-in quick-release safety boots, 8"	6	Pr	\$213.37
▲ 65-392-7	05859170	Lace-in quick-release safety boots, 8"	7	Pr	\$213.37
▲ 65-392-8	05859171	Lace-in quick-release safety boots, 8"	8	Pr	\$213.37
▲ 65-392-9	05859172	Lace-in quick-release safety boots, 8"	9	Pr	\$213.37
▲ 65-392-10	05859173	Lace-in quick-release safety boots, 8"	10	Pr	\$213.37
▲ 65-392-11	05859174	Lace-in quick-release safety boots, 8"	11	Pr	\$213.37
▲ 65-392-12	05859175	Lace-in quick-release safety boots, 8"	12	Pr	\$213.37
▲ 65-392-13	05859176	Lace-in quick-release safety boots, 8"	13	Pr	\$213.37
▲ 65-392-14	05859177	Lace-in quick-release safety boots, 8"	14	Pr	\$213.37
▲ 65-392-15	05859178	Lace-in quick-release safety boots, 8"	15	Pr	\$213.37

65394



Leather Safety Footwear, 6"

Liquid-, chemical- and barn yard acid-resistant leather. Fully lined with padded comfort collar and tongue. Features NATUREform steel toe cap, lace-locking device and latex cushion liner which ensure toes are comfortable and not in direct contact with the cap. Qflex Zero, non-metallic puncture protection and an EH rated outsole. NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue. Heavy-duty Kevlar® stitching on critical seams for extra reinforcement and longer life. 1/2 sizes also available. Meets ASTM F2413-11 M I/75 C/75 PR EH.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 65394-6	05859179	Lace-up leather safety boots, 6"	6	Pr	\$173.30
▲ 65394-7	05859180	Lace-up leather safety boots, 6"	7	Pr	\$173.30
▲ 65394-8	05859181	Lace-up leather safety boots, 6"	8	Pr	\$173.30
▲ 65394-9	05859182	Lace-up leather safety boots, 6"	9	Pr	\$173.30
▲ 65394-10	05859183	Lace-up leather safety boots, 6"	10	Pr	\$173.30
▲ 65394-11	05859184	Lace-up leather safety boots, 6"	11	Pr	\$173.30
▲ 65394-12	05859185	Lace-up leather safety boots, 6"	12	Pr	\$173.30
▲ 65394-13	05859186	Lace-up leather safety boots, 6"	13	Pr	\$173.30
▲ 65394-14	05859187	Lace-up leather safety boots, 6"	14	Pr	\$173.30
▲ 65394-15	05859188	Lace-up leather safety boots, 6"	15	Pr	\$173.30

42637-BRN



42 Series Lace-Up Work Boots

Fully-lined boots are constructed of liquid-resistant leather with padded collar and tongue for wearer comfort. 42 Series All-Terrain TPU soling technology consists of a lightweight, shock absorbing low-density PU (polyurethane) midsole that cushions the foot with each step for excellent comfort. 6" Height. Non-safety toe. 1/2 sizes also available. Meets ASTM F2413-11 EH standards.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 42637-BRN-070	05853772	Lace-up work boots	7	Pr	\$132.46
▲ 42637-BRN-080	05853773	Lace-up work boots	8	Pr	\$132.46
▲ 42637-BRN-090	05853774	Lace-up work boots	9	Pr	\$132.46
▲ 42637-BRN-100	05853775	Lace-up work boots	10	Pr	\$132.46
▲ 42637-BRN-110	05853776	Lace-up work boots	11	Pr	\$132.46
▲ 42637-BRN-120	05853777	Lace-up work boots	12	Pr	\$132.46
▲ 42637-BRN-130	05853778	Lace-up work boots	13	Pr	\$132.46
▲ 42637-BRN-140	05853779	Lace-up work boots	14	Pr	\$132.46

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Women's Low Industrial Hikers

Steel toe industrial hikers are lightweight and breathable for all day wear. 3" Height. 1/2 sizes also available. EH rated outsole.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ OL21111-050	05853749	Women's low industrial hikers	5	Pr	\$103.48
▲ OL21111-060	05853750	Women's low industrial hikers	6	Pr	\$103.48
▲ OL21111-070	05853751	Women's low industrial hikers	7	Pr	\$103.48
▲ OL21111-080	05853752	Women's low industrial hikers	8	Pr	\$103.48
▲ OL21111-090	05853753	Women's low industrial hikers	9	Pr	\$103.48
▲ OL21111-100	05853754	Women's low industrial hikers	10	Pr	\$103.48
▲ OL21111-110	05853755	Women's low industrial hikers	11	Pr	\$103.48
▲ OL21111-120	05853756	Women's low industrial hikers	12	Pr	\$103.48

TINGLEY Better Grade™

Better Grade™ Steel Toe PVC Boots

Durable and comfortable construction with high quality PVC resins and low temperature additives. Injection molded construction for 100% waterproof protection. Flexible upper material stays supple in cold temperatures. Outsole material is soft for excellent slip resistance and shock absorbency. Cleated outsole sheds debris for excellent gripping action. Removable polypropylene insole wicks perspiration to help keep feet dry. Brown upper/crepe sole. Steel toe meets ASTM F2413 M I/75 C/75.

MFG #	DILLON #	SIZES	UOM	PRICE
Better Grade 15" Knee Boots				
▲ 51244-03	05892630	3	Pr	\$38.01
▲ 51244-04	05892631	4	Pr	\$38.01
▲ 51244-05	05892632	5	Pr	\$38.01
▲ 51244-06	05892633	6	Pr	\$38.01
▲ 51244-07	05892634	7	Pr	\$38.01
▲ 51244-08	05814647	8	Pr	\$38.01

MFG #	DILLON #	SIZES	UOM	PRICE
▲ 51244-09	05814648	9	Pr	\$38.01
▲ 51244-10	05892635	10	Pr	\$38.01
▲ 51244-11	05814649	11	Pr	\$38.01
▲ 51244-12	05814650	12	Pr	\$38.01
▲ 51244-13	05814651	13	Pr	\$38.01
▲ 51244-14	05892636	14	Pr	\$38.01



51244

TINGLEY

General Purpose PVC Knee Boots

Provides easy walking and all day protection when working in wet and muddy conditions. Injection molded construction for 100% waterproof protection. Flexible upper material stays supple in cold temperatures to make walking easier. Tougher outsole material for good abrasion resistance. Self-cleaning, cleated outsole sheds debris for good traction. Removable EVA cushion insole wicks perspiration and provides a comfortable foot bed. 15" Height. Black. Steel toe meets ASTM F2413 M I/75 C/75.

MFG #	DILLON #	SIZES	UOM	PRICE
General Purpose 15" Knee Boots, Plain Toe				
▲ 31151-04	05892638	4	Pr	\$16.75
▲ 31151-05	05892639	5	Pr	\$16.75
▲ 31151-06	05811606	6	Pr	\$16.75
▲ 31151-07	05811607	7	Pr	\$16.75
31151-08	05811608	8	Pr	\$16.75
31151-09	05811609	9	Pr	\$16.75
31151-10	05811610	10	Pr	\$16.75
31151-11	05811611	11	Pr	\$16.75
31151-12	05811612	12	Pr	\$16.75
31151-13	05811613	13	Pr	\$16.75

MFG #	DILLON #	SIZES	UOM	PRICE
General Purpose 15" Knee Boots, Steel Toe				
31251-06	05801606	6	Pr	\$19.13
31251-07	05801607	7	Pr	\$19.13
31251-08	05801608	8	Pr	\$19.13
31251-09	05801609	9	Pr	\$19.13
31251-10	05801610	10	Pr	\$19.13
31251-11	05801611	11	Pr	\$19.13
31251-12	05801612	12	Pr	\$19.13
31251-13	05801613	13	Pr	\$19.13
31251-14	05801614	14	Pr	\$19.13



31151

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



22214



75109



18821

Servus® Neoprene III Boots

Seamless construction is soft and pliable. Features Breathe-O-Prene insoles that provide shock absorption and moisture-wicking comfort, 100% waterproof design, and Chevron outsole and heel. 15" Height. Steel toe meets ASTM F2413-11 M I/75 C/75 EH.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 22214-6	05859205	Neoprene boots	6	Pr	\$96.67
▲ 22214-7	05859206	Neoprene boots	7	Pr	\$96.67
▲ 22214-8	05859207	Neoprene boots	8	Pr	\$96.67
▲ 22214-9	05859208	Neoprene boots	9	Pr	\$96.67
▲ 22214-10	05859209	Neoprene boots	10	Pr	\$96.67
▲ 22214-11	05859210	Neoprene boots	11	Pr	\$96.67
▲ 22214-12	05859211	Neoprene boots	12	Pr	\$96.67
▲ 22214-13	05859212	Neoprene boots	13	Pr	\$96.67
▲ 22214-14	05859213	Neoprene boots	14	Pr	\$96.67
▲ 22214-15	05859214	Neoprene boots	15	Pr	\$96.67

XTP™ Safety Boots

Uses Triple Density Technology (TDT), which is a 3-stage injection molding process. The PVC formulation withstands harsh environments with slick or oily surfaces and organic chemical deterioration common in poultry and fish processing, oil rigs, mining and general industrial applications. Self-cleaning outsoles deliver two high-performance PVC compounds. The outsole perimeter is formulated for tough, long-wearing protection and the centersole for cushioning, long wear and added traction on slick surfaces. 100% Waterproof. Features extended ribbed steel shank for support, steel toe and contour comfort. Graduated heights decrease calf chafing. Black and gray with yellow trim line. 15" Height. Meets ASTM F2413-11 M I/75 C/75 EH standards.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 75109-4	05800448	XTP safety boots	4	Pr	\$38.32
▲ 75109-5	05800447	XTP safety boots	5	Pr	\$38.32
▲ 75109-6	05800446	XTP safety boots	6	Pr	\$38.32
75109-7	05851097	XTP safety boots	7	Pr	\$38.32
75109-8	05851098	XTP safety boots	8	Pr	\$38.32
75109-9	05851099	XTP safety boots	9	Pr	\$38.32
75109-10	05851090	XTP safety boots	10	Pr	\$38.32
75109-11	05851091	XTP safety boots	11	Pr	\$38.32
75109-12	05851092	XTP safety boots	12	Pr	\$38.32
75109-13	05800445	XTP safety boots	13	Pr	\$38.32

CT™ PVC Footwear

Steel toe PVC boot is injection-molded for 100% waterproof protection. Features reinforced construction at critical seams, a unique top-line design to help reduce rubbing on legs and increase natural flexing, contour heel cup molding and removable FOOT FORM contour cushion insoles to reduce heel slippage. Trac 10™ outsole pattern helps to reduce slips and falls for worker safety. 14" Height. Black. Steel toe meets ASTM F2413-11 M I/75 C/75 EH.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 18821-6	05859199	PVC steel toe boots, 14"	6	Pr	\$18.51
▲ 18821-7	05859200	PVC steel toe boots, 14"	7	Pr	\$18.51
▲ 18821-8	05859201	PVC steel toe boots, 14"	8	Pr	\$18.51
▲ 18821-9	05823022	PVC steel toe boots, 14"	9	Pr	\$18.51
▲ 18821-10	05890009	PVC steel toe boots, 14"	10	Pr	\$18.51
▲ 18821-11	05890010	PVC steel toe boots, 14"	11	Pr	\$18.51
▲ 18821-12	05890011	PVC steel toe boots, 14"	12	Pr	\$18.51
▲ 18821-13	05890012	PVC steel toe boots, 14"	13	Pr	\$18.51
▲ 18821-14	05859203	PVC steel toe boots, 14"	14	Pr	\$18.51
▲ 18821-15	05859204	PVC steel toe boots, 14"	15	Pr	\$18.51

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





86049



Waders Boots

Made of durable, heavy-duty PVC upper with polyester backing. Non-absorbent polyester lining has removable insole for hygienic cleaning of interior. Features kick-off lug, built-in steel shank and cleated outsole. Waders can be folded or rolled with no cracking. Resists oil, grease, gasoline and saltwater. For use in municipalities, aquaculture and utilities. Black. Individually tested for total waterproof protection. Steel toe meets ASTM F2413-11 M/I/75/C/75.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 86049-8	05814655	Waders w/ steel toe & cleated outsole	8	Pr	\$75.98
▲ 86049-9	05814656	Waders w/ steel toe & cleated outsole	9	Pr	\$75.98
▲ 86049-10	05814657	Waders w/ steel toe & cleated outsole	10	Pr	\$75.98
▲ 86049-11	05814658	Waders w/ steel toe & cleated outsole	11	Pr	\$75.98
▲ 86049-12	05814659	Waders w/ steel toe & cleated outsole	12	Pr	\$75.98
▲ 86049-13	05814660	Waders w/ steel toe & cleated outsole	13	Pr	\$75.98



Mud Chucker

Constructed of grease-resistant natural rubber. Recessed step-in area with rubber fingers on the sides and bottom brushes away dirt, grass, snow, salt and debris from the bottom and sides of shoes. Portable or can be made permanent. Measures: 2" x 12" x 15 1/4".



229.2.2X12.4X15.25



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 229.2.2X12.4X15.25	05855764	Mud Chucker	Ea	\$34.78



TURBOTOE

TURBOTOE Steel Toe Caps

Protects toe area from accidental impact, crushing or stubbing. Made of flexible, pliable PVC. Treads under sole prevent slipping and help liquid flow away from foot. For use in any working environment that carries a risk of toe damage or has a steel toe cap requirement. Ideal for visitors, casual or temporary workers, management, clerical staff and sales people. Will not harden, stiffen or crack; 100% waterproof. Comfortably worn over low-heel, dress and running shoes and most boots. Color-coded to indicate size. CE and CSA certified. Steel toe meets ASTM F2412-11 and ASTM F2413-11.



Airsol Anti-Fatigue Shoe Insoles

Cellular cushioning, open cell foam insoles with biocide additive to help reduce foot odor. Lightweight, strong and washable with impact and shock absorption. Provides heel stability and arch support. Used with safety shoes, rubber boots and outdoor footwear.



ASMOLD

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
▲ TTXS	05827800	Men's 4-5	Gray	XS	Pr	\$29.16
▲ TTS	05827804	Men's 6-7	White	S	Pr	\$29.16
▲ TTM	05827803	Men's 8-9	Yellow	M	Pr	\$29.16
▲ TTL	05827792	Men's 10-11	Red	L	Pr	\$29.16
▲ TTXL	05827786	Men's 12-13	Blue	XL	Pr	\$29.16
▲ TTXXL	05827776	Men's 13-14	Green	2XL	Pr	\$29.16
▲ TTXXXL	05821389	Men's 15-16	Black	3XL	Pr	\$29.16

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ ASMOLDA	05892677	Insoles Women's 5-6 1/2	Pr	\$21.78
▲ ASMOLDB	05892678	Insoles Women's 7-8 1/2	Pr	\$21.78
▲ ASMOLDC/E	05892679	Insoles Men's 7-8 1/2, Women's 9-10 1/2	Pr	\$21.78
▲ ASMOLDD/F	05892680	Insoles Men's 9-10 1/2, Women's 11-12 1/2	Pr	\$21.78
▲ ASMOLDG	05892681	Insoles Men's 11-12 1/2	Pr	\$21.78
▲ ASMOLDH	05892682	Insoles Men's 13-14	Pr	\$21.78

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





TREX™ 6300 Ice Traction Devices

Eight rugged, heat-treated carbon steel studs for tenacious grip and stability and stretchable rubber for easy on/off. Remains flexible to -40° F. Eight replacement studs sold separately.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
16753	05800948	6300 Ice traction devices, Men's size 5-8	M	Pr	\$18.89
16754	05800947	6300 Ice traction devices, Men's size 8-11	L	Pr	\$18.89
16755	05800946	6300 Ice traction devices, Men's size 11-14	XL	Pr	\$18.89

16753



702-4.5



Toe Guards

Universal fit and maximum protection. Because the toe is not encased, there is no discomfort. Abnormal foot conditions do not cause problems. Lightweight at 12 oz. each, but designed to withstand an impact of 75 ft. lbs. Steel toe guard with quick fastener and adjustable web strap. Width: 4 1/2" men's.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
702-4.5	05882058	Toe guards	Men's	Pr	\$35.84



200-5.5



Foot Guards

Aluminum alloy shields worn over shoes to protect the foot, instep and toes against falling, rolling, flying objects or accidental tool blows. Features rubber strap. Withstands impact of 75 ft. lbs. 5 1/2" with rubber toe clip.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 200-5.5	05814661	Foot guards	Pr	\$57.35



Metatarsal Guards

Designed to protect top of the foot. Worn with safety-toe shoes to provide comfortable, low-cost metatarsal protection. Includes a sponge pad for comfort and rubber attachment strap.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
800	05882056	Lace-on metatarsal guards	Pr	\$39.48

800



OSHA requires employers to pay for personal protective equipment used to comply with OSHA standards. The final rule does not create new requirements regarding what PPE employers must provide. The standard makes clear that employers cannot require workers to provide their own PPE and the worker's use of PPE they already own must be completely voluntary. Even when a worker provides his or her own PPE, the employer must ensure that the equipment is adequate to protect the worker from hazards at the workplace.

More information found at: https://www.osha.gov/dte/outreach/intro_osh/7_employee_ppe.pdf



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



A respirator is a device that protects you from inhaling dangerous substances, such as chemicals and infectious particles. Respirators are among the most important pieces of protective equipment for working in hazardous environments. Selecting the right respirator requires an assessment of all the workplace operations, processes or environments that may create a respiratory hazard. The identity of the hazard and its airborne concentrations need to be determined before choosing a respirator. This assessment should be done by experienced safety personnel or by an industrial hygienist. There are several different types of respirators, as described below.

Respirators work by either filtering particles from the air, chemically cleaning (purifying) the air, or supplying clean air from an outside source.

Particulate respirators are the simplest, least expensive, and least protective of the respirator types available.

These respirators only protect against particles (e.g., dust). They do not protect against chemicals, gases, or vapors, and are intended only for low hazard levels. The commonly known "N-95" filtering facepiece respirator, or "dust mask", is one type of particulate respirator often used in hospitals to protect against infectious agents.

Particulate respirators are "air purifying respirators" because they clean particles out of the air as you breathe.

Go to www.osha.gov for complete details.

RESPIRATORS

Disposables	84-85, 95-96
PAPRs	87-89, 94, 96, 98, 100
SARs	90, 99, 101-102
EBA s	102
SCBA s	103-104
Accessories	102, 104



270-1000



Disposable Nuisance Dust Mask

Lightweight, flexible nosepiece for a custom, comfortable fit. Economical choice for use in non-toxic applications. Ideal for sanding, grinding and cleaning. Not NIOSH Approved. 50/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
270-1000	05827100	Disposable nuisance dust mask	Bx	\$6.18



8210

3M 3M™ Particulate Respirator 8210, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles in suggested applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Features 3M's Advanced Electret Media, welded strap attachment, soft nose foam and adjustable noseclip to help provide a custom and secure seal. NIOSH Approval TC-84A-0007. 20/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8210	05868710	Particulate Respirator N95	Bx	\$18.26



8210PLUS

3M 3M™ Particulate Respirator 8210Plus, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles. Features comfortable braided headbands, staple-free attachment, soft nose foam and adjustable noseclip. Meets NIOSH 42 CFR 84 N95 requirements. 20/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8210Plus	05892800	Particulate Respirator N95	Bx	\$24.68



8511

3M 3M™ Particulate Respirator 8511, N95 with 3M™ Cool Flow™ Valve

Helps provide protection against certain non-oil based particles and is ideally suited for work settings that involve heat, humidity or long periods of wear. Proprietary 3M™ Cool Flow™ Exhalation Valve for easy exhalation and cool comfort. Braided headbands and an adjustable M-noseclip are designed to help enhance user comfort and increase wearability. NIOSH Approval TC-84A-1299. 10/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8511	05808511	Particulate Respirator N95	Bx	\$25.11



8212

3M 3M™ Particulate Welding Respirator 8212, N95, with Facesal

Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve, cake-resistant filter media, comfort foam facesal and adjustable noseclip and straps. Flame-resistant protective layer is not a substitute for a faceshield. Meets NIOSH 42 CFR 84 N95 requirements. 10/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8212	05828212	Particulate Welding Respirator N95 w/ Facesal	Ea	\$7.41

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ Particulate Welding Respirator 8214, N95 with Nuisance Level** Organic Vapor Relief



Designed for applications such as welding, soldering and other operations in which metal fumes may be present, including those present with ozone* and nuisance level** organic vapors. Features 3M™ Cool Flow™ Valve. 10/Box.

**3M™ recommended for ozone up to 10 x PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.*

***3M™ recommended for relief against nuisance levels of organic vapors. Nuisance level refers to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower.*

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8214	05808214	Particulate Welding Respirator N95 w/ Face Seal, Ozone Protection* & Nuisance Level** Organic Vapor Relief	Bx	\$88.67



8214

3M™ Particulate Respirator 8577, P95 with Nuisance Level* Organic Vapor Relief

Helps provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels* of organic vapors such as solvents, degreasers and resins. Features 3M™ Cool Flow™ Valve. Meets NIOSH 42 CFR 84 requirements. 10/Box.

**3M™ recommended for relief against nuisance levels of organic vapors. Nuisance level organic vapor refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.*

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8577	05854371	Particulate Respirator P95 w/ Nuisance Level* Organic Vapor Relief	Bx	\$53.60



8577

3M™ Particulate Respirator 8271, P95

Combines P-series versatility with comfort and fit. Excellent choice in work environments that may contain oil aerosols. Suggested applications include grinding, sanding, sweeping, bagging, machining and other dusty/oily operations. Features 3M™ Cool Flow™ Exhalation Valve, comfortable face seal and M-noseclip to help provide a custom and secure seal. Meets NIOSH 42 CFR 84 requirements. 10/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8271	05808271	Particulate Respirator P95	Bx	\$41.64



8271

3M™ Particulate Respirator 8233, N100

Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10 x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam face seal, adjustable straps and lightweight construction. Respirators are individually packaged. NIOSH Approval TC-84A-1298. 20/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8233	05808233	Particulate Respirator N100	Ea	\$10.41



8233

3M™ Aura™ Particulate Respirator 9211+, N95

Features comfortable braided headbands and contoured nose panel. Chin tab is designed for ease of positioning, donning and adjustment. Embossed top panel helps reduce potential fogging of eyewear from warm, moist exhaled airflow. Individually wrapped. Meets NIOSH 42 CFR 84 N95 requirements. 10/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9211+	05809211	3M™ Aura™ Particulate Respirator w/ Cool Flow™ Valve	Bx	\$26.85



9211+

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



6100

3M™ Half Facepiece 6000 Series, Reusable Respirators

Lightweight facepiece and easy-to-adjust headstraps. Facepiece can be used with any of the 3M™ bayonet-style filters and cartridges and can be easily replaced. Swept back design of cartridges helps improve balance and visibility. Cartridges and filters sold separately. Meets NIOSH 42 CFR 84 requirements.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
6100	05826100	Half Facepiece	S	Ea	\$14.74
6200	05826200	Half Facepiece	M	Ea	\$14.74
6300	05826300	Half Facepiece	L	Ea	\$14.74



6291

3M™ Half Facepiece Respirator Assemblies, 6000 Series

Reusable respirator assembly offers comfort and particulate protection. Each facepiece is remarkably comfortable and soft. Assemblies use the simple bayonet mounting system with low-profile P100 filters. Meets NIOSH 42 CFR 84 requirements.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 6291	05892801	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	M	Ea	\$22.77
▲ 6391	05892802	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	L	Ea	\$22.77



6800

3M™ Full Facepiece Respirators 6000 Series, Reusable

Faceseal is made of silicone rubber for enhanced comfort and durability. Lightweight and well-balanced. Unique 3M™ Cool Flow™ Valve for unsurpassed comfort. Features large lens providing user a wide field of vision.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
6800	05816800	Full Facepiece	M	Ea	\$164.59
6900	05816900	Full Facepiece	L	Ea	\$164.59
▲ 6885	05806885	Faceshield Covers, 25/Bg		Bg	\$50.41

3M™ Replacement Cartridges and Filters

Use with 3M™ Respirators 5000, 6000, 7000 and FF-400 Series, according to NIOSH approvals. When properly selected, cartridges and filters help provide protection from a variety of gases, vapors and particulate hazards. Available with 3M™ Service Life Indicator, an end-of-service-life indicator (ESLI) that can help users determine when to change cartridges in appropriate environments.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
 6001	05826001	Organic Vapor Cartridge	2/Bx	\$13.32
▲  6002	05892803	Acid Gas Cartridge	2/Bx	\$13.99
▲  6004	05862541	Ammonia/Methylamine Cartridge	2/Bx	\$15.60
▲  6005	05892804	Formaldehyde****/Organic Vapor Cartridge	2/Bx	\$16.04
 6006	05854186	Multi-Gas/Vapor Cartridge	2/Bx	\$14.27
▲  6009S	05892805	Mercury Vapor/Chlorine or Sulfur Dioxide Gas Cartridge	2/Pk	\$29.42
▲  60921	00171917	Cartridge/Filter Organic Vapor/P100	2/Bx	\$26.11
▲  60923	05860923	Cartridge/Filter Organic Vapor/Acid Gas/P100	2/Bx	\$26.33
▲  60924	05892806	Cartridge/Filter Ammonia/Methylamine/P100	2/Bx	\$30.12
▲  60925	05860925	Cartridge/Filter Formaldehyde****/Organic Vapor/P100	2/Bx	\$31.18
 60926	05860926	Cartridge/Filter Multi-Gas/Vapor/P100	2/Bx	\$28.71
▲  60929S	05823693	Mercury Vapor/Chlorine or Sulfur Dioxide Gas/P100 Particulate Filter Combination Cartridge	2/Pk	\$34.11

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
 2071	05802071	Particulate Filter P95	2/Bx	\$4.95
▲  2078	05823692	Particulate Filter, P95 w/ Nuisance Level Organic Vapor*/Acid Gas** Relief & Ozone Protection***	2/Pk	\$8.79
 2091	05802091	Particulate Filter P100	2/Bx	\$7.91
 2096	05892807	Particulate Filter P100 w/ Nuisance Level Acid Gas** Relief	2/Bx	\$10.96
 2097	05802097	Particulate Filter P100 w/ Nuisance Level Organic Vapor* Relief & Ozone Protection***	2/Bx	\$10.86
 2297	05892808	Advanced Particulate Filters P100 w/ Nuisance Level Organic Vapor Relief* & Ozone Protection***	2/Pk	\$11.93
▲  7093	05807093	Particulate Filter P100, Solid Top Air Inlet	12/Bx	\$60.33
 501	05820501	Filter Retainer	20/Bx	\$46.96
 5N11	05825010	Particulate Pre-Filter N95	10/Bx	\$17.83
 5P71	05866278	Particulate Pre-Filter P95	6/Pk	\$12.85
 504	05892809	Respirator Cleaning Wipes	100/Bx	\$54.52

*Nuisance level organic vapors refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

**Nuisance level acid gases refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases.

***3M™ recommended for ozone protection up to 10 x OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

****OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

The 3M™ Filter Adapter 502 is required for use of the 2000 Series and 7093 filters with the 5000 Series Respirators and 6000 Series Cartridges. The 3M™ Filter Retainer 501 is required for use of the 5N11 and 5P71 prefilters with the 5000 Series Respirators. The 502 adapter cannot be reused.

WARNING




These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



3M™ Air-Mate™ Belt Mounted High Efficiency (HE) Powered Air Purifying Respirator PAPR System

CALL FOR PRICING.



*Large size comes with removable blue tissue covering the visor.


**Please note: Effective January 1, 2017, the AMH-1U and AMH-12U kits will no longer be available for sale in California or Oregon due to a change in battery charger regulations that affect the 520-03-73 charger contained within these kits.

***Please note: Effective January 1, 2017, the 520-03-72 and 520-03-73 chargers will no longer be available for sale in California or Oregon due to a change in battery charger regulations that affect those states.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ Breathe Easy™ Belt-Mounted PAPR System with NiMH BP-15 Battery

CALL FOR PRICING.



Footnotes:

*Large and Medium/Large sizes come with removable blue tissue or film covering the visor.

**BE-10BR Approved with FR-57, AP3 and AEP3 ONLY

***FR-57 approved with BE-10 series, 6000 series and select S-Series hoods ONLY.


3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

PRODUCT MATRIX

3M™ Breathe Easy™ Belt-Mounted PAPR System with BP-17IS NiCD Battery (Intrinsically Safe)*

CALL FOR PRICING.



Footnotes:

*The Breathe Easy™ Turbo PAPR with BP-17IS battery pack has been tested and classified for intrinsic safety ("Exia") by Underwriters Laboratory (UL 913 5th Edition). See User Instructions for details.

**Large and Medium/Large sizes come with removable blue tissue or film covering the visor.


***Please note: Effective January 1, 2017, the 520-03-72 and 520-03-73 chargers will no longer be available for sale in California or Oregon due to a change in battery charger regulations that affect those states.

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ Supplied Air* Respirators

CALL FOR PRICING.



Note: Headgear, breathing tube, air control valve, and compressed air supply hose are required parts in a NIOSH-approved system. Any NIOSH certification appearing on 3M components is strictly limited to use in an approved air system and only in full accordance with the specifications and limitations under said approval. NIOSH certifies complete assemblies only, not sub-assemblies.

*It is the employer's responsibility to ensure that the compressed air used with any supplied air system meets the requirements for at least Grade-D breathing air per the Compressed Gas Association Commodity Specification G-7.1 in the U.S. as specified in the Occupational Safety and Health (OSHA) Respiratory Protection standard 1910.134(i)(1)(ii). In Canada, refer to CSA Standard Z180.1 table for the quality of compressed breathing air.

**Clip-on 3M™ Welding Shield also available.


***The use of a calibration kit is also required, see part numbers 529-04-48 (Large) or part number 529-04-49 (Small)

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirators

CALL FOR PRICING.



*Medium/Large size comes with removable blue film covering the visor.

**Clip-on Welding Shield also available.

***3M GVP-100 motor blower, 3M GVP-110 power cord and 3M GVP-111 battery pack combination has been tested and classified by Underwriters Laboratory (UL 913 5th Edition) for intrinsic safety: See User Instructions for additional information.

OV = NIOSH approval: Certain organic vapors.

AG¹ = NIOSH approval: Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide or hydrogen fluoride.


AG² = NIOSH approval: Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen fluoride and hydrogen sulfide.

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirators with TR-630 Lithium-Ion Battery

CALL FOR PRICING.



OV = NIOSH approval: Certain organic vapors.


AG¹ = NIOSH approval: Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide or hydrogen fluoride.AG² = NIOSH approval: Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen fluoride and hydrogen sulfide.

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ Versaflo™ TR-300 Series Powered Air Powered Air Purifying Respirators (PAPR)*

CALL FOR PRICING.



*Operating Altitude approx. sea level to 2,600 ft. (800m). For altitudes above 2,600 ft., contact 3M.


**Medium/Large size comes with removable blue film covering the visor.

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ Versaflō™ TR-600 Series Powered Air Purifying Respirators (PAPR)*

CALL FOR PRICING.



*Operating Altitude -328 to 16,404 ft. **Medium/Large size comes with removable blue film covering the visor

3M Automotive Aftermarket Division (AAD) product numbers are found in blue type on select products.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

4200 Series AirWave® N95 Disposable Respirators



Breathes easier than a valve respirator. Patented wave design technology allows more airflow in and out for cool comfort. Unique waves double the filter area of comparable respirators. Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside. FlexFit® design expands and contracts as there is movement and speaking, for optimal comfort. Features pinch-free molded nosebridge and Softspun® lining. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. NIOSH Approved. 10/Box.



4200

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
4201 N95	05800058	AirWave N95 disposable respirator	S	Bx	\$19.35
4200 N95	05800059	AirWave N95 disposable respirator	M/L	Bx	\$19.35

4600 Series AirWave® N95 Disposable Respirators with SmartStrap®

Breathes easier than a valve respirator. Exclusive wave design for less resistance and better breathability. Breathes like it has a valve, but without one. SmartStrap is adjustable, metal-free and hangable. Dura-Mesh® shell resists collapsing in heat and humidity. FlexFit® design expands and contracts for optimal comfort. Features pinch-free nosebridge, Softspun® lining and soft, foam nose cushion. Longer wear means less cost. 10/Box.



4600

4800 Series AirWave N95 Plus Nuisance OV Disposable Respirator with SmartStrap®

Exclusive easy-breathing wave design provides relief from nuisance levels of Organic Vapors. Features soft full foam flange for ultimate comfortable fit. Adjustable, metal-free SmartStrap allows respirator to hang around the neck for convenient storage during breaks. Collapse-resistant Dura-Mesh® shell helps respirator last longer, reduces waste and increases cost savings. 8/Box.




4800

MFG #	DILLON #	SIZES	UOM	PRICE
AirWave N95 Particulate Respirator with SmartStrap				
▲ 4601 N95	05804603	S	Bx	\$31.32
4600 N95	05804604	M/L	Bx	\$31.32

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
4800 N95	05820016	4800 Series AirWave N95 plus nuisance OV disposable respirator w/ SmartStrap	Bx	\$49.20

Dirt Dawgs® N95 Disposable Respirators

Dura-Mesh® shell protects filter media from dirt and prevents mask from collapsing. Offers N95 protection for a variety of industrial applications. Contour-molded nosebridge seals easily and comfortably without having to pinch metal noseband. Softspun® inner lining is soft to the touch. NIOSH certified for a filter efficiency of 95% or greater against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. 20/Box.



1200

MFG #	DILLON #	SIZES	UOM	PRICE
Dirt Dawgs N95 Disposable Respirator				
▲ 1200N95	05891201	M/L	Bx	\$23.04
1201N95	05891200	S	Bx	\$23.04
▲ 1207N95	05891207	Low profile	Bx	\$23.04

2200N95 Series N95 Disposable Respirators


Dura-Mesh® shell protects filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® inner lining for added comfort and durability. Contour-molded nosebridge with soft foam nose cushion provides comfortable fit. No metal noseband to adjust. NIOSH certified for a filter efficiency level of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1. 20/Box.



2200N95

MFG #	DILLON #	SIZES	UOM	PRICE
N95 Disposable Respirator without Valve				
▲ 2201N95	05822201	S	Bx	\$25.00
2200N95	05802200	M/L	Bx	\$25.00
▲ 2207N95	05822207	Low profile	Bx	\$25.00

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



2300N95



2350



2300N95 Series N95 Disposable Respirators with Exhale Valve

Suitable for most welding applications. Exhale valve reduces hot air buildup and breathing resistance, keeping workers cooler. Dura-Mesh® shell protects filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam nose cushion provides a comfortable fit. No metal noseband to adjust. Softspun® lining gives added comfort and durability. NIOSH certified for a filter efficiency of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. If used for welding, wear appropriate eye and face protection. 10/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2300N95	05802300	N95 Disposable respirator w/ valve	M/L	Bx	\$30.61
2307N95	05892797	N95 Disposable respirator w/ valve	Low profile	Bx	\$30.61
2350	05802692	2300 Series respirator locker, 5/Locker	M/L	Ea	\$18.43



2400N95

2400N95 Series N95 Plus Nuisance Organic Vapors/Ozone Disposable Respirator

Pinch-free nosebridge eliminates discomfort and readjustment necessary with metal nosebands. Exhale valve releases hot air easier and reduces breathing resistance, which keeps workers cooler and allows masks to last longer. Dura-Mesh® shell resists collapsing, even in heat and humidity. Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. 10/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2400N95	05802400	N95 Disposable respirator w/ nuisance OV relief	M/L	Bx	\$51.79



2700N95

2700N95 Series N95 Disposable Respirator with HandyStrap® and Ventex® Valve

Features HandyStrap with buckle allowing mask to hang around neck when not in use. Ventex valve lets hot air out faster so workers stay cool longer. Dura-Mesh® shell resists collapsing in heat and humidity. Molded nosebridge seals easily without a metal noseband. Naturally contoured facepiece and Softspun® lining offers added comfort and durability as well as relief on pressure points. NIOSH certified for a filter efficiency level of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. 10/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2700N95	05822700	N95 Disposable respirator w/ HandyStrap & Ventex valve	M/L	Bx	\$37.17



2310 N99

N99 Disposable Respirators for Most Welding Applications

N99 for a higher level of protection. Molded nosebridge with soft foam nose cushion fits comfortably without a metal noseband. Exhale valve reduces breathing resistance and hot air buildup for all-day comfort. Exclusive Dura-Mesh® shell resists collapsing in heat and humidity. NIOSH certified to have a filter efficiency of 99% against particulates free of oil. Use a welding shield or helmet at all times. Meets heat and flame resistance in accordance with ANSI/ISEA 100-2003, Section 7.1.11. 10/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2310 N99	05881138	N99 Disposable welding respirator w/ valve	M/L	Bx	\$49.78
2315 N99	05892798	N99 Premium disposable welding respirator w/ valve & adjustable cloth straps	M/L	Bx	\$61.96

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

7000 Series Reusable Half Mask Respirators



Lightweight design plus extra-wide sealing area provides all-day comfort. Mask drops down for convenient storage around neck or locks down for custom fit. Features adjustable head cradle and curved neck buckles for extra comfort. Low-profile design allows a wide field of vision. Fits under welding helmets and with safety glasses. Easy to clean and maintain. Available as pre-assembled respirators with the most popular cartridge/filter combinations. Paint spray/pesticide respirators include the added convenience of coming with organic vapor cartridges and N95 prefilters. Multi-gas respirators come with 7600 Smart® cartridges which replace up to five gas/vapor cartridges, making cartridge selection easier for workers. P100 respirators come with 7940P100 filter disks. NIOSH Approved.



7601

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 7001	05802355	7000 Series half mask respirator facepiece	S	Ea	\$14.84
7002	05802356	7000 Series half mask respirator facepiece	M	Ea	\$14.84
7003	05802357	7000 Series half mask respirator facepiece	L	Ea	\$14.84
▲ 7101	05802358	Organic Vapor pre-assembled half mask respirator	S	Ea	\$29.27
7102	05802359	Organic Vapor pre-assembled half mask respirator	M	Ea	\$29.27
7103	05802360	Organic Vapor pre-assembled half mask respirator	L	Ea	\$29.27
▲ 7111	05802361	Oil-free paint spray/pesticide pre-assembled half mask respirator	S	Ea	\$35.54
7112	05802362	Oil-free paint spray/pesticide pre-assembled half mask respirator	M	Ea	\$35.54

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
7113	05802363	Oil-free paint spray/pesticide pre-assembled half mask respirator	L	Ea	\$35.54
▲ 7941	05800920	P100 particulates pre-assembled half mask respirator	S	Ea	\$26.54
▲ 7942	05800919	P100 particulates pre-assembled half mask respirator	M	Ea	\$26.54
▲ 7943	05800918	P100 particulates pre-assembled half mask respirator	L	Ea	\$26.54
▲ 7601	05802364	Multi-gas pre-assembled half mask respirator	S	Ea	\$32.10
▲ 7602	05802365	Multi-gas pre-assembled half mask respirator	M	Ea	\$32.10
▲ 7603	05802366	Multi-gas pre-assembled half mask respirator	L	Ea	\$32.10

9000 Series Reusable Full Face Respirators

Exclusive over-molded lens design eliminates usual heavy-clamping frame. Lightweight respirator features stand away head harness with extra wide opening for easy on/off. Strap buckles are securely molded directly to facepiece for rugged use and ease of adjustment. Coated lens for scratch resistance. NIOSH Approved.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9001	05802367	9000 Series reusable full face respirator	S	Ea	\$143.02
9002	05802368	9000 Series reusable full face respirator	M	Ea	\$143.02
9003	05802369	9000 Series reusable full face respirator	L	Ea	\$143.02
▲ 0093	05800940	9000 Faceshield protector, 15/Bg		Bg	\$29.10



9001

7000/9000 Series Cartridges and Filters

A variety of cartridges and filters for use with the 7000/7800 Series half mask respirators or 9000 Series full face respirators. NIOSH Approved.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7100	05802370	Organic Vapor cartridge	Pr	\$13.25
▲ 7140	05802694	Organic Vapor cartridge/P100	Pr	\$30.45
▲ 7200	05802371	Acid Gas cartridge	Pr	\$14.37
7300	05802372	Organic Vapor/Acid Gas cartridge	Pr	\$13.84
▲ 7400	05802373	Ammonia/Methylamine cartridge	Pr	\$16.86
▲ 7500	05802374	Formaldehyde cartridge	Pr	\$17.37

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7600	05802375	Multi-Gas/Vapor Smart® cartridge	Pr	\$14.14
8910	05802376	N95 Prefilters, 5 Pr/Bg	Bg	\$20.14
7940	05802695	P100 filter disk	Pr	\$8.74
7990	05897990	P100 Particulates cartridge	Pr	\$12.01
7020	05802377	Prefilter retainer	Pr	\$4.25
7920	05897920	Piggyback adapter	Pr	\$5.65

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



7700 Series Silicone Half Masks

The 100% medical-grade silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Dual elasticity headstraps provide a secure and flexible fit. Wide contoured sealing area fits a greater variety of facial types. Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Compatible with Honeywell North N-Series cartridges and filters (sold separately).



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 770030S	05870220	7700 Series half mask respirator	S	Ea	\$34.13
▲ 770030M	05870230	7700 Series half mask respirator	M	Ea	\$34.13
▲ 770030L	05870240	7700 Series half mask respirator	L	Ea	\$34.13

7600 Series Full Facepieces

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Wide sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Speech diaphragm is standard to amplify workers' conversations. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Compatible with Honeywell North N-Series cartridges and filters (sold separately).



760008A

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 760008AS	05870150	Full facepiece, dual flange silicone seal	S	Ea	\$279.80
▲ 760008A	05870140	Full facepiece, dual flange silicone seal	M/L	Ea	\$279.80
▲ 760008AW	05870160	Full facepiece w/ welding attachment	M/L	Ea	\$384.04

CA200 Series PAPR

Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog. Vibratory alarm can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments. Two visual alarms: one for low battery and another one for a clogged filter. Lightweight for improved comfort and longer wear. Unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences. Airflow is automatically adjusted to meet OSHA and CSA CFM requirements. Filters/cartridges sold separately.

Complete assembly includes:

- (1) Blower
- (1) Lithium-ion battery
- (1) Flow meter
- (1) Single unit battery charge
- (1) Carry case



CA201

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ CA201	05859236	CA200 Series PAPR assembly w/ nylon belt	Ea	\$1,300.34
▲ CA201D	05859237	CA200 Series PAPR assembly w/ PVC decon belt	Ea	\$1,477.99
▲ CA127	05859238	34" Breathing tube for use w/ Primair® Series loose fitting headcovers	Ea	\$51.64
▲ CA127L	05859239	40" Breathing tube for use w/ Primair Series loose fitting headcovers	Ea	\$60.66
▲ CA229	05888874	34" Y breathing tube for use w/ Primair Series tight-fitting facepieces	Ea	\$133.27
▲ CA229L	05888873	40" Y breathing tube for use w/ tight-fitting facepieces	Ea	\$137.12

N-Series Cartridges, Filters and Cartridge/Filter Combinations

Air-purifying respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. Honeywell North N-Series filter/cartridge combinations also remove dusts, fibers and other particles. All Honeywell North N-Series cartridges and filters are NIOSH approved with select Honeywell North air-purifying half masks (7700, RU8500, 5500) and full facepieces (7600, RU6500, 5400).



MFG #	DILLON #	DESCRIPTION	UOM	PRICE	MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 75SCL	05859227	Defender™ multi-purpose cartridge	Pr	\$15.35	▲ 7580P100	05870430	P100 Particulate filter	Pr	\$10.90
▲ N75001L	05859228	Organic vapor cartridge	Pr	\$14.39	▲ 7506N95	05807506	N95 pad filters, 10/Pk	Pk	\$13.15
▲ N75002L	05859229	Acid gas cartridge	Pr	\$14.90	▲ 7531N95	05859233	N95 Filter assembly	Pr	\$13.21
▲ N75003L	05859230	Organic vapor, acid gas cartridge	Pr	\$14.63	▲ N750036	05859234	Filter assembly, includes (2) filter covers & (2) filter supports; attaches pad filters to cartridge	Pr	\$4.32
▲ 75SCP100L	05859231	Defender multi-purpose cartridge w/ P100 particulate filter	Pr	\$28.45	▲ N750037	05859235	Filter assembly w/ (2) filter covers & (2) filter holders; attaches filters to facepiece	Pr	\$8.60
▲ 7583P100L	05859232	Organic vapor, acid gas cartridge w/ P100 particulate filter	Pr	\$27.76					

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Primair® 100 Series

Primair hoods can be used for both CA200 Series PAPR and CF1000 Supplied Air. Available with loose fitting facepiece, hood with bib and hood with nylon collar. Spunbond polypropylene hoods are available uncoated and coated. Coated hoods provide incidental protection from occasional splash. Ratchet headgear holds hoods securely to follow worker movement. Manifold directs air over the lens where needed most, not in worker's eyes to reduce lens fogging. Bibbed hood features dual snaps for adjustable bib length to provide adaptability to different applications and worker height. PA101 is ideal for pharmaceutical and other light-duty industries. NIOSH approved with an APF of 25. Full hoods have an APF of 1000 for maximum protection from contaminants. Peel-away lens covers are available (# PA105) to protect the lens from splatter.



PA101

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ PA101-S	05859256	PA101 Primair loose fitting facepiece assembly	S	Ea	\$57.22
▲ PA101-M	05859257	PA101 Primair loose fitting facepiece assembly	M	Ea	\$57.22
▲ PA111	05859258	Primair 100 headgear & bibbed hood	Universal	Ea	\$79.91
▲ PA102-S	05859259	Replacement hood for PA101, 10/Bx	S	Bx	\$324.74
▲ PA102-M	05859260	Replacement hood for PA101, 10/Bx	M	Bx	\$324.74
▲ PA112	05859261	Replacement hood for PA111, 3/Bx	Universal	3/Bx	\$156.35

CF2000 Series CF-SAR

Converts Honeywell North half mask or full facepiece to continuous flow supplied air respirator. Cost-effective solution when upgrading to supplied air. Adapts into CF-SAR through cartridge connectors, expanding use of existing respirators with no additional fit testing required. Breathing tubes are located on worker's back, out of the work zone. Welding adapter for the 5400 and 7600 masks is NIOSH approved for use in welding applications adding greater flexibility of use. Complete assembly includes: belt, muffler, and "Y" breathing tube.



CF2007

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ CF2007	05859253	Airline adapter assembly w/ breathing tube, waist belt & adjustable flow control valve	Ea	\$271.48



Cartridges/Filters for CA200 Series PAPR

High-efficiency particulate air-purifying (HEPA) filters and cartridges for use with the CA200 Series PAPR. 3 Each/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4001	05859240	Organic vapor	Bx	\$87.63
▲ 4003	05859241	Organic vapor/acid gas	Bx	\$112.66
▲ 40HE	05859243	HEPA	Bx	\$64.86
▲ 4001HE	05859244	Organic vapor cartridge w/ HEPA filter	Bx	\$119.47
▲ 4003HE	05859245	Organic vapor/acid gas cartridge w/ HEPA filter	Bx	\$146.77
▲ 4004HE	05859246	Ammonia/methyl cartridge w/ HEPA filter	Bx	\$119.47



Primair® 200 Series with Fibre-Metal Hard Hat

SuperEight® Suspension system with (8) load-bearing points balances and stabilizes headgear weight, for greater comfort and fit. Quick-Lok® attachment system connects Fibre-Metal welding helmets and faceshields to give added face protection during welding and grinding. Spunbond polypropylene hood with cotton neck seal is lightweight and comfortable without sacrificing protection from all particles. Welding helmets and faceshields sold separately.

PA231E01



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ PA231E01	05859262	Primair FM 200 assembly, complete w/ E2 style hard hat, hood & Carbtex cover	Ea	\$541.45
▲ PA202	05859263	Primair FM w/ speedy loop, replacement for PA200 Series PAPR hard hat shell	Ea	\$44.03
▲ PA232	05859264	Primair FM 200 replacement flame-retardant cover	Ea	\$220.15

CF1000 Series CF-SAR

Simple, comfortable and easy to use. Approved with five brands of coupler. Nylon belt offers flexibility in movement for optimal comfort or the PVC belt is ideal in decontamination applications. Muffler dampens noise in workers' hoods for a quieter work environment with less distraction. Compatible with Primair® Series hoods. Complete assembly includes: belt, muffler, and breathing tube.



CF1001

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ CF1001	05859247	Airline assembly w/ 34" breathing tube w/ connector & nylon belt	Ea	\$250.20
▲ CF1001D	05859248	Airline assembly w/ 34" breathing tube w/ connector & PVC decon belt	Ea	\$263.67
▲ CF1001L	05859249	Airline assembly w/ 40" breathing tube w/ connector & nylon belt	Ea	\$256.23
▲ CF1001DL	05859250	Airline assembly w/ 40" breathing tube w/ connector & PVC decon belt	Ea	\$273.29

Airline Hoses for CF1000 and CF2000

▲ 88600	05859251	Optional Vortex tube for 3/8" ID hose	Ea	\$74.05
▲ 88800	05859252	Optional Vortex tube for 1/2" ID hose	Ea	\$74.05
▲ 996025	05859254	25' Breathing air hose, 3/8" ID	Ea	\$107.77
▲ 996050	05859255	50' Breathing air hose, 3/8" ID	Ea	\$166.03

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Pureflo ESM PAPR



Designed to protect from welding fumes and Hexavalent Chromium. Welding helmet comes with auto-darkening filter shades 9-13 and unique grind cut mode with shade 5. Welding helmet lifts up to allow welder to grind and clean welds looking through clear ANSI faceshield. PAPR features a complete helmet system, no uncomfortable backpacks or hoses to tangle. ESM monitors air flow with heads-up visual and audible alarms for low flow, battery and filter life. Air flow of 7.6 CFM with boost mode delivering over 8.2 CFM. Assigned protection factor of 1000 with no fit testing required. NIOSH and ANSI certified hard hat and faceshield. FM certified CL I Div 2. ESM comes with NIOSH approved HEPA filter or HE/HF for hydrogen fluoride and nuisance odor relief of most organic vapors, acid gas and ozone. Nuisance level refers to levels under OSHA PEL. NIOSH does not approve nuisance level filters.



PRO2000-PBF

PRO2000-SBL

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
P-Series Model PF50ESM				
▲ PRO2000-PBF	05800156	Pureflo ESM PF50 Bump cap version	Ea	\$1,417.00
▲ PRO2000-SBL	05800155	Pureflo ESM PF60 Hard hat version	Ea	\$1,547.43
Pureflo Model PF60ESM				
▲ PRO2000-SHL	05800154	Pureflo ESM respirator w/ hard hat, HE filter & liftable visor	Ea	\$1,547.43
▲ PRO2000-SHL-B2A	05800166	Pureweld ESM respirator w/ hard hat, HE filter & welding mask	Ea	\$2,127.27
Accessories				
▲ PRO2020SP	05853267	High efficiency filter P-100, 8/Bx	Bx	\$420.95
▲ PRO2026SP	05855783	HE-HF-HC filter	Ea	\$105.53



EVA Powered Air-Purifying Respirator Systems

Features an easy-to-read visual fuel gauge and Active Flow Technology that automatically responds to a worker's need for more or less air flow, (2) distinct audible alarms for low battery and low air flow, 10,000 hour brushless motor and a single combination filter for easy use. EVA assemblies include: blower, belt, battery, charger, air flow indicator, breathing tube and head top with sewn-in suspension (filter not included.)



EVA20LFM

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ EVA20LFM	05892857	EVA w/ 20LFM loose fitting facepiece	M	Ea	\$1,370.77
▲ EVA20LFL	05892856	EVA w/ 20LFL loose fitting facepiece	L	Ea	\$1,370.77
▲ EVA20LF2S	05892860	EVA w/ 20LF2S loose fitting facepiece w/ narrow profile	S	Ea	\$1,370.77
▲ EVA20LF2M	05892859	EVA w/ 20LF2M loose fitting facepiece w/ narrow profile	M	Ea	\$1,370.77
▲ EVA20LF2L	05892858	EVA w/ 20LF2L loose fitting facepiece w/ narrow profile	L	Ea	\$1,370.77
▲ EVA20TICH	05892861	EVA w/ 20TICH Tychem QCR double bib hood w/ inner bib & S51 hard hat w/ ratchet suspension		Ea	\$1,150.75
▲ EVA20SICH	05892862	EVA w/ 20SICH Tychem SL double bib hood w/ taped seams & S51 hard hat w/ ratchet suspension		Ea	\$1,150.75
▲ EVAFAMS	05892865	EVA w/ FAM2S, half mask	S	Ea	\$1,437.07
▲ EVAFAMM	05892864	EVA w/ FAM2M, half mask	M	Ea	\$1,437.07
▲ EVAFAML	05892863	EVA w/ FAM2L, half mask	L	Ea	\$1,442.63
▲ PAPRFC3	05892866	EVA HEPA filter, 6/Pk		Pk	\$259.25
▲ PAPRFC4	05892867	OVAGHE filter, 6/Pk		Pk	\$648.18



88VX Respirator Assembly with Nylon Cape

Includes 88VX Series respirator with durable 46VX nylon cape (28" length) and EVX30 breathing tube assembly with Industrial Interchange (Hansen compatible) nipple, and nylon belt. Features an inner and outer lens with Mylar® lens covers. For use with compressed air.



88VX3230

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 88VX3230	05814686	Respirator assembly w/ cape, 1/4" Hansen compatible fitting	Ea	\$704.68



88VX Respirator Systems with Free-Air® Pump

A convenient, one-stop solution for an entire respiratory work system. For abrasive blasting applications. Complete package includes 88VX3235 respirator with 46VX nylon cape (28" length), breathing tube, ADP20 Free-Air pump with pneumatic motor, V2050ST air supply hose, package of (5) Mylar® lens covers and Frigatron 2000® climate control device. Provides the safety and protection needed in harsh work conditions.



88VXSYS

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 88VX3235	05892854	Respirator w/ cape, 1/2" Hansen compatible fitting (no pump)	Ea	\$706.75
▲ 88VXSYS	05892855	Respirator system w/ Free-Air pump	Ea	\$4,018.55

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

The Breather Box®


The high performance portable Grade-D air filtration system is designed to provide breathing air for a specific number of workers. Filters incoming air from compressor to Grade-D quality air and monitors for CO (O2 monitors also available). First stage element filters bulk water and particulates; second stage coalescing filter eliminates atomized oils, mists, and ultra-fine particulates; third stage filter removes organic vapors and odors. First two filters have an auto drain and the third has a manual drain. Filter change indicators standard. Use in the upright and closed position. An intrinsically safe version available. Meets or exceeds OSHA 1910.134 and Canadian breathing air standards.



BB50-CO



Low Pressure Ambient Air Pumps for Hood or Constant Flow Masks



BAC-17

For use with Type-C constant flow respirators only (0-15 psi) or hood-style respirators (0-15 psi). Available for 3 or 4 person use. Specify fittings Hansen style or Schrader when ordering.


Specification:

- 0.5-0.7 Micron inlet and compressor filters
- Adjustable pressure relief valve
- Pressure gauge, 0-30 psi
- Slip-resistant, shock-absorbing rubber mounts
- Thermal overload protection
- UL® listed and CSA certified

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BB15-CO	05823627	Breather Box® w/ CO monitor, 48 CFM flow capacity & 1 coupling	Ea	\$1,752.24
▲ BB30-CO	05823628	Breather Box® w/ CO monitor, 48 CFM flow capacity & 2 couplings	Ea	\$2,048.30
▲ BB50-CO	05823629	Breather Box® w/ CO monitor, 79 CFM flow capacity & 4 couplings	Ea	\$2,410.84
▲ BB100-CO	05892810	Breather Box® w/ CO monitor, 123 CFM flow capacity & 4 couplings	Ea	\$3,015.05
▲ BB50-COIS	05892811	Breather Box®, intrinsically safe, w/ CO monitor, 79 CFM flow capacity & 4 couplings	Ea	\$2,410.84

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BAC-17	05892817	Low-pressure, 3-person, ambient air pump	Ea	\$2,841.99
▲ BAC-20	05892818	Low-pressure, 4-person, ambient air pump	Ea	\$3,230.42

BB50-COPM



Grade-D Filtration Breathing Air Panels

Filters compressor air to provide Grade-D quality air for a specific number of workers. First stage element filters bulk water and particulates. Second stage coalescing filter removes atomized oils and ultra-fine particulates. Third stage removes organic vapors and odors. Filter change indicators are standard on all three filtration stages. Built-in CO monitor operates on twin 9 VDC, 115 VAC or 8-16 VDC for continuous detection. High-intensity audible alarm and light signals a high CO content in breathing air.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BB50-COPM	05892812	Panel-mounted filtration w/ CO monitor, 79 CFM flow capacity & 4 couplings	Ea	\$2,531.68

Portable Carbon Monoxide Airline Monitors

Protect workers from harmful effects of carbon monoxide while using ambient air pumps, oil-less compressors or a breathing air filtration source. Features 9 VDC and/or 115 VAC and 5' hose. Audible alarm and light will activate when CO level exceeds 10 ppm (5 ppm Canadian). Two year warranty on CO sensor.



CO91-14LAC



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ CO91-14LAC	05892813	Portable CO monitor, 9 VDC and/or 115 VAC, 5' hose, 150 psi rated maximum pressure	Ea	\$1,564.93
▲ CO91-14HAC	05892814	Portable CO monitor, 9 VDC and/or 115 VAC, 5' hose, 5000 psi rated maximum pressure	Ea	\$1,927.46
▲ BBK-20	05814685	Calibration kit for CO monitor, 20 ppm CO & zero air, 17 L	Ea	\$265.86

MULTI-PAK™ Bottled Air Carts

Portable multi-functional rapid response bottled air systems are ideal for confined space entry, hazmat, fire rescue, emergency response teams and water/sewage treatment facilities. Low-pressure alarm whistle, standard aluminum outlet manifold, in-line check valves and rear hose rack. Available in 2400 psi or 5000 psi. The 2400 psi units have CGA-346 wrench tight nuts and 4500 psi has CGA-347 hand-tight nuts. Cylinders ordered separately. Specify Hansen or Schrader fittings.



MP-2L

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ MP-2L	05892819	MULTI-PAK™ small 2-cylinder air cart, 2400 psi w/ 2-outlet manifold, CGA-346 wrench-tight nuts, no cylinders	Ea	\$1,564.93
▲ MP-2H	05892820	MULTI-PAK™ small 2-cylinder air cart, 4500 psi w/ 2-outlet manifold, CGA-347 hand-tight nuts, no cylinders	Ea	\$1,752.24
▲ MP-4H	05892821	MULTI-PAK™ small 2-cylinder air cart, 4500 psi w/ 4-outlet manifold, high flow regulator, CGA fits CGA-346 or 347, CGA-347 hand-tight nuts, no cylinders	Ea	\$1,873.09
▲ MP-2300HNB	05892829	MULTI-PAK™ large 2-cylinder cart 5000 psi w/ electronic alarm, CGA-347 hand tight nuts, no cylinders	Ea	\$3,256.75

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Blast-Air™ Carts



Designed for commercial sandblasting, paint and coatings industry. Breather Box® mounted on a BA-1CAA pre-filter cart. Air can be supplied to cart from mobile or plant air compressors and pre-filtered through high-capacity water, oil, and particulate separators located on the rear of rugged steel cart. Pre-filters automatically drain large amounts of oil and water discharged from a compressor before it enters the Breather Box®. Dual pre-filters extend filter life and reduce maintenance downtime and cost.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BA-30	05892823	30 CFM Breather Box®/Blast-Air™ cart, 48 CFM flow capacity & 2 couplings	Ea	\$3,377.59
▲ BA-50	05892824	50 CFM Breather Box®/Blast-Air™ cart, 79 CFM flow capacity & 4 couplings	Ea	\$3,619.28
▲ BA-100	05823630	100 CFM Breather Box®/Blast-Air™ cart, 123 CFM flow capacity & 4 couplings	Ea	\$4,223.50
▲ BA-100-6	05892825	100 CFM Breather Box®/Blast-Air™ cart, 123 CFM flow capacity & 6 couplings	Ea	\$4,289.96
▲ BA-100-8	05823631	100 CFM Breather Box®/Blast-Air™ cart, 123 CFM flow capacity & 8 couplings	Ea	\$4,344.34
▲ BA-1CAA	05892826	Blast-Air™ cart only w/ rear filters & connect hose	Ea	\$1,444.09
▲ BB-100A	05892827	Pre-filter replacement element for Blast-Air™ cart, rear filters	Ea	\$60.42



BA-50



7900 Series Mouthbit Respirator

Honeywell North 7900 Series mouthbit respirator offers a quick and economical method to escape non-IDLH emergency situations. Large, soft and flexible nose pads hold securely without pinching. Wider nose clip fits a variety of facial types. Silicone mouthpiece is more comfortable to wear over long periods. Packed in sealable plastic bag.



7902

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7902	05870270	Mouthbit respirator/ specific acid gases	Ea	\$22.17

Honeywell

ER5000 Escape Breathing Apparatus (EBA)

Supplies 5- or 10-minutes of emergency breathing air, giving workers time needed to safely escape from toxic or oxygen-deficient atmospheres. Assembled device is fully contained in a carry pouch and is composed of a refillable cylinder, valve and pressure gauge assembly, breathing tube, protective air hood and regulator. Can be donned and functioning in seconds.



975638

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 975638	05892834	ER5000 EBA, 5-minute	Ea	\$551.34
▲ 975647	05892835	ER5000 EBA, 10-minute	Ea	\$639.64



Escape Respirator Storage Bag

Durable and convenient storage bag for escape respirators. Sewn seams for added strength. Fold-over flap on front with swivel belt clip on back.



FRONT

BACK

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
D0715BC	05801037	Escape respirator storage bag	Ea	\$8.05

Honeywell

Panther™ Hip-Pac Tight-Fitting Pressure Demand SAR

Respirators and Hip-Pacs provide highest level of interchangeability, protection, and ease of operation. Full facepiece PD-SARs offer simplicity and reliability of Panther mask-mounted regulators. Hip-Pacs enhance protection in environments immediately dangerous to life or health (IDLH), with 5- or 10-minute escape cylinders. Panther PD-SARs and Hip-Pacs provide significant cost savings and convenience as part of fully interchangeable respirator systems.



P968475

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ P968455	05892836	Hip-Pac w/ 5-min. escape w/ Quick-disconnect & no couplings, 2216 psig aluminum cylinder, Kevlar® harness	Ea	\$1,893.79
▲ P968475	05823688	Hip-Pac w/ 10-min. escape w/ Quick-disconnect & no couplings, 3000 psig aluminum cylinder, Kevlar harness	Ea	\$1,974.63

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Honeywell Cougar™ SCBA

Silicone rubber facepiece provides comfort and durability, even in extreme heat or cold. Won't oxidize or react with ozone. Also provides better sealing ability for improved comfort and fit. Five-strap head harness and skirt are available in (3) color-coded sizes (Twenty20+® Plus facepiece). Available in small and standard sizes in blue and black (Classic™ facepiece). Optional headnet mesh-style head harness. First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs. Choice of three low air alarms: bell, plain whistle, or warbling whistle. Second stage regulator has compact, low profile; Air Klic™ fastening system; first-breath-on; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode. Mighty-Light® backpack is light, easy to use, and comfortable; no tools required for quick, easy disassembly and assembly.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 888888	05892838	Basic industrial SCBA, low pressure, 30-min., 2216 psig, bell alarm, aluminum cylinder w/out locking collar, facepiece, nose cup, silicone headstrap	M	Ea	\$2,066.11



888888



Deluxe and Standard Wall Cases

Wall cases protect respirators against damaging plant environments. Made of corrosion-resistant ABS with ultraviolet inhibitors. Non-metallic hinges and latches prevent rust, while a rubber door seal protects equipment from dust and moisture. Deluxe case comes with shelf and single SCBA cylinder bracket. Standard case offers the same large capacity, without shelf or bracket. Measures: 20" W x 13" D x 32 1/2" H.



4100

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4101	05848270	Standard wall case	Ea	\$334.59
▲ 4100	05848271	Deluxe wall case	Ea	\$391.95

Honeywell PUMA™ SCBA

Based on the Cougar platform, the PUMA SCBA includes a tight-fitting hood, a neoprene neck seal and is rated for entry into immediately dangerous to life or health (IDLH) environments. No need for spectacles kits. Hood is made from Challenge® NXT barrier fabric (fluoropolymer films laminated to aramid substrates) for excellent permeation resistance. Lens is made from 10 mil FEP Teflon®. Flexible neoprene neck seal provides excellent protection against contaminants in IDLH atmospheres. Factory-installed silicone nose cup; available in three sizes; reduces fogging and CO2 buildup in hood.

777777



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 777777	05892839	PUMA, hood w/ medium nose cup, plain whistle alarm, 2216 psig 30-min. aluminum cylinder w/out locking collar	M	Ea	\$2,377.43

Dräger

PAS® Lite SCBA

State-of-the-art pressure mapping technology improves stability and reduces back strain, stress and fatigue. Carbon composite space frame and non-metallic buckles decrease weight. Features strong, durable harness material, flame-retardant adjusting straps and rubber gauge cover. Includes integrated Lung Demand Valve (LDV) in 2216 psi or 4500 psi. Available with a variety of accessories. Call for more information.



4046190

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4046190	05859109	PAS Lite SCBA, 2216 psi	Ea	\$1,393.50
▲ 4046191	05859110	PAS Lite SCBA, 4500 psi	Ea	\$1,429.41

Dräger

PSS 3000

Strong, durable harness constructed of carbon composite space frame with the same pneumatics as found in the class-leading PSS 7000. State-of-the-art pressure mapping technology to improve stability and reduce back strain, stress, and fatigue. Easy assembly and disassembly, as well as non-absorbent, chemical-resistant materials make cleaning and maintenance quick and easy. Ideal for plant maintenance, plant and operational safety, and even emergency response because it offers flame-retardant materials.



4046195


MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4046195	05859111	PSS 3000, NIOSH 2216 psi	Ea	\$1,864.45
▲ 4046196	05859112	PSS 3000, NIOSH 4500 psi	Ea	\$1,864.45

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Saccharin Fit Test Kit

When the sweet taste of saccharin is detected, the respirator has failed its fit test. Offers OSHA-compliant testing of disposable and reusable dust and mist respirators. Includes poly-coated hood, (2) nebulizers, sensitivity and fit test solutions, and instructions. Replacement solutions are in ampules.



2040

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 2040	05892844	Saccharin test kit	Ea	\$201.77
▲ 2040-11K	05892842	Sensitivity solution only, 6/Bx	Ea	\$14.86
▲ 2040-12K	05892843	Test solution only	Ea	\$14.86



Bitrex™ Fit Test Kit

Offers qualitative OSHA-compliant fit testing for disposable and reusable dust and mist respirators. Bitrex creates a bitter taste that indicates break through in the respirator fit. Bitrex is safer than saccharin tests while producing identical results. Disposable glass ampules make pouring solution into nebulizers easier and reduces the chance of contamination.



2041

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2041	05802041	Bitrex test kit	Ea	\$201.77
▲ 2041-11K	05892840	Sensitivity solution only, 6/Bx	Ea	\$14.86
▲ 2041-12K	05892841	Test solution only	Ea	\$14.86



3M™ Qualitative Fit Test Apparatus

3M™ equipment and procedures provide a simple, direct way to help meet OSHA qualitative fit testing requirements. Fit test products can be used with any particulate or gas/vapor respirator with a particulate prefilter to test face-to-respirator seal. Equipment helps satisfy respiratory protection program requirements and is easy to use during respiratory protection training. Available 3M™ Fit Test Kits Include: 3M™ Hood and Collar Assembly, 3M™ Sensitivity Solution, 3M™ Fit Test Solution, (2) nebulizers, and English/Spanish Instruction Book.



FT-10

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FT-10	00563587	Qualitative Fit Test Apparatus, Sweet	Ea	\$291.37
▲ FT-30	05810030	Qualitative Fit Test Apparatus, Bitter	Ea	\$330.16

⚠ SEE WARNING ON PAGE 86.



Respirator Cleaning Kits

Convenient cleaning and storage for full face and half mask respirators. Contains: 1-gal. of concentrate liquid disinfectant cleaner, air bulb, brush, (100) sterile storage bags/seals and large 17-qt., 2-sided bucket. EPA registered. Meets OSHA recommendations.



4002

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4002	05892850	Respirator cleaning kit w/ liquid cleaner	Ea	\$144.90



Disposable Respirator Storage Bags

Single-use disposable storage bags with gusset help prevent cross contamination of any personal safety equipment such as respirators or earmuffs. Include pressure-sensitive seals where cleaning information can be recorded. Measures: 21" L x 11" W x 8" D.



4001-05

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4001-05	05892852	Large disposable respirator storage bags, 100/Bx	Bx	\$22.92

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Welding joins materials together by melting a metal work piece along with a filler metal to form a strong joint. The welding process produces visible smoke that contains harmful metal fume and gas by-products.

Acute exposure to welding fumes and gases can result in eye, nose and throat irritation, dizziness and nausea. Workers in the area who experience these symptoms should leave the area immediately, seek fresh air and obtain medical attention. Prolonged exposure to welding fumes may cause lung damage and various types of cancer, including lung, larynx and urinary tract. Health effects from certain fumes may include metal fume fever, stomach ulcers, kidney damage and nervous system damage. Prolonged exposure to manganese fume can cause Parkinson's like symptoms. Gases such as helium, argon, and carbon dioxide displace oxygen in the air and can lead to suffocation, particularly when welding in confined or enclosed spaces. Carbon monoxide gas can form, posing a serious asphyxiation hazards.

Go to www.osha.gov for complete details.

WELDING

Gloves	106-107
Apparel	107-108
Helmets	109-110
Welding Plates & Accessories	109-110
Blankets & Curtains	111
Respiratory	112



4300



4300 Series Economy Welding Gloves

Made from select premium shoulder russet leather generously cut in Gunn pattern with wing thumb and 1-piece leather back. Lined with a full sock black cotton drill, in-sewn at all finger tips and welted in high-stress areas with a turned leather hem. Ideal for welding and heat applications, plus all general purpose applications requiring heat, flame or spark protection.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
4300	05834300	Select shoulder welding gloves	XL	Pr	\$9.48



4950



Mustang™ Mig/Tig Welding Gloves

Made from premium grain, select heavy side cow leather on the palm and back. Features die-cut Gunn pattern, wing thumb, in-sewn at all fingertips and a long gauntlet cuff. All seams are fully-welted with turned leather hems and flame-resistant sleeves. Sewn throughout with heat-resistant DuPont™ Kevlar® thread. Unlined. Ideal for welding and heat applications, plus all general purpose applications requiring heat, flame or spark protection.

MFG #	DILLON #	SIZES	UOM	PRICE
Mig/Tig Welding Gloves				
4950-M	05804950	M	Pr	\$18.65
4950-L	05804951	L	Pr	\$18.65
4950-XL	05849504	XL	Pr	\$19.51



1018 Stick Welders Gloves

Durable, slightly select shoulder split cowhide insulated with cotton/foam lining for added heat protection. Welted fingers protect stitching. Lock stitched with Kevlar® thread for added strength. Reinforced thumb. 14" Length. Blue.



1018

MFG #	DILLON #	SIZES	UOM	PRICE
1018 Stick Welders Gloves				
1018M	05895057	M	Pr	\$9.34
1018L	05800990	L	Pr	\$9.34
1018XL	05800989	XL	Pr	\$9.34
10182X	05800988	2XL	Pr	\$9.34



TIG Welder Gloves

Made from top grain pearl kidskin palm with 4" split cowhide leather cuff and straight thumb. Unlined to maximize feel and dexterity. Features lock stitching with Kevlar® thread for added strength.



P702785

MFG #	DILLON #	SIZES	UOM	PRICE
TIG Welder Gloves				
P702785-M	05880214	M	Pr	\$15.14
P702785-L	05880215	L	Pr	\$15.14
P702785-XL	05880216	XL	Pr	\$15.14
P702785-2XL	05880217	2XL	Pr	\$15.14



24C TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection. Unlined. Pearl.



24C

MFG #	DILLON #	SIZES	UOM	PRICE
Kidskin TIG Gloves				
24CM	05809116	M	Pr	\$16.97
24CL	05800987	L	Pr	\$16.97
24CXL	05800986	XL	Pr	\$16.97
24C2X	05828668	2XL	Pr	\$16.97



24D TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 2" cuff for added protection. Unlined. Pearl.



24D

MFG #	DILLON #	SIZES	UOM	PRICE
Kidskin TIG Gloves				
24DL	05804963	L	Pr	\$15.80
24DXL	05804962	XL	Pr	\$15.80

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





TILLMAN® 1155 Insulated Extended Cuff Stick Welders Gloves

Premium, durable side split cowhide for strength. Cotton/foam-lined for moisture absorption and heat protection. Insulated extended cuff for added heat protection on forearms. Double reinforced wing thumb for extra strength on key stress areas to maximize wear and protection. Sewn with Kevlar® thread for added strength. Welted fingers protect stitching from burning and abrasion. 20" Length.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1155	05831826	1155 Welders gloves	L	Pr	\$20.11

1155



TILLMAN® 1350 MIG Welders Gloves

Heavy-duty top-grain cowhide MIG welding gloves, unlined with 4" cuff for added protection. Features wing thumb and seamless forefinger for comfort. Lock stitched with Kevlar® thread for added strength. Pearl.



1350

MFG #	DILLON #	SIZES	UOM	PRICE
Cowhide MIG Welders Gloves				
1350M	05813502	M	Pr	\$14.33
1350L	05813503	L	Pr	\$14.33
1350XL	05870618	XL	Pr	\$14.33



TILLMAN® FR Goatskin Sleeves

Premium top grain goatskin from wrist to upper elbow protects key exposure areas from sparks and spatter with less bulk. Upper sleeve made from 9 oz. royal blue Westex® FR7A® FR cotton. Leather seams are sewn with Kevlar® thread for strength and heat resistance. Features 2 1/4" external elastic at both ends to secure sleeve to arm. 18" Leather/cotton length, 22" overall length.



9215



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9215	05809114	FR Goatskin sleeves	Pr	\$20.96



TILLMAN® Standard Double-Layer Backhand Pad

Offers double-layer protection with aluminized carbon Kevlar® top and vermiculite-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H.



550

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
550	05823696	Standard double-layer backhand pad	Ea	\$6.73



MCR SAFETY Limited Flammability Cotton Sleeves

Made of 9 oz. green sateen cotton treated to offer limited flammability. Economical protection from sudden flame exposure, light molten splash and sparks. Features elastic at both ends. Maintains limited flammability up to 50 home washings or 25 commercial washings up to 165° F. 18" Length. Tested in accordance with ASTM D6413 Test Method.



39418



IRONTEX™ FR Cotton Sleeves

Made from flame-retardant 9 oz. green 100% cotton fabric. Protects arms from spark and spatter. Elastic at top of arm and wrist. 18" Length.



7071/18

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7071/18	05804957	IRONTEX FR cotton sleeves	Pr	\$5.76

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
39418	05839418	Sateen cotton sleeves w/ elastic both ends	Pr	\$7.58

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



TILLMAN® Backbone of America Welding Jacket

Made of 9 oz. Westex® FR7A®, 100% cotton flame-retardant fabric. Offers economical protection for light-duty welding activity. Must be kept clean to ensure protection. Features Backbone of America graphic on back, Onyx logo on front, soapstone pocket on each sleeve, and outside front pocket for small item storage and easier access. Cool, comfortable and washable. Maintains flame resistance for up to 50 home or 25 commercial washings. 30" Length. Black.

MFG #	DILLON #	SIZES	UOM	PRICE
Welding Jacket				
▲ 9061M	05848392	M	Ea	\$33.79
9061L	05848391	L	Ea	\$33.79
9061XL	05848393	XL	Ea	\$33.79
90612X	05848389	2XL	Ea	\$37.17
▲ 90613X	05848390	3XL	Ea	\$40.55



TILLMAN® Weld Work Win Jacket

Made of 9 oz. Westex® FR7A®, 100% cotton, flame-retardant fabric. Offers economical protection for light-duty welding activity. Must be kept clean to ensure protection. Features Weld Work Win graphic on back, Onyx logo on front, soapstone pocket on each sleeve and outside front pocket for small item storage and easier access. Cool, comfortable and washable. Maintains flame resistance for up to 50 home or 25 commercial washes. 30" Length. Black.

MFG #	DILLON #	SIZES	UOM	PRICE
Welding Jacket				
▲ 9063M	05848397	M	Ea	\$33.79
9063L	05848396	L	Ea	\$33.79
9063XL	05848398	XL	Ea	\$33.79
90632X	05848394	2XL	Ea	\$37.17
▲ 90633X	05848395	3XL	Ea	\$40.55



TILLMAN® Cowhide Leather Jackets

Premium, side-split cowhide jacket sewn with Kevlar® thread throughout. Features soapstone pocket on each sleeve, outside pocket and underarm gusset for ease of movement. Bourbon brown.

MFG #	DILLON #	SIZES	UOM	PRICE
Cowhide Split Leather Jacket, 36"				
▲ 3285S	05853715	S	Ea	\$91.07
▲ 3285M	05853716	M	Ea	\$91.07
▲ 3285L	05853717	L	Ea	\$91.07
▲ 3285XL	05853718	XL	Ea	\$91.07
▲ 32852X	05853719	2XL	Ea	\$100.16
▲ 32853X	05853720	3XL	Ea	\$109.27

MFG #	DILLON #	SIZES	UOM	PRICE
Cowhide Split Leather Jacket, 30"				
▲ 3280S	05853707	S	Ea	\$78.38
▲ 3280M	05853708	M	Ea	\$78.38
▲ 3280L	05853709	L	Ea	\$78.38
▲ 3280XL	05853710	XL	Ea	\$78.38
▲ 32802X	05853711	2XL	Ea	\$86.23
▲ 32803X	05853712	3XL	Ea	\$94.08
▲ 32804X	05853713	4XL	Ea	\$109.74
▲ 32805X	05853714	5XL	Ea	\$125.41

3280



IRONTEX™ FR Cotton Jacket

Flame-retardant 9 oz., 100% cotton fabric protects from light spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Adjustable snap at wrist for custom fit. Good for 100 home washings. 30" Length. Green.

7050



MFG #	DILLON #	SIZES	UOM	PRICE
FR Cotton Jacket				
7050/M	05806230	M	Ea	\$23.52
7050/L	05816230	L	Ea	\$23.52
7050/XL	05826230	XL	Ea	\$23.52
7050/2XL	05826231	2XL	Ea	\$25.87
7050/3XL	05836230	3XL	Ea	\$27.43



TN1-01



Tuff Nougies® Beanie

Three-panel beanie with plush cotton front to back center panel with elastic in forehead. Navy. Universal. 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
TN1-01	05848277	Cotton beanie	Ea	\$2.18

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



WH032L

Inweld
Welding Alloys & Supplies
by **Norstar**

N2WHADF300SBLK



N212000



N213000

Flip Front Welding Helmet

Flip front helmet with polycarbonate lens and ratchet headgear. Comes standard with Shade 11 lens.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
WH032L	05889569	2" x 4" Welding helmet	Ea	\$18.90

300S Solar Auto-Darkening Filter Welding Helmet

Lightweight, high-impact resistant helmet features variable Shades 9-13. Solar-powered; no batteries required. Features (2) arc sensors and cheater (magnification) lens adapter built in. Ideal for GMAW, SMAW, FCAW and plasma arc welding/cutting. Viewing Area: 98 mm x 44 mm. One year warranty. Meets EN, DIN, ISO9001-200, ANSI Z87.1-2003 and CAN/CSA Z94.3.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
N2WHADF300SBLK	05800176	300S ADF helmet		Ea	\$75.64
LADF300SI	05800177	Inside cover lens	1.87" x 3.81" x 0.040"	Ea	\$1.84
LADF300SF	05800178	Outside cover lens	4" x 4.5" x 0.040"	Ea	\$0.75

Series 2 Auto-Darkening Welding Helmet

Offers weld or grind modes and is TIG welding rated down to 5 amps. Features variable shade 8-13, variable sensitivity and delay adjusting, Mag lens holder and replaceable batteries. In the grind mode the lens stays in light state shade 3 for clarity and protection while grinding without using a separate faceshield. Viewing area: 6.67 sq. in. Meets standards EN379 CE/ANSI Z87.1/CSA Z94.3.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
N212000	05852361	Series 2 welding helmet	Ea	\$99.93


Series 3 Auto-Darkening Welding Helmet

Offers weld or grind modes and is TIG welding rated down to 5 amps. For oxy/fuel and plasma cutting applications, use variable shade #5 to #8 in the cut mode. mode leaves the auto-darkening lens in light state shade 3. OS technology is built in which provides benefits when welding outdoors and for low amperage welding and obstructed view welding applications. Features variable shade 8-13, Mag lens holder and replaceable batteries. Viewing area: 13.51 sq. in. Meets standards EN379 CE/ANSI Z87.1/CSA Z94.3.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
N213000	05852360	Series 3 welding helmet	Ea	\$203.33

Series 2 and 3 Welding Helmet Lenses

Outside cover lenses fits Inweld Series 2 and 3 welding helmets. Inside lenses are specific for each Series. 5/Pack. Clear.



N290000

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
N290000	05852359	Series 2 & 3 outside protective lenses	Pk	\$8.16
N290002	05852357	Series 2 inside cover lenses	Pk	\$4.15
N290003	05852356	Series 3 inside cover lenses	Pk	\$5.57

Magnifier Lenses

A variety of plastic lens magnifiers are available.

LMAG



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
LMAG125	05800159	Plastic magnifier lens, 2" x 4 1/4", diop x 1.25	Ea	\$7.51
LMAG150	05800158	Plastic magnifier lens, 2" x 4 1/4", diop x 1.5	Ea	\$7.51
LMAG200	05800157	Plastic magnifier lens, 2" x 4 1/4", diop x 2.0	Ea	\$7.51

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



23286



Jackson Safety* WH30 Element* Welding Helmet

Features an economical lens for the consumer welder. Solar powered. Fixed Shade 10 lens with (2) independent sensors. Cartridge size is 3.5" x 4.33" and viewing area is 1.65" x 3.78". Meets ANSI Z87.1-2010 standards, CSA compliant and CE Certified.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
23286	05823294	WH30 Element* Welding Helmet - Fixed Shade 10 ADF	Ea	\$92.08
23440	05823375	WH30 Element* Lens Kit - 5 Front & 2 Rear Safety Plates, 10/Bx	Ea	\$9.92



Jackson Safety* HSL 100 Series Passive Welding Helmet

Narrow shell design is perfect for working in tight spaces. Features 4 1/2" x 5 1/4" fixed front. Extended front increases throat protection against sparks, slag and other physical hazards. Standard Shade 10 polycarbonate filter plate and cover plates are installed at the factory. Black. Meets ANSI Z87.1-2010 and CSA Z94.3 compliant.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
14975	05840504	HSL 100 Passive welding helmet	Ea	\$54.29

14975



Flexible Frame Goggles

Constructed with soft PVC body and lift front lens with tough, durable ABS lens holder. Features elastic strap to firmly hold goggles in place, and IR Shade 5 polycarbonate lens that is indirectly vented to reduce fogging and control the influx of liquids.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
WG100	05832696	Flexible frame goggles	Pr	\$19.14

WG100



Anser Shade 5 Safety Glasses

Sleek, lightweight, sporty design in a semi-rimless style incorporates wraparound protection. Bayonet temples with flexible rubber tips and soft rubber nose pads offer a comfortable, secure fit. Polycarbonate lenses. Each style is supplied with free neck cord. Meets ANSI Z87.1+ High Impact standard.

MFG #	DILLON #	DESCRIPTION	FRAME	LENS	UOM	PRICE
250-AN-10119	05819210	Anser	Black	IRUV 5.0, anti-scratch	Pr	\$8.55

250-AN-10119



Welding Plates

A variety of replacement lenses are available.

L4PH10




MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ L2CLCR39	05880080	Welding plate, 2" x 4 1/4", clear, CR39*	Ea	\$1.37
▲ LPOLY2H10	05880005	Welding plate, 2" x 4 1/4", Shade 10	Ea	\$3.11
▲ LPOLY2H05	05889573	Welding plate, 2" x 4 1/4", Shade 5	Ea	\$3.20
L4CLCR39	05880009	Welding plate, 4 1/2" x 5 1/4", clear, CR39*	Ea	\$1.47
L4PH10	05880010	Welding plate, 4 1/2" x 5 1/4", Shade 10	Ea	\$5.43

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Light- and Medium-Duty Welding Blankets

Light-duty blanket is made from 18 oz. white fiberglass without coating. Medium-duty blanket features 24 oz. gold acrylic-coated fiberglass. Both have a 1000° F melting temperature. FM approved as a welding curtain.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
584B66	05800984	Light-duty welding blanket, 18 oz.	6' x 6'	Ea	\$24.02
584B68	05800983	Light-duty welding blanket, 18 oz.	6' x 8'	Ea	\$32.14
590B66	05800985	Medium-duty welding blanket, 24 oz.	6' x 6'	Ea	\$38.74
▲ 590B68	05853272	Medium-duty welding blanket, 24 oz.	6' x 8'	Ea	\$51.96

Premium Welding Blankets

Made of 16 oz. Thermofelt for light-duty welding, light sparks and spatter. Non-flammable, non-melting, non-shrinking and scratch free. Working temperature: 1800° F. Smoking and loss of tensile strength will occur when subject to molten metal. Not designed for stress relief.


MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 615B66	05853269	Thermofelt blanket	6' x 6'	Ea	\$115.33
▲ 615B68	05853268	Thermofelt blanket	6' x 8'	Ea	\$153.77

Heavy-Duty Welding Blankets

Made of 18 oz. bronze silica for heavy-duty welding, molten metal, sparks and spatter. 1800° F working temperature, 3000° F melt temperature. FM approved welding curtain.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 594B66	05853271	Silica blanket	6' x 6'	Ea	\$75.68
▲ 594B68	05853270	Silica blanket	6' x 8'	Ea	\$100.91

594B66



603-1066

603-R66

Welding Curtains

Made from flame-retardant, transparent 14-mil vinyl. Provides optical protection when visibility is required. Formulated to disperse arc image and allow light back into work area. Measures: 6' x 6'. CFM approved.

**Note: Transparent vinyl welding curtains are not intended as a substitute for normal eye protection for close or long term viewing. It is recommended the user wear protective eyewear suitable for the specific application.*

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
603-1066	05800981	Single panel welding curtain w/ frame	6' x 6'	Ea	\$96.90
603-R66	05800982	Replacement welding curtain, orange	6' x 6'	Ea	\$31.17

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



8212

3M 3M™ Particulate Welding Respirator 8212, N95, with Faceseal

Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve, cake-resistant filter media, comfort foam faceseal and adjustable noseclip and straps. Flame-resistant protective layer is not a substitute for a faceshield. Meets NIOSH 42 CFR 84 N95 requirements. 10/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8212	05828212	Particulate Welding Respirator N95 w/ Faceseal	Ea	\$7.41



8214

3M 3M™ Particulate Welding Respirator 8214, N95 with Nuisance Level** Organic Vapor Relief

Designed for applications such as welding, soldering and other operations in which metal fumes may be present, including those present with ozone* and nuisance level** organic vapors. Features 3M™ Cool Flow™ Valve. 10/Box.

**3M™ recommended for ozone up to 10 x PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.*

***3M™ recommended for relief against nuisance levels of organic vapors. Nuisance level refers to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower.*

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8214	05808214	Particulate Welding Respirator N95 w/ Faceseal, Ozone Protection* & Nuisance Level** Organic Vapor Relief	Bx	\$88.67




8233

3M 3M™ Particulate Respirator 8233, N100

Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10 x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam faceseal, adjustable straps and lightweight construction. Respirators are individually packaged. NIOSH Approval TC-84A-1298. 20/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8233	05808233	Particulate Respirator N100	Ea	\$10.41

2300N95



Moldex 2300N95 Series N95 Disposable Respirators with Exhale Valve

Suitable for most welding applications. Exhale valve reduces hot air buildup and breathing resistance, keeping workers cooler. Dura-Mesh® shell protects filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam nose cushion provides a comfortable fit. No metal noseband to adjust. Softspun® lining gives added comfort and durability. NIOSH certified for a filter efficiency of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. If used for welding, wear appropriate eye and face protection. 10/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2300N95	05802300	N95 Disposable respirator w/ valve	M/L	Bx	\$30.61
2307N95	05892797	N95 Disposable respirator w/ valve	Low profile	Bx	\$30.61
2350	05802692	2300 Series respirator locker, 5/Locker	M/L	Ea	\$18.43



2400N95

Moldex 2400N95 Series N95 Plus Nuisance Organic Vapors/Ozone Disposable Respirator

Pinch-free nosebridge eliminates discomfort and readjustment necessary with metal nosebands. Exhale valve releases hot air easier and reduces breathing resistance, which keeps workers cooler and allows masks to last longer. Dura-Mesh® shell resists collapsing, even in heat and humidity. Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. 10/Box.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2400N95	05802400	N95 Disposable respirator w/ nuisance OV relief	M/L	Bx	\$51.79

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



A fall arrest system is required if any risk exists that a worker may fall from an elevated position. As a general rule, the fall arrest system should be used anytime a working height of six feet or more is reached. Working height is the distance from the walking/working surface to a grade or lower level. A fall arrest system will only come into service should a fall occur. A full-body harness is recommended in conjunction with a shock-absorbing lanyard or self-retracting lifeline. A full-body harness distributes the forces throughout the body, and the shock-absorbing lanyard decreases the total fall arresting forces.

Positioning

This system holds the worker in place while keeping his/her hands free to work. Whenever the worker leans back, the system is activated. However, the personal positioning system is not specifically designed for fall arrest purposes.

Suspension

This equipment lowers and supports the worker while allowing a hands-free work environment, and is widely used in window washing and painting industries. These suspension system components are not designed to arrest a free fall; a backup fall arrest system should be used in conjunction with the suspension system.

Retrieval

Preplanning for retrieval in the event of a fall should be taken into consideration when developing a proactive fall management program.

Go to www.osha.gov for complete details.

FALL PROTECTION

Harnesses	114-115, 122-123, 125
Lanyards & Positioning	116, 124, 126
Anchors & Connectors	117, 124-125, 127
PFLs and SRLs	118-121, 124, 126, 128
Kits & Accessories	126
Rescue/Descent	121, 126, 128



Miller AirCore™ Harnesses

Lightweight, full-body harness designed with breathable, open-core padding technology that provides optimal air flow while reducing heat and moisture entrapment, keeping worker drier and cooler. Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort. Unique cam buckles on the shoulder straps make vertical webbing adjustment easy. Original, vibrant style design for easy identification and greater visibility. Includes stand-up back D-ring, quick-connect chest and leg straps, and sub-pelvic strap. Available with steel or aluminum components. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA requirements.

AC-QC/UGN



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Back D-Ring					
▲ AC-QC/S/MGN	05875197	AirCore w/ steel components	S/M	Ea	\$269.68
AC-QC/UGN	05875196	AirCore w/ steel components	Universal	Ea	\$269.68
▲ AC-QC/XXL/XXXLGN	05875195	AirCore w/ steel components	2XL/3XL	Ea	\$269.68
▲ ACA-QC/UGN	05831832	AirCore w/ aluminum components	Universal	Ea	\$339.34
Back and Side D-Rings, Lumbar Pad and Removable Belt					
▲ AC-QC-BDP/S/MGN	05875200	AirCore w/ steel components	S/M	Ea	\$327.85
AC-QC-BDP/UGN	05875199	AirCore w/ steel components	Universal	Ea	\$327.85
▲ AC-QC-BDP/XXL/XXXLGN	05875198	AirCore w/ steel components	2XL/3XL	Ea	\$327.85
▲ ACA-QC-BDP/UGN	05831828	AirCore w/ aluminum components	Universal	Ea	\$402.36

RDT-QC-UBK

Miller Revolution™ Harnesses with DualTech™ Webbing

DualTech webbing offers soft, textured inside and durable, chemical-resistant polyester outer material. Features ErgoArmor™ semi-flexible back shield for impact protection, PivotLink™ connection, quick-release cam buckles for one-hand adjustments, self-contained label pack, quick-connect chest buckle, stand-up back D-ring, sub-pelvic strap and web finials. Tested to 7,000-lb. minimum tensile strength for greater safety and longer service life. Rated to 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ RDT-QC/S/MBK	05804117	Revolution w/ DualTech webbing	S/M	Ea	\$295.60
RDT-QC/UBK	05892945	Revolution w/ DualTech webbing	Universal	Ea	\$295.60
▲ RDT-QC/XXL/XXXLBN	05804115	Revolution w/ DualTech webbing	2XL/3XL	Ea	\$325.17

650CN-BP/UGN



Miller Contractor Harnesses

Specifically designed for use in construction. Lightweight, non-stretch webbing with a combination back D-ring pad/shoulder pads to minimize discomfort and stress around neck and shoulders. Soft lumbar back pad adds support and comfort. Features belt loops and removable waist belt, tongue-buckle leg straps, friction-buckle shoulder adjustments, mating-buckle chest straps, self-contained label pack and (2) pull-free lanyard rings. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 650CN-BP/S/MGN	05872134	Contractor harness	S/M	Ea	\$167.58
650CN-BP/UGN	05872135	Contractor harness	Universal	Ea	\$167.58
▲ 650CN-BP/XXLGN	05872133	Contractor harness	2XL	Ea	\$184.32

Miller DuraFlex® ULTRA Harnesses

Patented, stretchable elastomer webbing provides greater comfort and features a bright, highly visible design and tough interwoven webbing. Includes sub-pelvic strap, belt loops, and quick-connect buckle chest and leg straps that interlock similar to a seat belt, allowing for easy donning. Dual-tab release mechanism prevents accidental opening. Comfort touch back D-ring pad designed with woven, breathable fabric for cooler extended wear comfort and orients harness for quick tangle-free donning. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA requirements.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ E650QC/S/MGN	05897018	DuraFlex ULTRA	S/M	Ea	\$189.55
E650QC/UGN	05814691	DuraFlex ULTRA	Universal	Ea	\$189.55
▲ E650QC/XXLGN	05897020	DuraFlex ULTRA	2XL	Ea	\$208.49

E650QC/UGN



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Miller DuraFlex Python® Ultra Harnesses



Constructed with cushioned tubular webbing in shoulder straps to enhance comfort around neck and shoulders when required to wear a tool belt. Features high strength abrasion-resistant webbing with contoured edges and high-density water repellent foam. Comfort-touch back D-ring pad is designed with woven, breathable fabric for greater comfort. Quick-connect buckle chest and leg straps interlock similar to a seat belt and feature a dual-tab release mechanism. Belt loops included. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ P950QC/S/MGN	05805810	DuraFlex Python Ultra	S/M	Ea	\$172.42
▲ P950QC/UGN	05805267	DuraFlex Python Ultra	Universal	Ea	\$172.42
▲ P950QC/XXLGN	05897019	DuraFlex Python Ultra	2XL	Ea	\$189.67



P950QC/UGN

Miller Titan™ II Non-Stretch Harnesses

Offers enhanced adjustability, improved comfort and increased worksite safety. Constructed with lightweight, durable webbing; fully adjustable full-body harness has slip-resistant back D-ring pad and forward positioned side D-rings - keeping your tool bags in the right place, mating-buckle chest, friction-buckle shoulder straps and sub-pelvic strap. Oversized ID tags provide quick and easy harness size identification. Universal size is L/XL. Rated at 400 lbs. Meets all applicable OSHA, ANSI and CSA requirements.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Back D-Ring					
▲ T4500/S/MAK	05872137	Titan II full-body non-stretch	S/M	Ea	\$59.98
T4500/UAK	05872138	Titan II full-body non-stretch	Universal	Ea	\$59.98
▲ T4500/XXLAK	05872136	Titan II full-body non-stretch	2XL	Ea	\$65.98
Back and Side D-Rings					
▲ T4507/S/MAK	05804119	Titan II full-body non-stretch	S/M	Ea	\$71.90
T4507/UAK	05804507	Titan II full-body non-stretch	Universal	Ea	\$71.90
▲ T4507/XXLAK	05804118	Titan II full-body non-stretch	2XL	Ea	\$79.09

T4507/UAK



Miller Revolution™ Arc-Rated Harnesses

DualTech™ webbing offers durability and fire-retardant properties of Kevlar® on outer side, with softer fire-retardant Nomex® on inside of webbing. PivotLink™ design allows freedom of motion and comfort, while unique cam buckles provide easy 2-finger adjustment. Leather insulators under all metal hardware offer additional protection. Kevlar web loop (back D-ring) on back pad allows for a "metal-less" connection when used with a Kevlar shock-absorbing lanyard with a choke-off loop. Bright red binding easily identifies arc-rated product. Features quick-connect chest buckle, back shield, self-contained label pack and web finials. Tensile strength is 10,000 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements, and ASTM F887-05 Arc-Flash standards.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ RKNAR-QC/UBK	05827678	Revolution arc-rated w/ quick-connect legs	Universal	Ea	\$616.82
▲ RKNAR-TB/UBK	05827679	Revolution arc-rated w/ tongue-buckle legs	Universal	Ea	\$616.82

RKNAR-QC/UBK



Miller Lightweight/Comfort Welder Harnesses

Lightweight harness features blue, flame-retardant Nomex® webbing to protect against weld splatter. Inner Kevlar® core adds strength and high-temperature resistance. Equipped with back D-ring, mating-buckle chest and leg straps, friction shoulder straps, sub-pelvic strap, belt loops and pull-up adjustment. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 650K/UBL	05855224	Welder harness w/ back D-ring	Universal	Ea	\$271.10
▲ 650K-7/UBK	05855223	Welder harness w/ back & side D-rings	Universal	Ea	\$285.82

650K/UBL



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Miller Relief Step™ Safety Device

Short-term solution alleviates effects of suspension trauma. When a fall occurs, the worker becomes suspended in harness, remaining vertical and sedentary for a long period of time. This causes blood to pool in leg veins, restricts flow to the brain and other major organs and may cause unconsciousness. Device attaches to any brand full-body harness. By utilizing one for each leg/foot, the worker is more comfortable until rescue is completed. 12/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9099X/12	05818202	Relief Step	Ea	\$23.88

9099X/12

Miller Titan™ II Tubular Shock-Absorbing Lanyards

Economical lanyards feature hi-viz color for increased worksite safety. Lightweight, durable 6' lanyard with built-in, woven inner core that smoothly expands to reduce fall arrest forces, while outer jacket serves as a backup web lanyard. Meets all applicable OSHA, ANSI and CSA requirements. All connectors are rated at 3,600-lb. gate-strength.



T5122-Z7/6FTAF

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
T5111-Z7/6FTAF	05872121	Tubular lanyard, single leg w/ snap hooks both ends	6'	Ea	\$42.30
▲ T5112-Z7/6FTAF	05872129	Tubular lanyard, single leg w/ snap hook & rebar hook	6'	Ea	\$67.42
T5121-Z7/6FTAF	05872127	Tubular lanyard, twin-leg w/ snap hooks all ends	6'	Ea	\$65.22
T5122-Z7/6FTAF	05872126	Tubular lanyard, twin-leg w/ snap hook & rebar hooks	6'	Ea	\$93.42

Miller Titan™ II Pack-Type Shock-Absorbing Lanyard

Lightweight, durable hi-viz polyester webbing for increased worksite safety, with shock absorption. In the event of a fall it will smoothly expand, reducing fall forces. Features locking snap hooks at both ends. Meets all applicable OSHA, ANSI and CSA requirements. All connectors are rated at 3,600-lb. gate-strength.




T6111-Z7/3FTAF

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ T6111-Z7/3FTAF	05868230	Titan II pack-type, single leg lanyard	3'	Ea	\$55.43

Miller Arc-Rated Shock-Absorbing Lanyards

Constructed with Kevlar® webbing and SofStop® pack for added safety. SofStop shock absorber is designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. Integral bright red core makes visual inspection easier and more reliable. Snap hooks have 3/4" throat opening. Meets all applicable OSHA, ANSI and CSA standards and requirements, and ASTM F887-05 arc flash standards. 8798K is Made in USA. Connector gates rated at 3,600 lbs.




913K-Z7/6FTBK

8798K-Z7/6FTBK

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
913K-Z7/6FTBK	05827732	Arc-rated lanyard, single leg w/ snap hooks both ends	6'	Ea	\$142.12
8798K-Z7/6FTBK	05827727	Arc-rated lanyard, twin-leg w/ snap hooks all ends	6'	Ea	\$226.39

Bandit™ Tool Lanyard

Lanyard conveniently attaches to user's belt. Tools are attached with the carabiner or by cinching the cord around tool. 12/Box.



9077X/12

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9077X/12	05852958	Bandit tool lanyard	Ea	\$18.63

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Miller Titan II B-Compliant™ Roof Kit

Economical, easy-to-use, complete fall protection solution simplifies product selection by providing all necessary components for fall protection safety and to meet federal OSHA compliance. Connector gates rated at 3,600 lbs.

Includes:

- Lightweight, full-body harness with 3-point adjustment and mating-buckle leg and chest straps for easy adjustment and comfortable fit. Allows for quick donning and greater mobility, increasing productivity with less worker fatigue. Universal size is L/XL.
- Rope grab with permanently-attached, 3' lanyard with shock absorber pack. In the event of a fall, rope grab locks on to rope reducing force on worker.
- High-strength, 5/8" dia. polyester/polypropylene rope lifeline with locking snap hook enables quick attachment to roof anchor and is UV- and moisture-resistant for increased durability.
- Reusable stainless steel roof anchor bracket with plated D-ring is corrosion-resistant.
- Waterproof container protects equipment when stored.



TRK2000-Z7/50FT

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
TRK2000-Z7/50FT	05872142	Titan II B-Compliant roof kit	Ea	\$191.93

Miller Titan™ II Anchorage Connectors

Designed to wrap around I-beams and other structures forming a secure attachment point for lanyards and other connecting devices. Made from 2" polyester webbing for maximum strength, with a 2" forged D-ring which slips through a polyester loop; 6' length. Meets or exceeds all applicable OSHA, ANSI or CSA requirements.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
T7314/6FTAF	05872122	Titan II cross-arm strap	Ea	\$28.30



T7314/6FTAF

8185K/6FTBK

8183/3FTGN

702B/BK

Miller Arc-Rated Cross-Arm Straps

Features Kevlar® webbing with 2" D-ring at one end and choke-off loop on other. Strap wraps around beam to form secure anchor point for lanyards or other connecting devices. Meets applicable OSHA, ANSI and CSA requirements.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 8185K/3FTBK	05827630	Arc-rated cross-arm strap, 3'	Ea	\$97.99
▲ 8185K/6FTBK	05827631	Arc-rated cross-arm strap, 6'	Ea	\$97.99

Miller® Temporary Anchorage Connectors

Connects to various approved anchorages including railings, small I-beams, angle iron and scaffolding. Stainless steel wire hook works by simply squeezing the spring-loaded hook and slipping the large opening over the approved structure. Cross-arm strap features 2" polyester webbing and 2" D-ring through 3" D-ring. All anchors have 400-lb. maximum capacity.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
470/	05872131	Wire hook anchor	Ea	\$122.07
8183/3FTGN	05852959	Cross-arm strap, 3'	Ea	\$44.66
8183/6FTGN	05805269	Cross-arm strap, 6'	Ea	\$44.66

Fall Protection Accessory Bag

Use for carrying fall protection equipment and accessories.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 702B/BK	05872132	Accessory bag	Ea	\$25.17



Miller Carabiners

Lightweight, automatic twist-lock operation with 1" gate opening. Aluminum or steel. Aluminum carabiner gate rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
17D-1	05833547	Steel carabiner	Ea	\$35.39
▲ 17D-2/Z7	05833546	Aluminum carabiner	Ea	\$62.45



17D-1

17D-2/Z7

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Miller TurboLite™ Personal Fall Limiters

Compact and lightweight unit attaches directly to harness back D-ring for greater mobility. Eliminates need for different fall protection equipment to address changes in fall clearance. High-strength, impact-resistant nylon housing is lightweight and designed for maximum durability with 6' or 9' of working capacity lifeline. Capacity: 400 lbs. No annual factory recertification required. Meets all applicable OSHA, ANSI and CSA standards and requirements. Connectors rated at 3,600 lbs.



MFL-11-Z7/6FT



MFLB-11-Z7/6FT



MFLC-12-Z7/6FT



MFLT-2/7.5FT

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ MFL-1-Z7/9FT	05818828	TurboLite w/ steel carabiner & snap hook	9'	Ea	\$203.37
MFL-11-Z7/6FT	05823685	TurboLite w/ aluminum carabiner & snap hook	6'	Ea	\$192.85
▲ MFL-11-Z7/9FT	05853026	TurboLite w/ aluminum carabiner & snap hook	9'	Ea	\$233.32
MFL-12-Z7/6FT	05823686	TurboLite w/ aluminum carabiner & rebar hook	6'	Ea	\$237.84
▲ MFL-12-Z7/9FT	05853024	TurboLite w/ aluminum carabiner & rebar hook	9'	Ea	\$278.27

Miller Twin Turbo™ Fall Protection Systems with D-ring Connector

Replacement for twin-leg shock-absorbing lanyards. Twin Turbo D-ring connector easily adapts (2) lightweight TurboLite™ Personal Fall Limiters (PFLs) for continuous 100% tie-off fall protection. Capacity: 400 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements. Connectors rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
MFLB-11-Z7/6FT	05892949	Twin Turbo w/ (2) MFL-11/6FT TurboLites aluminum (locking snap hooks)	6'	Ea	\$551.72
▲ MFLB-12-Z7/6FT	05872123	Twin Turbo w/ (2) MFL-12/6FT TurboLites aluminum (locking rebar hooks)	6'	Ea	\$623.67

Miller Twin Turbo™ Fall Protection Systems with G2 Connector

Twin Turbo™ G2 Connector provides 100% tie-off for Miller TurboLite™ Personal Fall Limiters (PFLs). G2 Connector provides an alternative to double-leg lanyards - reducing fall clearance requirements for use in more applications. Connects to harness webbing below the D-ring and frees harness D-ring for rescue and connection to an overhead self-retracting lifeline (SRL). PFLs independently for increased worker mobility and prevent webbing from twisting and binding in the unit. Lightweight twin connector increases productivity by reducing worker fatigue. Corrosion-resistant aluminum connector with high-impact nylon result in a longer product life. Webbing Retainer Clip rotates freely to prevent unintentional opening of carabiner gate during a fall; accommodates thicker webbing designs for more versatility and allows for easy insertion of webbing. D-Pad Clip maintains harness adjustment while working by keeping the harness webbing and D-Pad in place. Meets all applicable OSHA, ANSI and CSA standards and requirements. Connectors rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ MFLC-3-Z7/6FT	05828701	Twin Turbo G2 w/ steel snap hooks	6'	Ea	\$374.79
▲ MFLC-4-Z7/6FT	05828699	Twin Turbo G2 w/ steel rebar hooks	6'	Ea	\$465.39
▲ MFLC-11-Z7/6FT	05828696	Twin Turbo G2 w/ aluminum snap hooks	6'	Ea	\$396.17
▲ MFLC-11-Z7/9FT	05828688	Twin Turbo G2 w/ aluminum snap hooks	9'	Ea	\$507.08
▲ MFLC-12-Z7/6FT	05828694	Twin Turbo G2 w/ aluminum rebar hooks	6'	Ea	\$456.97
MFLC-12-Z7/9FT	05828685	Twin Turbo G2 w/ aluminum rebar hooks	9'	Ea	\$544.85

Miller Turbo T-BAK™ Personal Fall Limiter

All-in-one, self-retracting lifeline/anchorage connector designed for anchoring below user's harness back D-ring for greater safety, with integrated shock absorber for tie-back applications with load indicator device. Features 7 1/2' working capacity with heavy-duty web lifeline that extends/retracts smoothly without interruption. Miller 5K® locking snap hook has 5,000-lb. gate capacity from any angle. High-tech strength and abrasion-resistant webbing with white side stripe stitching indicating tie-back use. User-rated for 400-lbs. capacity. Meets all applicable OSHA, ANSI, CSA and CE requirements.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ MFLT-2/7.5FT	05803788	Turbo T-BAK tie-back SRL w/ Miller 5K snap hook & steel twist-lock carabiner	Ea	\$287.36

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Miller Scorpion™ Personal Fall Limiter

Lightweight, compact design offers greater mobility, requires less fall clearance and reduces tripping hazards. Greater versatility through dual operation. Attaches directly to harness D-ring for use as personal fall limiter or as traditional self-retracting lifeline. Includes quick-activating, high strength stainless steel braking system to arrest free falls; visual load indicator to warn when unit must be removed from service. No annual factory recertification required. 9'. Capacity: 310 lbs. Meets all applicable OSHA, ANSI and CSA requirements. Connector gates rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
PFL-4-Z7/9FT	05872130	Scorpion w/ steel carabiner & swivel & steel locking snap hook	Ea	\$223.66

Miller Black Rhino™ Self-Retracting Lifeline

Designed with 9' stainless steel wire rope and high strength stainless steel braking system. Integral load indicator lets workers know when unit must be repaired or removed from service. Corrosion-resistant stainless steel components extend service life. Internal shock absorber reduces fall forces. Rated to 310 lbs. Repairable with no annual factory recertification. Meets all applicable OSHA, ANSI and CSA requirements. Connector gates rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ CFL-4-Z7/9FT	05892950	Black Rhino w/ steel twist-lock carabiner w/ swivel & steel locking snap hook w/ swivel	9'	Ea	\$452.26

Miller® TurboLite™ Edge EXTREME

Miller TurboLite Edge units for sharp edges will help ensure workers are safe in applications requiring foot-level tie-off or work near edges. Galvanized cable lifeline with a variety of connector options. Designed for use in sharp edge applications with radius $\geq 0.005"$ (0.13 mm). High-impact nylon housing and abrasion-resistant webbing with a compact and lightweight design. Includes integral shock absorber to reduce force on the worker if a fall were to occur over an edge. Can be used for foot-level tie-off or anchored overhead for workers up to 420 lbs. Integral swivel design prevents lifeline from twisting and enables more natural movement of the worker. Meets ANSI Z359.14 Class B and Leading Edge requirements. Connector gates rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
Single Leg					
▲ MFLEC-3/6FT	05814015	Cable lifeline w/ steel locking snap hook	6'	Ea	\$246.02
▲ MFLEC-3/9FT	05814016	Cable lifeline w/ steel locking snap hook	9'	Ea	\$274.23
▲ MFLEC-4/9FT	05814017	Cable lifeline w/ steel locking rebar hook	9'	Ea	\$364.53
▲ MFLEC-18/9FT	05814018	Cable lifeline w/ aluminum captive eye carabiner	9'	Ea	\$358.30
Twin-Leg					
▲ MFLEC2-3/6FT	05820146	Cable lifeline w/ steel locking snap hooks	6'	Ea	\$442.35
▲ MFLEC2-3/9FT	05820145	Cable lifeline w/ steel locking snap hooks	9'	Ea	\$588.54
▲ MFLEC2-4/9FT	05814019	Cable lifeline w/ steel locking rebar hooks	9'	Ea	\$501.10
▲ MFLEC2-11/6FT	05820144	Cable lifeline w/ aluminum locking snap hooks	6'	Ea	\$419.36
▲ MFLEC2-11/9FT	05820143	Cable lifeline w/ aluminum locking snap hooks	9'	Ea	\$640.58
▲ MFLEC2-12/9FT	05814020	Cable lifeline w/ aluminum locking rebar hooks	9'	Ea	\$461.64

TurboLite™ T-BAK™ EXTREME

Miller TurboLite Edge units with tie-back use for sharp edges will help ensure workers are safe in applications requiring foot-level tie-off or work near edges. Galvanized cable lifeline with Vectran™ web tie-back and Miller 5K® steel locking tie-back hook. Designed for use in sharp edge applications with radius $= 0.005"$ (0.13 mm). High-impact nylon housing and abrasion-resistant webbing with a compact and lightweight design. Includes integral shock absorber to reduce force on the worker if a fall were to occur over an edge. Can be used for foot-level tie-off or anchored overhead for workers up to 420 lbs. Integral swivel design prevents lifeline from twisting and enables more natural movement of the worker. Meets ANSI Z359.14 Class B and Leading Edge requirements.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ MFLEC-20/8FT	05814021	Single leg cable lifeline for sharp edge	8'	Ea	\$328.98
▲ MFLEC2-20/8FT	05870141	Twin-leg cable lifeline for sharp edge	8'	Ea	\$596.46

Honeywell
MILLER



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



MFLEW-3/6FT



MFLET-1/7.5FT



TR30-Z7/30FT



FL11CMK-Z7

TurboLite™ MAX

Miller TurboLite Edge units for smooth edges will help ensure workers are safe in applications requiring foot-level tie-off or work near edges. Spectra® webbing lifeline with a variety of connector options. Designed for use in smooth edge applications with radius = 0.060" (1.5 mm). High-impact nylon housing and abrasion-resistant webbing with a compact and lightweight design. Includes integral shock absorber to reduce force on the worker if a fall were to occur over an edge. Can be used for foot-level tie-off or anchored overhead for workers up to 420 lbs. Integral swivel design prevents lifeline from twisting and enables more natural movement of the worker. Meets ANSI Z359.14 Class B and Leading Edge requirements. Connector gates rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
Single Leg					
▲ MFLEW-3/6FT	05839127	Webbing lifeline w/ steel locking snap hook	6'	Ea	\$195.91
▲ MFLEW-3/9FT	05839128	Webbing lifeline w/ steel locking snap hook	9'	Ea	\$224.68
▲ MFLEW-3/12FT	05839129	Webbing lifeline w/ steel locking snap hook	12'	Ea	\$252.28
▲ MFLEW-4/6FT	05839130	Webbing lifeline w/ steel locking rebar hook	6'	Ea	\$295.84
▲ MFLEW-11/6FT	05839131	Webbing lifeline w/ aluminum locking snap hook	6'	Ea	\$206.27
Twin-Leg					
▲ MFLEW2-3/6FT	05820040	Webbing lifeline w/ steel locking snap hooks	6'	Ea	\$347.68
▲ MFLEW2-3/9FT	05820039	Webbing lifeline w/ steel locking snap hooks	9'	Ea	\$470.16
▲ MFLEW2-4/6FT	05839132	Webbing lifeline w/ steel locking rebar hooks	6'	Ea	\$418.11
▲ MFLEW2-11/6FT	05820149	Webbing lifeline w/ aluminum locking snap hooks	6'	Ea	\$364.32
▲ MFLEW2-11/9FT	05820148	Webbing lifeline w/ aluminum locking snap hooks	9'	Ea	\$490.95
▲ MFLEW2-12/6FT	05839133	Webbing lifeline w/ aluminum locking rebar hooks	6'	Ea	\$411.59
▲ MFLEW2-12/9FT	05839134	Webbing lifeline w/ aluminum locking rebar hooks	9'	Ea	\$439.75

TurboLite™ T-BAK™ MAX

Miller TurboLite Edge units with tie-back use for smooth edges will help ensure workers are safe in applications requiring foot-level tie-off or work near edges. Spectra® webbing lifeline with Vectran™ web tie-back and Miller 5K® steel locking tie-back hook. Designed for use in smooth edge applications with radius = 0.060" (1.5 mm). High-impact nylon housing and abrasion-resistant webbing with a compact and lightweight design. Includes integral shock absorber to reduce force on the worker if a fall were to occur over an edge. Can be used for foot-level tie-off or anchored overhead for workers up to 420 lbs. Integral swivel design prevents lifeline from twisting and enables more natural movement of the worker. Meets ANSI Z359.14 Class B and Leading Edge requirements.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ MFLET-1/7.5FT	05870142	Single leg webbing lifeline for smooth edge	7 1/2'	Ea	\$312.70
▲ MFLET2-1/7.5FT	05870143	Twin-leg webbing lifeline for smooth edge	7 1/2'	Ea	\$612.60

Miller Titan™ Self-Retracting Lifelines

Constructed of durable, impact-resistant housing material with steel frames. Designed to endure rigorous work environments. Equipped with quick-activating braking system. Includes 1" webbing with swivel snap hook and carabiner. Meets all applicable OSHA, ANSI and CSA requirements. Connector gates rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
TR30-Z7/30FT	05872140	Titan	30'	Ea	\$746.63
▲ TR50-Z7/50FT	05872139	Titan	50'	Ea	\$908.41

Miller Cab Mount Brackets

Miller MiniLite®/Scorpion™/Black Rhino™ Cab Mount Brackets increase overhead clearance in lift truck cabs, are designed to fit a wide range of lift trucks and are quick and easy to install. Non-protruding mount. Heavy-duty steel construction. Connector gates rated at 3,600 lbs.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ CMB	05828708	Cab mount bracket only	Ea	\$231.66
▲ FL11CMK-Z7	05828707	Lift Truck Kit w/ MiniLite FL11-0-Z7/11FT & bracket	Ea	\$500.67
▲ PFLCMK-Z7	05828706	Lift Truck Kit w/ Scorpion PFL-15/9FT-Z7 & bracket	Ea	\$436.62
▲ CFLCMK-Z7	05828705	Lift Truck Kit w/ Black Rhino CFL-1/9FT-Z7 & bracket	Ea	\$516.07

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Honeywell
MILLER

Miller MightyLite™ Leading Edge Self-Retracting Lifelines

Designed to protect a worker if a fall occurs that involves going over an edge. Features a shock absorber integrated into the lifeline, lowering fall arrest forces; durable, corrosion-resistant stainless steel and aluminum construction extends service life; 30% lighter than competitive models in class for easy handling; lifeline twisting minimized by dual swivels design (unit top and snap hook). Quick, easy installation. Carabiner and tagline included for easy lifeline access and connection. Dual-capacity rated for up to a 310-lb. worker in leading edge applications and up to a 400-lb. worker when mounted overhead. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.14 and CSA Z259.2.2 and Z259.12-11 (for overhead use only).



RL20G-Z7LE/20FT

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ RL20G-Z7LE/20FT	05855803	LE SRL w/ shock-absorbing pack	20'	Ea	\$881.83
▲ RLS30G-Z7LE/30FT	05855804	LE SRL w/ shock-absorbing pack	30'	Ea	\$1,205.87
▲ RL50G-Z7LE/50FT	05855806	LE SRL w/ shock-absorbing pack	50'	Ea	\$1,494.15
▲ RL65G-Z7LE/65FT	05855805	LE SRL w/ shock-absorbing pack	65'	Ea	\$1,569.72



SORBSYS

Miller SkyORB™ Overhead Rotational Boom Anchor

Provides a safe overhead anchorage designed specifically for use around vehicles (elevated platforms from 6'-14' above ground), utilizing the vehicle weight to secure the anchor for proper fall arrest, eliminating the need for heavy and bulky counter weights. Provides worker with easy, quick connection with their fall arrest system while working at height. Adjustable telescoping mast allows the height of the system to be varied from 14'-20'. With a boom that rotates 360°, it can be easily positioned above the worker's head minimizing free-fall distance and swing fall. Patented energy-absorbing technology reduces forces on the system. Modular design is easy to assemble and transport using only a forklift. Requires minimum of 10,000 lbs. of axle weight to be applied to the base plates. Max working radius away from mast is 14'. Rated for (1) user with total weight not exceeding 310 lbs., including all equipment and tools.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SORBSYS	05853027	Cable assembly kit, base, mast & boom	Ea	\$10,955.05
▲ SORBCABLEKIT	05828712	Shock absorber cable assembly replacement kit	Ea	\$560.27



SEHWLB/300FT

Miller SafEscape® ELITE Rescue/Descent Device

Controlled descent/self-rescue system designed for self-rescue, assisted rescue or providing capabilities for more personnel to evacuate in a short period of time. Aluminum and stainless steel construction. Palm-size design is easier to handle during emergencies. User-rated for up to (2) workers. Descent speed: 3.3 ft./sec. at 220 lbs. SafEscape Wind Energy kit includes Miller SafEscape ELITE RDD with hoisting wheel and ladder bracket, T-bar, edge protector, (3) anchor slings, (3) carabiners, pulley, adjustable rope anchor, rescue rope grab, and humidity-resistant storage case. Meets all applicable global requirements including OSHA and ANSI/ASSE Z359.4.

MFG #	DILLON #	DESCRIPTION	LENGTH	UOM	PRICE
▲ SE/75FT	05892947	SafEscape w/ anchor slings & rescue bag	75'	Ea	\$1,304.35
▲ SEHWLB/300FT	05892946	SafEscape w/ anchor slings, rescue bag, hoisting wheel, ladder bracket & adjustable rope anchor	300'	Ea	\$2,379.55
▲ SEWPCKT/300FT	05820240	SafEscape Wind Energy kit	300'	Ea	\$4,469.09

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



3M™ DBI-SALA® ExoFit NEX™ Vest Style Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up, aluminum dorsal D-ring, integrated suspension trauma straps for post fall-arrest comfort, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability, protective shoulder caps
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 1113004	05889552	ExoFit NEX vest style	M	Ea	\$472.97
▲ 1113007	05889554	ExoFit NEX vest style	L	Ea	\$472.97



1113007

BACK



1113127

BACK



3M™ DBI-SALA® ExoFit NEX™ Construction Style Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low-visibility environments, stand-up dorsal D-ring, side D-rings, integrated suspension trauma straps for post fall-arrest comfort, sewn-in hip pad and removable body belt, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI Z359.11 standard.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 1113124	05889559	ExoFit NEX construction style	M	Ea	\$548.27
▲ 1113127	05889561	ExoFit NEX construction style	L	Ea	\$548.27



WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Fall Protection

3M™ DBI-SALA® Delta™ Vest Style Harness

Features lanyard keepers for holding unused snap hooks and reducing trip hazards, water-repellant Repel™ webbing and built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Includes tongue-buckle, pass-through or quick-connect leg straps and incorporates a spring-loaded, stand-up dorsal D-ring for fast, easy and safe connections. I-Safe™ label protector has Velcro® cover for holding harness labels and i-Safe identification tag. No-Tangle™, triangular design allows harness to fall into place for quick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Tech-Lite™ aluminum alloy buckles reduce both the carried weight and energy required for all-day job performance. 420-lb. carrying capacity. Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1102000	05879397	Delta vest style	Universal	Ea	\$158.53

1102000



Fall Protection

3M™ DBI-SALA® Suspension Trauma Safety Straps

Allows suspended worker to stand up in harness relieving pressure on arteries and veins around top of legs. Continuous loop design allows both sides of harness to relieve pressure. Strap provides increased comfort and improved circulation to one or both feet at a time while suspended. Safety accessories can be attached to most harness brands/styles right in the field. Installation is fast and efficient - just choke off to strap. Stows easily and stays out of worker's way. To deploy, simply unzip, hook straps together and step into. Sold as set of 2. Harness not included.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9501403	05814688	Suspension trauma safety straps	Set	\$43.60

9501403



Fall Protection

3M™ PROTECTA® PRO Construction Style Harnesses

Designed with integrated comfort padding on shoulders and hips. Includes polyester webbing for superior abrasion resistance and durability, lightweight hardware and connecting components, built-in impact indicators for easy inspection, integral lanyard keeper, tongue-buckle body belt with hip pads, and back and side D-rings for positioning. Features tongue-buckle leg straps for fast and easy donning, spring-loaded torso buckles for quick and easy adjustment, and belt loops. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.11.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1191209	05889567	PRO construction style	M/L	Ea	\$116.92
1191210	05889568	PRO construction style	XL	Ea	\$116.92

1191209




All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





3M™ PROTECTA® Chain Rebar Assembly

Chain rebar assembly with snap hooks and rebar hook for restraint or positioning applications. Complies with OSHA 1926 standards for positioning devices.



1350200

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1350200	05889564	22" Chain rebar assembly	22"	Ea	\$78.61



3M™ DBI-SALA® Nano-Lok™ Self-Retracting Lifelines

Ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. Lightweight, stays out of the way and can easily be used as a lanyard replacement. Locks quickly, stopping a fall within inches and providing more protection at low heights. Tension is always kept on the lifeline, which reduces dragging, snagging and trip falls. Features impact-resistant housing, automatic, quick-activating arrestor, impact indicator, 3,600-lb. rated gate openings on carabiners and hooks, and 6' retractable lifeline. i-Safe™ enabled. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards.




3101279

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 3101215	05800465	Nano-Lok, single leg w/ steel carabiner anchorage & steel snap hook	Ea	\$211.38
▲ 3101279	05800466	Nano-Lok, twin-leg w/ quick-connector anchorage & (2) steel snap hooks	Ea	\$449.18



3M™ PROTECTA® PRO Shock-Absorbing Lanyards

Secure and durable energy-absorbing lanyard available in pack style, tubular jacket with internal shock absorber or stretch design. Stretch tubular lanyard expands to 6' and contracts to 4 1/2'. Single or double-leg configurations with standard snap hooks or flat steel rebar (2" gate) hooks. Polyester webbing. Meets or exceeds OSHA 1926 regulation.




1340220

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1340220	05889543	PRO STOP, single leg w/ 1 3/8" tubular jacket & snap hooks both ends	Ea	\$52.18
1340161	05889546	PRO STRETCH, twin-leg w/ 2" tubular jacket, snap hook & rebar hooks	Ea	\$126.83



3M™ DBI-SALA® ShockWave2™ Shock-Absorbing Lanyards

Stretchable lanyard incorporates a unique inner core that immediately begins to extend and absorb energy during a fall, limiting arresting forces to an average of 900 lbs. Features abrasion-resistant tubular webbing for durability and 3,600-lb. gated hooks. Expands to 6' and contracts to 4 1/2' in reaction to movements, reducing trip fall hazards and snagging. Impact indicator allows for visual inspection of unit. i-Safe™ RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



1244306

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 1244306	05889581	ShockWave2, single leg w/ self-locking snap hooks both ends	Ea	\$129.47
▲ 1244406	05892933	ShockWave2, twin-leg w/ self-locking snap hooks all ends	Ea	\$199.49
▲ 1244456	05892934	ShockWave2, twin-leg w/ self-locking snap hook & 2 1/2" flat steel hooks leg ends, D-ring for SRL attachment on legs	Ea	\$331.60



3M™ PROTECTA® Rebel™ Self-Retracting Lifelines

Safer than traditional lanyards due to retractable technology to ensure falls are stopped within a few inches. Lightweight, compact and durable. Increases worker productivity and reduces worker fatigue. Speed-sensing brake keeps forces to a minimum and reduces clearance requirements. Units include snap hook and carabiner. Web model: rugged, super-tough nylon housing, thin webbing, compact size (unit weighs only 2.8 lbs.), 310-lb. capacity. Cable models: thermoplastic housing, 5 mm dia. galvanized cable, 420-lb. capacity. Stainless steel working components and swiveling housing connector withstand rough use. Hooks have 3,600-lb. gate compliance. No annual re-certification required. Meets all applicable industry standards including OSHA and ANSI Z359.1.



AD111A

3590500

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
AD111A	05889541	Rebel web SRL	11'	Ea	\$240.45
▲ 3590500	05890500	Rebel cable SRL	33'	Ea	\$624.89

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 3590550	05804208	Rebel cable SRL	50'	Ea	\$842.88
▲ 3590670	05804207	Rebel cable SRL	100'	Ea	\$1,693.68



Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





3M™ DBI-SALA® Tie-Off Adapters

Pass-through design for quick and easy attachment to anchorage. Standard adapter has 1 3/4" polyester strap with 5,000-lb. minimum tensile strength. Features 3" wide wear pad and coated steel hardware for added abrasion resistance and durability. Kevlar® tie-off adapter is ideal for welding or high-heat environments with zinc-plated steel hardware. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



1003000

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1003000	05811003	3' Tie-off adapter	Ea	\$66.05
1003006	05811036	6' Tie-off adapter	Ea	\$75.30



3M™ DBI-SALA® Glyder2™ Sliding Beam Anchorage System

Provides complete horizontal mobility and can be tied-off overhead or at feet (with Force2™ shock-absorbing lanyard when tying off at feet). Anchor effortlessly slides across beam on replaceable wear pads, eliminating metal-to-metal contact. Stainless steel construction for corrosion resistance and strength (5,000-lb. min. tensile strength). Channel lock prevents beam grip ends from rotating for hassle-free connection. Positive spring-loaded engagement provides precision adjustment. Dual-beam grip adjustment prevents twisting and turning as it moves along beam. For use with 3 1/2"-14" wide flange up to 1 1/4" thick. Requires no pins for installation and weighs 3.7 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



2104700

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2104700	05889510	Glyder2 anchorage system	Ea	\$294.61



SAFEMAZE™ PRO Single D-Ring Grommet Harnesses

Includes no-tangle D-ring pad, convenient lanyard keepers, fall arrest indicators, adjustable buckles, and grommet buckle leg straps. D-ring pad reduces web knotting and relieves back D-ring pressure.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
FS185-S/M	05801816	No-tangle single D-ring harness	S/M	Ea	\$55.85
FS185-L/XL	05827844	No-tangle single D-ring harness	L/XL	Ea	\$55.85
FS185-2XL	05801898	No-tangle single D-ring harness	2XL	Ea	\$55.85



FS185

FS160



SAFEMAZE™ PRO Construction Harnesses

Includes comfort foam shoulder pads, no-tangle D-ring pad, double slot back D-ring, fall arrest indicators, convenient lanyard keepers, free-floating comfort back pad, pass-through chest buckles, and grommet leg straps. No-tangle D-ring pad reduces web knotting and relieves D-ring back pressure. 310-lb. Capacity.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
FS160-S	05827827	No-tangle construction harness	S	Ea	\$157.66
FS160-M	05827826	No-tangle construction harness	M	Ea	\$157.66
FS160-L	05827832	No-tangle construction harness	L	Ea	\$157.66
FS160-XL	05827820	No-tangle construction harness	XL	Ea	\$157.66



SAFEMAZE™ V-LINE Full-Body Harness

Universal-sized with multiple adjustment points, a single back D-ring and pass-through leg straps. 310-lb. Capacity.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FS99280-E	05801845	V-LINE full-body	Ea	\$45.59

FS99280-E



SAFEMAZE™ PRO Positioning Harnesses

No-tangle D-ring pad reduces web knotting and relieves D-ring back pressure. Features (2) side positioning D-rings, grommet buckle leg straps, pass-through chest buckles, lanyard keepers and fall arrest indicators. 310-lb. Capacity.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
FS285-S/M	05801161	Positioning harness	S/M	Ea	\$74.09
FS285-L/XL	05801162	Positioning harness	L/XL	Ea	\$74.09
FS285-2XL	05801163	Positioning harness	2XL	Ea	\$74.09



FS285

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Compliance Kits

- **Compliance kit (FS141):** PRO harness with no-tangle D-ring pad, grommet leg buckles, fall arrest indicators, lanyard keepers, and adjustable buckles; 310-lb. capacity; single leg, shock-absorbing lanyard with 1" polyester webbing, double-locking snap hooks, and 3,600-lb. gate rated snap hooks; carry bag with Dillon Supply logo.
- **Compliance kit (FS151):** PRO harness with no-tangle D-ring pad, grommet leg buckles, fall arrest indicators, lanyard keepers, and adjustable buckles; 310-lb. capacity; 11' web lifeline w/ double-locking swivel snap hook; carry bag with Dillon Supply logo.
- **Compliance kit (FS126E):** V-LINE no-tangle single D-ring harness with pass-through buckle leg straps, adjustable buckles, fall arrest indicators and lanyard keepers; 6' shock-absorbing lanyard, 1" polyester webbing, with double-locking snap hooks (3,600-lb. rated gates); transport bag.
- **Compliance kit (FS128):** PRO no-tangle positioning harness with grommet buckle leg straps, side positioning D-rings, fall arrest indicators and lanyard keepers; 6' shock-absorbing lanyard, 1" polyester webbing, with double-locking snap hooks (3,600-lb. rated gates); transport bag.



Shock-Absorbing Lanyards

Stretch models have stretch tubular webbing with 4'-6' maneuverability. Web models feature 6', 1" polyester web construction with shock pack and double-locking snap hooks or rebar hooks (3,600-lb. rated gates). Rebar hooks designed to fit Symons form. Single and twin-leg versions available.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
Tubular Webbing Lanyards				
FS580	05827740	Single leg w/ snap hooks	Ea	\$51.28
Stretch Tubular Webbing Lanyards				
FS590	05827845	Single leg w/ snap hooks	Ea	\$74.09
FS596	05827703	Twin-leg w/ rebar hooks	Ea	\$155.76
1" Polyester Webbing Lanyards				
FS560-3	05862349	Single leg w/ double-locking snap hooks, 3'	Ea	\$56.99
FS560	05801815	Single leg w/ double-locking snap hooks	Ea	\$56.99
FS565	05801165	Single leg w/ rebar hook & snap hook	Ea	\$89.28
FS88560-E	05801844	Single leg w/ standard snap hook	Ea	\$45.59
FS561	05888561	Twin-leg w/ double-locking snap hooks	Ea	\$79.78
FS566	05801164	Twin-leg w/ rebar hooks & snap hook	Ea	\$112.08
FS88561-E	05881350	Twin-leg w/ standard snap hooks	Ea	\$64.59

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
FS141-S/M	05861133	Compliance kit	S/M	Ea	\$117.77
FS141-L/XL	05861131	Compliance kit	L/XL	Ea	\$117.77
FS141-2XL	05861130	Compliance kit	2XL	Ea	\$117.77
FS151-S/M	05861129	Compliance kit	S/M	Ea	\$305.83
FS151-L/XL	05861128	Compliance kit	L/XL	Ea	\$305.83
FS151-2XL	05861127	Compliance kit	2XL	Ea	\$305.83
FS126E	05827849	Compliance kit	L	Ea	\$93.08
FS128	05827846	Compliance kit	L	Ea	\$115.87

V-LINE Economy Roofers Compliance Kit

Includes a value harness with pass-through leg straps, steel reusable roof anchor, 50', 5/8" rope lifeline with rope grab and lanyard attached, and a storage bucket.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FSROOF-E	05827847	V-LINE Economy roofers kit	Ea	\$161.46

Retractable Lifelines

Designed for use as a single person fall protection device. Built of rugged components for abrasive environments. High-strength, durable housing allows for lightweight design and dependability. Unique braking system eases shock in the event of a fall. Includes 1" Dyneema® webbing or 3/16" galvanized cable with mobility-enhancing swivel top, 11/16" twist-lock carabiner and a forged steel snap hook or locking rebar hook. Hook gates rated 3,600 lbs. Meets OSHA 1926-502 and ANSI Z359.14-2012.

- Class A web models have a fall indicator sewn into the webbing
- Class A and B cable models have a swivel fall indicator hook



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Class A Retractable					
FS-FSP1407W	05827819	Web retractable lifeline w/ steel snap hook & carabiner	7'	Ea	\$169.05
FS-FSP1411W	05827815	Web retractable lifeline w/ steel snap hook & carabiner	11'	Ea	\$161.46
FS-FSP1407WRBH	05890141	Web retractable lifeline w/ rebar hook & carabiner	7'	Ea	\$216.54
FS-FSP1411WRBH	05890148	Web retractable lifeline w/ rebar hook & carabiner	11'	Ea	\$246.93
FS-FSP14075W	05890144	Dual-leg web retractable lifeline w/ steel snap hooks & carabiner	7'	Ea	\$322.92
FS-FSP14085WRBH	05827774	Dual-leg web retractable lifeline w/ rebar hooks & carabiner	7'	Ea	\$398.90
FS-FSP1220G	05811913	Cable retractable lifeline w/ steel snap hook & carabiner	20'	Ea	\$501.48
Class B Retractable					
FS-FSP1230G	05801893	Cable retractable lifeline w/ steel snap hook & carabiner	30'	Ea	\$503.38
FS-FSP1240G	05801892	Cable retractable lifeline w/ steel snap hook & carabiner	40'	Ea	\$740.82
FS-FSP1250G	05801891	Cable retractable lifeline w/ steel snap hook & carabiner	50'	Ea	\$683.84

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Web Retractable Lifelines

Unique braking system that eases shock of fall. Features 6' length 3/4" Dyneema webbing, lightweight 1.85 lb. unit with aluminum locking snap hook and carabiner. Fall indicator incorporated into swivel top. Meets Class "A" ANSI Z359.14-2012 standard.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ FS-EX1006-W	05801402	Web retractable w/ aluminum snap hook	6'	Ea	\$180.46
▲ FS-EX1006-W-RBH	05801403	Web retractable w/ aluminum rebar hook	6'	Ea	\$227.95
▲ FS-EX10065-W	05801404	Web retractable, dual leg w/ aluminum snap hook	6'	Ea	\$370.41
▲ FS-EX10065-W-RBH	05801405	Web retractable, dual leg w/ aluminum rebar hook	6'	Ea	\$427.39

Leading Edge Retractable Lifelines

Designed for use as a single person fall protection device. Features mobility-enhancing swivel top, rugged and durable housing, and unique braking system that eases shock in the event of a fall.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FS-FSP9030G	05855801	30' Leading edge retractable	Ea	\$702.83
▲ FS-FSP9050G	05855802	50' Leading edge retractable	Ea	\$854.79

Cable Retractable Lifelines

Designed for use as a single person fall protection device. Built of rugged components for abrasive environments. High-strength, durable housing allows for lightweight design and dependability. Unique braking system eases shock in the event of a fall. Includes 3/16" galvanized steel cable with mobility-enhancing swivel top, 11/16" twist-lock carabiner, forged steel snap hook and built-in carrying handle. Hook gates rated 3,600 lbs. Meets OSHA 1926-502 and ANSI Z359.1-2007.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ FS-EX1080G	05813660	Cable retractable lifeline w/ steel snap hook & carabiner	80'	Ea	\$902.28
▲ FS-EX10-100G	05813659	Cable retractable lifeline w/ steel snap hook & carabiner	100'	Ea	\$1,434.15

Rope Grabs

Designed to be used as a single person fall protection mechanism. Requires attachment to rope and an approved anchor point for usage. Meets OSHA 1926-502 regulation and ANSI Z359.1-2007 and A10.32 2004 standards.

- **Dual cam rope grab, non-removable:** 3.86" length, .78" eye dia. Nickel-plated steel; comes permanently attached to 5/8" rope lifeline.
- **Trailing rope grab, removable:** Panic grab handle feature. 4.05" length, 2.16" eye dia. Polished stainless steel. For 5/8" rope lifelines.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE	MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FS1117	05818809	Dual cam rope grab, non-removable	Ea	\$75.98	FS1118	05807430	Trailing rope grab, removable	Ea	\$112.08

Anchor Points

- **Reinforced 12' cross-arm strap:** heavy-duty, 1 3/4" webbing with forged steel pass-through D-rings
- **Standard 6' cross-arm strap:** medium-duty, 1 3/4" webbing with forged steel pass-through D-rings
- **Adjustable cross-arm strap:** 1 3/4" webbing with forged steel D-rings; 4'-6' length
- **Premier beam anchor:** features reduced friction nylon rollers, double-toothed pawl, and a center positioning retainer that prevents jamming on the beam; fits 3 1/2"-14" beams, 1 1/4" thickness
- **Beam anchor:** features 1-handed quick-release hatch and centered D-ring to prevent jamming on beam; fits 3 1/2"-14" beams, 1 1/4" thickness
- **Reusable roof anchor:** non-swivel, reusable, steel, powder-coated roof anchor
- **Removable concrete hole anchor:** quick-release anchor for use in cured concrete
- **D-bolt anchor:** single-point anchor with steel body, nut and lock washer; requires 0.56" (14.22 mm) mounting hole
- **Roof ring anchor:** reusable; for wood or metal; installs with (3) threaded fasteners or (6) nails

MFG #	DILLON #	DESCRIPTION	UOM	PRICE	MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FS810-12	05879403	12" Reinforced cross arm strap	Ea	\$68.38	FS861	05806207	Beam anchor	Ea	\$208.95
FS811	05801814	6' Cross-arm strap	Ea	\$28.49	FS870	05801812	Reusable roof anchor	Ea	\$23.27
▲ FS812	05869214	4'-6' Adjustable anchor strap	Ea	\$45.59	FS876	05801817	Removable concrete hole anchor	Ea	\$117.77
FS860	05827839	Premier beam anchor	Ea	\$189.96	▲ FS887	05888544	D-bolt anchor	Ea	\$43.68
					▲ FS-EX310	05829038	Roof ring anchor	Ea	\$53.18



FS-EX1006-W

FS-FSP9030G

FS-EX10-100G

FS1118

FS860

FS811

FS870

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

SAFEWAZE™ Rope Lifelines

Rugged and durable, with great abrasion resistance and low elasticity. Ideally suited for lifeline applications in conjunction with an appropriate sized rope grab. Comes standard with a snap hook on one end and a back splice on the other. 5/8" dia. Polyester Dacron blend, 3-strand twisted, 5,000-lb. rated rope. Yellow zinc forged steel, heat-treated hardware. Snap hook gate rated 3,600 lbs. Other configurations available. Meets OSHA 1926-502 regulation and ANSI Z359.1-2007 and A10.32 2004 standards.



FS700-50

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FS700-50	05807432	50' Rope lifeline	Ea	\$71.80

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FS700-100	05807431	100' Rope lifeline	Ea	\$124.80



FS8125



Carrying Bag

Features heavy-duty polyester construction with wide, reinforced opening. Larger sizes available.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FS8125	05801842	13" Carrying bag	Ea	\$20.89




Rebar Chain Assembly

Features large, swivel steel rebar hook with double-locking snap hooks (3,600-lb. rated gates). Fits Symons form.



FS060

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FS060	05827816	13" Rebar chain assembly	Ea	\$94.98



15231



15225



Replacement Flag Line

Large yellow heat-sealed flags spaced out every 2' on heavy-duty nylon cord. 100'. OSHA compliant.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
15231	05827783	Replacement flag line	Ea	\$50.14



Single Stanchion

Designed for use with a reusable warning line. Functions to block worker from exposure to fall hazards, often entirely eliminating the need for other types of fall protection equipment. Weighs only 23 lbs., is 39" tall, and made of powder-coated steel for superior durability and weather resistance. Easy to install and features convenient handle to facilitate simple transportation.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
15225	05827782	Single stanchion	Ea	\$153.22

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.




OSHA uses the term “permit-required confined space” (permit space) to describe a confined space that has one or more of the following characteristics:

- Contains or has the potential to contain a hazardous atmosphere;
- Contains a material that has the potential to engulf an entrant;
- Has walls that converge inward or floors that slope downward and taper into a smaller area which could trap or asphyxiate an entrant;
- Or contains any other recognized safety or health hazard, such as unguarded machinery, exposed live wires, or heat stress.
- Ventilation hoses provide air and exhaust toxic vapors during confined space entry. The use of a guardrail would also be necessary to protect workers from potential falls.

Go to www.osha.gov for complete details.

CONFINED SPACE

Rescue	130-132
Ventilation	133
Tents & Guards	134



Miller DuraHoist™ Portable Fall Arrest Post



Provides (3) independent swivel tie-off points for fall arrest anchorage (3-worker maximum in any configuration). Features 3-stage/4-position telescoping design and aluminum construction for easy transportation and set-up. Leveling screws allow the system to be plumbed to vertical on inclines up to 15°. Portable and fixed bases allow for versatile usage.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ DH-AP-1	05859302	Portable fall arrest anchor post	Ea	\$3,857.22
▲ DH-AP-2	05859303	14" Extension post	Ea	\$543.83
▲ DH-AP-3	05859304	Rescue davit arm for portable fall arrest anchor post	Ea	\$2,347.07

Miller DuraHoist™ Portable Confined Space System

Provides safe, lightweight and portable solution for variety of confined space applications, including entry, rescue, positioning and personnel/material handling. Lightweight, high-strength aluminum construction makes for easy handling and long service life. Modular design adapts to many applications, lowering cost of ownership and providing effective safety solutions. Winch is 65' of 3/16" (5 mm) galvanized cable. Overall system height adjusts from 79" (2.01 m) to 100" (2.54 m).

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ DH-1/	05888547	Complete 4-piece system w/ ManHandler® hoist/winch	Ea	\$6,692.24

Miller MightEvac® SRL with Emergency Retrieval Hoist

Combines MightyLite™ SRL with quick-activating retrieval mechanism to provide quick and reliable evacuation system for emergency situations. Features 4:1 mechanical advantage with average speed of 25' per minute, corrosion-resistant stainless steel/aluminum components, 50' galvanized cable, lightweight 7' tripod that withstands 5,000 lbs. of vertical pull, mounting bracket, adjustable legs with integral pushpins, independent leg locking feature, convenient heavy-duty carrying handle, safety chain and rubber foot skid pads with serrated edges. No annual factory recertification required. For emergency evacuation only. Meets all applicable OSHA regulations and ANSI standards. Connectors rated at 3,600 lbs.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ MR50GC-Z7/50FT	05823687	MightEvac SRL system	Ea	\$4,816.11

Miller ManHandler® Hoist/Winch

Perfect solution for broad range of applications including confined space entry, rescue, positioning and personnel/material handling. Made of compact, durable steel construction. Incorporates smooth, controlled winding action and effortless lifting and lowering with 5:1 gear ratio. Anti-backlash crank handle braking system prevents freewheeling. Built-in mounting bracket. Integral load indicator warns of overloading and need for inspection and/or maintenance service. Secondary fall arrest system, such as the Miller MightEvac®, is needed for fall protection. Meets all applicable OSHA regulations and ANSI standards. Connectors rated at 3,600 lbs.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 8442-Z7/65FT	05823684	ManHandler hoist w/ 65' galvanized cable	Ea	\$1,823.64
▲ 8442-Z7/100FT	05859305	ManHandler hoist w/ 100' galvanized cable	Ea	\$1,934.88

Miller QuickPick™ Rescue Kits

Out-of-the-bag solution for prompt rescue - no assembly required. Quickly raise or lower a fallen worker to safety and avoid suspension trauma. Professional rescue solution enhances worker safety and corporate rescue plan. Rescuer can remotely attach system to the suspended worker while remaining securely anchored on the walking/working surface. All rescue components are contained in one easy-to-store kit with no assembly necessary, only requiring an overhead anchorage. Highly efficient hauling system, with a 5:1 lifting ratio, makes heavier loads easier to lift. Offers a 400-lb. weight capacity. Meets all applicable OSHA regulations and ANSI standards, including ANSI A10.32 and Z359.4.

Kit contains:

- Back-up braking system
- Color-coded, high-strength aluminum pulleys for easy orientation
- 7/16" semi-static kernmantle rope
- Rescue remote connection pole (4' collapsed, 12' fully extended)
- Carabiner clip/pigtail
- Handled pole carrying case
- Rope control handle
- Miller WristBandit™ tool lanyard
- Cross-arm anchorage connector
- Convenient backpack



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ QP/25FT	05888548	QuickPick premium kit, 25' working length system	Ea	\$2,286.77
▲ QP/50FT	05888549	QuickPick premium kit, 50' working length system	Ea	\$2,569.45

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ QP/75FT	05805338	QuickPick premium kit, 75' working length system	Ea	\$2,775.93
▲ QP/100FT	05888550	QuickPick premium kit, 100' working length system	Ea	\$2,982.46

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3M™ DBI-SALA® Ultra-Lok™ 3-Way Tripod Combo with Winch

7' Aluminum tripod is extremely lightweight and portable, easily set-up by one worker and can be transported from one location to another. Can accommodate a variety of winches and fall arrest devices and features telescoping locking legs, simple detent pin style adjustment, quick-mount mechanical device bracket, safety chain and specialized feet to prevent movement. i-Safe™ enabled with RFID technology. Meets ANSI Z359.14, ANSI Z117.1 and OSHA 1910.66 standards.

System includes:

- Salalift™ II manually operated winch with 60' of 1/4" galvanized steel wire rope and swivel snap hook, mounting bracket and carrying bag
- 50' Ultra-Lok SRL with 3/16" galvanized steel wire rope with 3-way emergency retrieval winch, mounting bracket, swiveling snap hook and anchorage carabiner
- Confined space tripod pulley, for use with 1/4" dia. SRL lifeline
- Confined space tripod mounting base, mates with mechanical device with quick-connect mounting bracket
- Advanced™ carrying bag for tripod

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8301066	05834523	Ultra-Lok 3-way tripod combo w/ winch	Ea	\$8,670.53



Self-Rescue

Flexible device attaches to current safety harness and allows a worker to lower their self to safety in the event of a fall from height. Minimizes time left suspended after an arrested fall event. Lightweight, low profile design equipped with i-Safe™. Features universal harness attachment, EZ-Link™ D-ring for fast connections, assisted-rescue ring for incapacitated user, and molded padding for durability and comfort. Sealed descent device and rope spool extends longevity.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
3320030	05853672	Self-Rescue 50	50'	Ea	\$749.93
3320031	05853673	Self-Rescue 100	100'	Ea	\$885.57



3M™ DBI-SALA® Advanced™ Tripod, Salalift™ II Winch and Sealed-Blok™ 3-Way SRL System

System features:

- 7' Aluminum tripod with telescoping adjustable locking legs, built-in pulley system, specialized safety shoes and leg support chain
- Manually operated winch with 60' of 1/4" galvanized steel wire rope, 6:1 gear ratio mechanical advantage and free-wheel mode
- Environmentally sealed self-retracting lifeline, 3-way emergency retrieval system with 50' of 3/16" galvanized steel cable lifeline
- Leg mount pulley system for secondary mechanical device
- Quick-connect winch and SRL mounting brackets
- Equipped with i-Safe™

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8301041	05834522	Advanced tripod, Salalift II winch & Sealed-Blok™ 3-way SRL system	Ea	\$8,426.13



3M™ DBI-SALA® Advanced™ 5-Piece Hoist System

Designed for manhole and other confined space entry and retrieval applications. Constructed of lightweight materials including high-strength aluminum. Davit pivots for ease of rescue and has an adjustment feature for overhead clearance restrictions. Lower base adjusts to fit most standard entries. The 5-piece hoist system comes equipped with 11 1/2" to 27 1/2" adjustable offset upper mast, 33" lightweight lower mast, 3-piece lightweight base and winch mount brackets. Winches and SRLs sold separately. Meets or exceeds all applicable OSHA regulations and ANSI standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8518000	05892939	Advanced 5-pc. hoist system	Ea	\$7,238.43



WARNING

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call Technical Service at 1-800-560-1094.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

3400920



3M™ DBI-SALA® Sealed-Blok™ Self-Retracting Lifeline

Design separates all dynamic components, including the motor spring and brake, from foreign elements such as grease, moisture and dirt. Environmentally sealed stainless steel and cast aluminum housing is designed for durability, even in harsh environments. Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. Includes 50' of galvanized cable, self-locking swivel snap hook with impact indicator, and retrieval winch. Large pivoting anchorage handle stays in line with load for added security. i-Safe™ Intelligent Safety System enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
3400920	05837813	Sealed-Blok SRL	Ea	\$4,804.92



3M™ DBI-SALA® Ultra-Lok™ Self-Retracting Lifeline for Retrieval

Rugged, yet extremely lightweight with stainless steel components, anti-ratcheting twin disc brake system and a semi-sealed design. Speed sensing brake system activates to stop a fall and reduce the forces imposed on the user to safe levels. 310-lb. capacity. Meets ANSI Z359.14, ANSI A10.32, OSHA 1910.66 and OSHA 1926.502 requirements.

Features:

- 3-Way emergency retrieval system with built-in winch
- Integrated quick-connect mounting bracket
- Stowable retrieval handle
- 50', 3/16" Galvanized steel cable lifeline
- Rugged, extremely lightweight thermoplastic housing
- Internal energy absorption system
- Constant moving brake system pawls
- Built-in carrying handle
- Swiveling anchorage point
- Swiveling snap hook with impact indicator
- Reserve lifeline system
- Ergonomic cable handle equipped with i-Safe™ technology

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
3501102	05821385	Ultra-Lok SRL for retrieval	Ea	\$3,936.95



3M™ DBI-SALA® Advanced™ Digital 100 Series Winch

Includes removable aluminum crank handle to utilize both 9:1 and 4:1 drives. Two drives offer the capability of retrieval/descent at average speeds from 13 to 30 ft/min. Includes 60' of stainless steel or galvanized cable. Power drive digital winch features power drive hub on the 9:1 drive. An overload protection clutch installs between power drive hub and electric or pneumatic drill to eliminate overloading winch during retrieval; protects winch operator and retrieved worker from injury; is installed and removed without use of tools when switching to the 4:1 manual crank option in emergencies.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8518558	05823643	Advanced Digital 100 Series winch w/ removable handle, stainless steel cable	Ea	\$3,955.45
8510207	05823641	Winch mounting bracket to attach SALA winches or SRLs to structures	Ea	\$62.10
8516824	05823642	Winch quick-release mounting bracket for Advanced upper & lower masts	Ea	\$150.61
8518565	05827673	Advanced Digital 100 Series Power Drive w/ 60' stainless steel cable assembly	Ea	\$4,054.53

⚠ SEE WARNING ON PAGE 131.



8510207



8516824



8518558



FS980



SAFEWAZE™ Confined Space Systems

Includes 7' aluminum tripod, 50' 3-way recovery unit, carabiner and a carrying bag. Material winch optional. Meets or exceeds all applicable OSHA regulations and ANSI standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
FS981	05859306	Confined space system w/ 50' 3-way recovery unit	Ea	\$3,324.18
FS980	05813654	Confined space system w/ material winch & 50' 3-way recovery unit	Ea	\$3,989.02

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Confined Space Ventilation Kits for Hazardous Locations

Kits include conductive Saddle Vent® with 90° elbow, 15' and 6' ducting, duct canister and universal mount. Saddle Vent® provides easy access and exit from manholes, while the 8" blower provides ventilation to maintain a safe environment. Blowers feature conductive, polyethylene fan housing, aluminum non-sparking blower wheel, static grounding lug installed, powder-coat tubular steel frame with dual handles, molded conductive safety guards, and 8" intake and exhaust flange.

- **Explosion-proof electric blower:** explosion-proof switch installed and wired with 25' cord; no plug, user wired per NEC requirements; 3/4 hp motor, 115 VAC, 12.6 A; weighs 67 lbs.; 1,570 CFM free air; 1,047 CFM with 25' duct and (1) 90° bend. CSA/US certified and CE registered.
- **Pneumatic blower:** 4 hp air motor, operates from 10-100 psi, adjustable flow output regulator, in-line moisture separator/lubricator (standard), Air Systems unique muffler and oil coalescing filter installed at air motor discharge, weighs 48 lbs.; 1,500 CFM free air delivery at minimum psi and CFM; 1,040 CFM at minimum psi and CFM with 25' duct and (1) 90° bend; 3,000 CFM free air delivery at maximum psi and CFM; 1,725 CFM at maximum psi and CFM with 25' duct and (1) 90° bend. CE registered.



SVB-E8XCUP



SVB-A8CUP



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SVB-E8XCUP	07000088	Explosion-proof electric blower kit	Ea	\$2,575.27

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SVB-A8CUP	05823636	Pneumatic blower kit	Ea	\$3,136.34



SVB-E8CUP



SVB-E8SCUP



Confined Space Ventilation Kits for Non-Hazardous Locations

Ventilation kit includes Industrial Saddle Vent® and 90° elbow, 6' and 15' duct, duct canister and universal mount. Blowers feature GFI power cord, aluminum non-sparking blower wheel, polyethylene fan housing, powder-coat steel frame, molded safety guards, 8" intake and exhaust flange. CSA/US certified and CE registered.

- **Economy 8" blower:** 1/2 hp electric motor 8 amps, 60 hz, 115 VAC; weighs 33 lbs.; 1,390 CFM free air; 1,075 CFM with 25' duct and (1) 90° bend.
- **Standard 8" blower:** 3/4 hp electric motor, 10.8 amps, 60 hz, 115 VAC; weighs 52 lbs.; 1,570 CFM free air; 1,047 CFM with 25' duct and (1) 90° bend.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SVB-E8CUP	05823637	Economy electric blower kit	Ea	\$1,228.73

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SVB-E8SCUP	07008200	Standard electric blower kit	Ea	\$1,514.87

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



9403-66



Economy Portable Work Tent

Utility shelter springs from backpack into full-size tent in seconds. Made from water-resistant, flame-retardant, UV-treated nylon with 360° reflective striping. Quick set-up from the inside or outside with (2) floor-to-floor fiber poles for better stability and structural strength. One large door and (2) large windows offer easy access for worker and equipment. Open bottom allows for protection while working over manhole openings or excavation sites. Hi-viz green with (12) yellow 9" plastic stakes. 7' H x 6' W x 6' D, folds to 31" L x 2 1/2" H. Weighs 22 lbs.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 9403-66	05823618	Economy work tent	Ea	\$446.39



9401-66



Deluxe Portable Work Tents

Easy-to-use, durable and features quick set-up from inside or outside with fiberglass rod frame. Frames designed to not pull out or poke through fabric. Handy attached roll-up flap provides compact storage and easy transport. Pitch roof style provides extra headroom, structural strength and repels snow and water. Frame rods are bolted for increased stability and the unbreakable hinges are made of rolled steel. Free-standing structural stability is excellent in windy conditions. For safety, side panels are high-visibility green and white color top allows proper lighting for color matching. Blower duct tube in rear of tent and covered window included. Flame-retardant.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9401-66	05823617	Deluxe work tent w/ 1 door	6 1/2' H x 6' W x 6' D	Ea	\$1,187.21
▲ 9401-88	05894018	Deluxe work tent w/ 1 door	7 1/2' H x 8' W x 8' D	Ea	\$1,700.09

Manhole Shield and Guard Rail

- **Guard rail:** Strong 1" tubular .078 gauge steel construction is powder-coated in safety yellow for durable finish and high visibility. Rail locks open and (2) hooking chains provide protected entry and exit. For safety, rail accommodates signs, flags or lights, and for convenience, can be used with a guard rail tent, umbrellas or winch. Protects an area of 33" x 33" for added safety. The 42" high guard rail collapses to only 44" square x 4" for easy storage. Single-piece construction assembles easily without tools. Weighs 34 lbs.
- **Shield:** Constructed of rugged, lightweight polyethylene with bright yellow material that resists fading. Will fit 28", 30" and 32" diameter manholes with inflatable, watertight seal. Designed with (4) outrigger support gussets that stabilize shield and is 12" tall to keep water and mud out of manhole. Can be used with Allegro® guard rail.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 9401	05800027	Manhole guard rail	Ea	\$284.93
▲ 9401-12	05823616	Manhole shield	Ea	\$227.95



9401 & 9401-12

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



The purpose of air monitoring is to identify and quantify airborne contaminants in order to determine the level of worker protection needed. Initial screening for identification is often qualitative, i.e., the contaminant, or the class to which it belongs, is demonstrated to be present but the determination of its concentration (quantification) must await subsequent testing. Two principal approaches are available for identifying and/ or quantifying airborne contaminants:

- The onsite use of direct-reading instruments.
- Laboratory analysis of air samples obtained by gas sampling bag, filter, sorbent, or wet contaminant collection method.

Go to www.osha.gov for complete details.

GAS DETECTION

Single & Multi-Gas	136-139
Noise Monitors	140
Protector Cases	140



BW GasAlertMicroClip XL Multi-Gas Detectors

Honeywell
THE POWER OF CONNECTED

Features easy to use 1-button operation, automatic calibration and integral concussion-proof housing. Large LCD simultaneously displays H₂S, CO, O₂ and combustible gas concentrations. Rugged, compact and lightweight. Datalogging/event logging standard. Audible, visual and internal vibrating alarms with four alarm levels: High, Low, TWA and STEL. Rechargeable lithium-ion battery provides up to 18 hours of operation. Battery recharge time of less than 6 hours. Durable, stainless steel alligator clip. Highly water-resistant. IntelliFlash™ provides continuous visual confirmation of detector operation and compliance.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ MCXL-XWHM-Y-NA	05815609	Yellow GasAlertMicroClip XL: LEL, O ₂ , H ₂ S, CO	Ea	\$634.98
▲ MCXL-XWHM-B-NA	05800970	Black GasAlertMicroClip XL: LEL, O ₂ , H ₂ S, CO	Ea	\$673.47
▲ CG-Q34-4	05864377	Carbon Monoxide 100 ppm, Methane 2.5%, Hydrogen Sulfide 25 ppm, Oxygen 18.0%, Nitrogen, aluminum cylinder	Ea	\$218.29
▲ REG-0.5	05815389	Regulator, 0.5 lpm	Ea	\$194.03
▲ MC-CK-CL	05815610	Confined space kit	Ea	\$618.49
▲ SR-W-MP75C	05815383	MICROpel® combustible (LEL) sensor	Ea	\$145.52
▲ SR-X2V	05800969	Replacement Oxygen (O ₂) sensor	Ea	\$200.10
▲ SR-H-MC	05815385	MICROcel® Hydrogen Sulfide (H ₂ S) sensor	Ea	\$145.52
▲ SR-M-MC	05815386	MICROcel Carbon Monoxide (CO) sensor	Ea	\$145.52

BW GasAlertMax XT II Multi-Gas Detectors

Offers integrated sampling pump designed with SmartSample technology to prevent liquids from entering pump and saves time with reliable pump block detection. Provides continuous visual confirmation of detector operation and compliance with the IntelliFlash™ feature.

Features:

- Detects up to (4) hazards including H₂S, CO, Combustibles and O₂
- Easy, 1-button operation
- Built-in rechargeable lithium battery
- Rugged and durable with built-in concussion-proof boot
- Equipped with standard datalogging and event logging
- Multi-language support in English, French, German, Spanish and Portuguese
- MicroDock II compatible for easy calibration, test and record storage



XT-XWHM-Y-NA

XT-XWHM-B-NA

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
XT-XWHM-Y-NA	05815378	Yellow GasAlertMax XT II: LEL, O ₂ , H ₂ S, CO	Ea	\$996.04
▲ XT-XWHM-B-NA	05815379	Black GasAlertMax XT II: LEL, O ₂ , H ₂ S, CO	Ea	\$996.04
▲ DOCK2-2-1C1M-00-G	05815381	Docking station, GasAlertMax XT II charging w/ power supply, 1 air inlet, 1 gas inlet	Ea	\$1,748.74
▲ CG-Q34-4	05864377	Carbon Monoxide 100 ppm, Methane 2.5%, Hydrogen Sulfide 25 ppm, Oxygen 18.0%, Nitrogen, aluminum cylinder 34L	Ea	\$218.29

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ REG-0.5	05815389	Regulator, 0.5 lpm	Ea	\$194.03
▲ REG-DF-1	05823699	Demand flow regulator, disposable cylinders	Ea	\$436.58
▲ GA-USB1-IR	05815380	IR Connectivity Kit w/ Fleet Manager Software	Ea	\$97.02
▲ SR-W-MP75C	05815383	MICROpel® combustible (LEL) sensor	Ea	\$145.52
▲ SR-X2V	05800969	Replacement Oxygen (O ₂) sensor	Ea	\$200.10
▲ SR-H-MC	05815385	MICROcel® Hydrogen Sulfide (H ₂ S) sensor	Ea	\$145.52

BW MicroDock II Docking Station for GasAlertMicroClip Series

Cost effective way to manage calibration and bump testing of portable BW gas detectors. Fully portable and easily expandable, no computer required to operate and provides simultaneous management of up to (6) modules. Basic system comes complete with base station, installed docking module, 110-240 VAC line power adapter, installed memory card, Fleet Manager II software, USB connector cable, fresh air inlet filter, (4) C alkaline batteries, (2) 2' calibration gas hoses, (2) gas inlet fittings, instructions and carries a 2-year warranty.

Features:

- Automatic bump testing, calibration, record keeping and charging
- One base station with (1) AC outlet supports up to (6) modules
- Verifies proper performance of detectors
- Reduces maintenance costs
- Multiple MicroDock II systems can be connected via a LAN
- Includes BW Fleet Manager software for easy data analysis
- Multi-language support in English, French, German, Spanish and Portuguese

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
DOCK2-2-1C1P-00-G	05864376	MicroDock II base station & docking module	Ea	\$1,873.65



DOCK2-2-1C1P-00-G

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Honeywell

THE POWER OF **CONNECTED**

BW GasAlertQuattro Multi-Gas Detectors

Four-gas detector combines comprehensive range of features with simple 1-button operation. Graphic LCD displays easy-to-identify icons that indicate operational information, such as bump test and calibration status for simplified onsite auditing. IntelliFlash™ provides continuous visual confirmation of detector operation and compliance. Fully compatible with MicroDock II automatic test and calibration system. Includes rechargeable battery pack or alkaline batteries, charger wall plug (with rechargeable battery option), calibration cap and tubing, reversible screwdriver, manual and technical reference guide. Approved, Class I, Div. 1, Group A, B, C, D.



QT-XWHM-A-Y-NA



DOCK2-2-1C1N-00-G

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ QT-XWHM-A-Y-NA	05823698	Yellow GasAlertQuattro: LEL, O2, H2S, CO w/ alkaline batteries	Ea	\$786.65
▲ QT-XWHM-R-Y-NA	05815387	Yellow GasAlertQuattro: LEL, O2, H2S, CO w/ rechargeable batteries	Ea	\$854.57
▲ QT-XWHM-R-Y-NA-CS	05815388	Yellow Confined space kit w/ detector & calibration gas	Ea	\$1,437.48
▲ DOCK2-2-1C1N-00-G	05815390	Docking station, GasAlertQuattro charging w/ power supply, 1 air inlet, 1 gas inlet	Ea	\$1,748.74

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ GA-USB1-IR	05815380	IR connectivity kit w/ FleetManager II software	Ea	\$97.02
▲ CG-Q34-4	05864377	Carbon Monoxide 100 ppm, Methane 2.5%, Hydrogen Sulfide 25 ppm, Oxygen 18.0%, Nitrogen, aluminum cylinder 34L	Ea	\$218.29
▲ REG-0.5	05815389	Regulator, 0.5 lpm	Ea	\$194.03
▲ SR-W04-75C	05815392	Combustible (LEL) sensor	Ea	\$206.16
▲ SR-X2V	05800969	Oxygen (O2) sensor	Ea	\$200.10
▲ SR-H04-SC	05815394	Hydrogen Sulfide (H2S) sensor	Ea	\$169.78
▲ SR-M04-SC	05815395	Carbon Monoxide (CO) sensor	Ea	\$272.86



BW4-Y-N

BW4-B-N

BW Clip4 4-Gas Detectors

Continuously-running 4-gas monitor of Hydrogen Sulfide, Carbon Monoxide, Oxygen, and LEL combustible gases. Provides 2-years of runtime with no hassle, no charging and no sensor/battery replacements. Two-year warranty.

Features:

- User-friendly tamper-proof operation with just one button
- Intuitive LCD icons
- Real-time gas concentrations shown on LCD
- Daily full function self-test of sensors, battery status, circuit integrity, and audible/visual alarms
- Flashing red non-compliance indicators warn workers that the detector has not been bump tested according to schedule
- Built-in concussion-proof boot
- Compatible with IntelliDoX instrument management system

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BW4-B-N	05853255	Black BW Clip4 gas detector	Ea	\$707.42
▲ BW4-Y-N	05853254	Yellow BW Clip4 gas detector	Ea	\$707.42
▲ D4-A501	05853253	Aspirator for BW Clip4	Ea	\$121.27
▲ CG-Q34-4	05864377	Carbon Monoxide 100 ppm, Methane 2.5%, Hydrogen Sulfide 25 ppm, Oxygen 18.0%, Nitrogen, aluminum cylinder	Ea	\$218.29
▲ REG-0.5	05815389	Regulator, 0.5 lpm	Ea	\$194.03

Bump Testing Aerosol Gas

Alarm test gas - hydrogen sulfide (H2S 40 ppm), carbon monoxide (CO 200 ppm), methane (CH4 2.5%), oxygen (O2 10%) bump test gas in spray-can aerosol form to be used as confidence test for single and multi-gas monitors with H2S, CO, LEL or O2 sensors.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ CG-BUMP1	05800931	Bump testing aerosol gas	11 L	Ea	\$78.83

CG-BUMP1



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

BW Clip Single-Gas Detectors

Single-gas, zero-maintenance detector operates up to two years maintenance-free: Just turn on the device and it runs continuously — no need for calibration, sensor replacement, battery replacement or battery charging. Compatible with both IntelliDOx and MicroDock II instrument management systems.

Features:

- Compact, lightweight design with 1-button operation
- Designed for a range of harsh environments and extreme temperatures
- Automatically performs one internal diagnostic test every 24 hours
- Automatic logging of the 35 most recent gas events and bump test results
- H2S and CO 2-year models can be placed in hibernation when not being used for a week or more to extend life by that period of time, up to a year
- Wide-angle flash, which alerts simultaneously with audible and vibrating

BWC2-H



DX-CLIP



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2-Year Detectors				
▲ BWC2-H	05864369	BW Clip: H2S 10-15 ppm	Ea	\$208.10
▲ BWC2-M	05864370	BW Clip: CO 35-200 ppm	Ea	\$208.10
▲ BWC2-S	05864371	BW Clip: SO2 5-10 ppm	Ea	\$339.37
▲ BWC2-X	05864372	BW Clip: O2 19.5-23.5 ppm	Ea	\$208.10
IntelliDOx Docking System				
▲ DX-CLIP	05864373	Intellidox docking module	Ea	\$2,661.92
▲ DX-ENBL-NA	05864375	Enabler Kit, NA, IDX for DX-CLIP	Ea	\$303.18
Accessories				
▲ CLIPHB-CASE	05864374	Hibernation case	Ea	\$18.20
▲ GA-USB1-IR	05815380	IR connectivity kit w/ FleetManager II software	Ea	\$97.02

Dräger Detector Tubes

An innovative measurement system for investigating soil pollution, liquid samples and air analysis. More than 500 substances can be detected and measured using the accuracies -Tube system. Typical applications include the monitoring of workplace air, emission measurements, quality control, process control and monitoring of compressed air for breathing apparatus, as well as environmental and hazardous substance detection applications. Tubes are packaged 10/box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ CH22901	05859127	Acetone 100/B, 100-12,000 ppm	Bx	\$98.93
▲ CH20501	05859128	Ammonia 5/A, 5-600 ppm	Bx	\$93.71
▲ 8101841	05859129	Benzene 0.5/C, 0.5-10 ppm specific	Bx	\$100.93
▲ 8101811	05859130	Carbon Dioxide 100/A, 100-3,000 ppm	Bx	\$92.46
▲ CH23501	05859131	Carbon Dioxide 0.1%/A, 0.1-6% vol.	Bx	\$87.35
▲ CH25601	05859133	Carbon Monoxide 5/C, 5-700 ppm	Bx	\$92.46
▲ CH20601	05859134	Carbon Monoxide 10/B, 10-3,000 ppm	Bx	\$87.35
▲ CH24301	05859135	Chlorine 0.2/A, 0.2-30 ppm	Bx	\$89.84
▲ 6730501	05859136	Diethyl Ether 100/A, 100-4,000 ppm	Bx	\$111.77
▲ 6728961	05859137	Ethylene Oxide 1/A, 1-30 ppm	Bx	\$111.77
▲ 6733081	05859138	Formaldehyde 0.2/A, 0.2-5 ppm	Bx	\$119.37
▲ CH29501	05859139	Hydrochloric Acid 1/A, 0.5-25 ppm	Bx	\$111.77
▲ 8101681	05859140	Hydrochloric Acid/Nitric Acid 1/A, 1-10 ppm	Bx	\$149.52
▲ 8103251	05859141	Hydrogen Fluoride 0.5/A, 0.5-90 ppm	Bx	\$111.77
▲ 8101041	05859142	Hydrogen Peroxide 0.1/A, 0.1-3 ppm	Bx	\$128.35

Dräger

Accuro® Sampling Pumps

Manually operated bellows pump that draws a calibrated 100 milliliter sample through the short-term Dräger-Tubes. Easy to use, designed for one-handed operation. Features internal scissors mechanism, automatic stroke counter, optical end stroke indicator and tube opener. Requires no lubrication. Constructed of non-metallic, corrosion-resistant materials to withstand rough treatment harsh chemical environments. Hard-side and soft-side kits include Accuro bellows pump, deluxe tube opener, spare parts kit, rubber caps (10/Pk), Allen wrench and molded plastic transport case with custom fit foam. Tubes sold separately.



6400000

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 6400000	05859123	Accuro pump	Ea	\$543.28
▲ 4053473	05859124	Accuro soft-side kit	Ea	\$736.41
▲ 4056443	05859125	Accuro hard-side kit	Ea	\$809.93
▲ 6400078	05859126	10 m Extension hose	Ea	\$280.36

Dräger

X-am® 2500 Multi-Gas Detector

Accurately detects O2, CO, NO2, SO2 and combines reliable sensor technology with long battery life. Features Matrix large, easy-to-read liquid-crystal display and X-dock compatibility. Can operate for more than 12 hours with either alkaline batteries or with rechargeable NiMH batteries. Water- and dust-resistant in accordance with protection class IP67.



4542262

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4542262	05859120	X-am 2500: Ex, O2, CO, H2S-LC w/ alkaline batteries	Ea	\$958.22
▲ 8319131	05859121	Bump test station, w/out gas cylinder, X-am 1/2/5000	Ea	\$822.39
▲ 4543755	05859122	Deluxe instrument case, X-am 1/2/5000	Ea	\$43.36



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 6728041	05859143	Hydrogen Sulfide 0.5/A, 0.5-75 ppm	Bx	\$95.08
▲ 8101831	05859144	Hydrogen Sulfide 1/D, 1-200 ppm	Bx	\$87.35
▲ CH29801	05859145	Hydrogen Sulfide 5/B, 5-600 ppm	Bx	\$87.35
▲ CH29101	05859146	Hydrogen Sulfide 100/A, 100-2,000 ppm	Bx	\$91.21
▲ CH28201	05859147	Hydrogen Sulfide + Sulfur Dioxide 0.2%/A	Bx	\$155.76
▲ 6728981	05859148	Mercaptan .5/A, 0.5-5 ppm	Bx	\$128.35
▲ 6728311	05859149	Nitric Acid 1/A, 1-50 ppm	Bx	\$111.77
▲ 8103631	05859150	Nitrogen Dioxide 0.1/A, 0.1-30 ppm	Bx	\$91.21
▲ CH29401	05859151	Nitrous Fumes 0.5/A, 0.5-10 ppm	Bx	\$85.98
▲ 8103261	05859152	Oxygen 5%/C, 5-23% vol.	Bx	\$220.55
▲ 6730201	05859153	Petroleum Hydrocarbons 100/A 10-2,500 ppm	Bx	\$98.93
▲ CH31101	05859154	Phosphine 0.1/A, 0.1-40 ppm	Bx	\$93.46
▲ CH31701	05859155	Sulfur Dioxide 1/A, 1-25 ppm	Bx	\$91.21
▲ 6728781	05859156	Sulfuric Acid 1/A, 1-5 MG/M3	Bx	\$150.77
▲ 8101661	05859157	Toluene 5/B, 5-300 ppm	Bx	\$113.39

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



ALTAIR® Single-Gas Detectors

Single-gas detection for carbon monoxide, hydrogen sulfide or oxygen that will operate for over 2 years. Offers superior dust/water protection and high resistance to RFI. Rubberized housing and 1-button operation provide durability and ease of use. Features triple alarm system with (2) bright LEDs and audible/vibrating alarms. Automatically records last 25 alarm events. MSA infrared adapter with built-in IR communication port enables user to read data or change alarm set points. Small, thin sensor profile provides high performance in very small package.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 10092521	05815619	ALTAIR: H2S, 10 ppm (1st alarm)-15 ppm (2nd alarm)	Ea	\$120.71
▲ 10092522	05815620	ALTAIR: CO, 25 ppm (1st alarm)-100 ppm (2nd alarm)	Ea	\$297.86
▲ 10092523	05815621	ALTAIR: O2, 19.5% vol. (1st alarm)-23% vol. (2nd alarm)	Ea	\$297.86



Single and Multi-Component Calibration Gases

Used for confined space work areas/entry as well as docking stations. Calibration gas cylinders are portable, use little space and are easy to handle. They provide a convenient and cost-effective way to utilize calibration gas mixtures. Many mixtures available upon request.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Air Zero					
▲ 105L-1	05815622	Air Zero	100 L	Ea	\$84.09
Ammonia					
▲ 58L-13-50	05815623	50 ppm, Nitrogen	58 L	Ea	\$299.14
Carbon Monoxide					
▲ 105L-50-50	05815624	50 ppm, Air	100 L	Ea	\$106.72

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Multi-Component Gases					
▲ 105L-135A-2.5	05815628	H2S 25 ppm, CO 100 ppm, Methane 2.5% (50% LEL), O2 (18%), N Balance, 58 L	100 L	Ea	\$106.72
▲ 58L-421	05815629	Carbon Monoxide 100 ppm, Methane 2.5% vol. (50% LEL), Hydrogen Sulfide 25 ppm, Oxygen 18% vol., Nitrogen	58 L	Ea	\$160.08
▲ 58L-411	05815630	Carbon Monoxide 100 ppm, Pentane 0.35% vol. (25% LEL), Hydrogen Sulfide 25 ppm, Oxygen 19% vol., Nitrogen	58 L	Ea	\$160.08
▲ 34L-411	05864378	Carbon Monoxide 100 ppm, Pentane 0.35% vol. (25% LEL), Hydrogen Sulfide 25 ppm, Oxygen 19% vol., Nitrogen	34 L	Ea	\$113.10
▲ 34L-421	05861651	Carbon Monoxide 100 ppm, Methane 2.5% vol. (50% LEL), Hydrogen Sulfide 25 ppm, Oxygen 18% vol., Nitrogen	34 L	Ea	\$127.74



Regulators

Regulators with gauges for use on various cylinder sizes.

- **Demand flow regulator:** This nickel-plated or stainless steel, single stage, vacuum actuated high quality regulator is a convenient method of gas flow regulation which supplies the exact amount of gas demanded by an analyzer and automatically shuts off. The DFR uses only the amount of gas demanded by the pump drawn instruments. Offered with multiple connections.

Quick Tips:

- Regulators used on CL2 and HCL need to be replaced regularly
- Reactive Gases that require a stainless regulator: Chlorine, Hydrogen Chloride, Nitric Oxide, Nitrogen Dioxide, Ammonia

- Non-Reactive Gases can use any regulator; most often brass or nickel plated
- Reactive Gases must use Teflon Tubing
- Non-Reactive Gases use Tygon Tubing

Call for additional information.



70-0.50

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 70-0.50	05815631	0.5 LPM high pressure regulator for 34, 58, 74, 105 & 116 L aluminum cylinders & 103 L steel cylinder	Ea	\$109.96
▲ 75-DFR	05864379	Demand flow regulator for 34, 44, 58, 66, 74, 105 & 116 L cylinders	Ea	\$281.16

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





3M™ Noise Indicator NI-100

Designed for variable noise environments to help workers identify potentially hazardous noise levels and know when hearing protection devices (HPDs) may be required. Green flashing LED indicates that noise levels are below 85 dB where HPDs may not need to be worn; red flashing LED indicates noise levels are above 85 dB, a potentially dangerous noise level where HPDs may be required. Small, lightweight design (.6 oz.) clips to shirt or jacket and includes a rechargeable battery that operates for up to 200 hours between charges. If not manually powered off, device will automatically power off after approximately 10 hours. Dimensions: 2" L x 1.4" W x 0.5" D. Can be used as an effective training tool within a hearing conservation program (consult OSHA Standard 29 CFR 1910.95) to help ensure workers know when and where to wear hearing protection. 6' USB 2.0 5-pin mini cable connects a computer or USB hub to the 3M Noise Indicator NI-100 for recharging, sold separately. 10/Case.



NI-100



3M™ Sound Detector SD-200 Kit

Includes key features for the assessment of workplace noise levels, including integration which computes the average sound pressure level. Features LED indicators that flash green, yellow and/or red when preset thresholds have been reached. Rechargeable lithium polymer battery helps to lower the total cost of ownership versus other sound level meters that use replaceable batteries. Kit includes the meter, 53-575 USB cable and SD-WS windscreen with user instructions translated into languages for United States, Canadian and Latin American regions.



SD-200

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
NI-100	05800174	Noise Indicator NI-100	Ea	\$46.85

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SD-200	05896323	3M™ Sound detector SD-200 kit w/ USB cable & windscreen	Ea	\$388.89

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, and the user instructions, warnings, and limitations accompanying each product.



Laptop Computer Case

Unique Pick N Pluck™ foam allows for customizing the interior by 1/2" cubes. Features double safety locking latches with keys, comfortable rubber over-molded handle, O-ring seal and stainless steel hardware. Automatic Pressure Equalization Valve balances interior pressure and keeps water out. Open cell core with solid wall design makes case strong and lightweight. Personalized nameplate service available. Exterior measures: 16.88" x 13.23" x 4.47". Lifetime Guarantee of Excellence.



1470-000-110

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1470-000-110	05823678	1470 Case	Ea	\$201.52



Small Protector Case

Features Pelican's unique Pick N Pluck™ foam for customizing the interior by 1/2" cubes. Trace the item and pluck foam out by hand- no tools required. Watertight, crushproof and dust-proof. Strong open cell core and solid wall design. Includes O-ring seal, automatic pressure equalization valve and stainless steel hardware. Measures: 11.64" x 8.34" x 3.78". Lifetime guarantee. IP67 certified.



1170-000-110

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1170-000-110	05823676	1170 Case	Ea	\$69.53



Medium Protector Case

Features Pelican's unique Pick N Pluck™ foam for customizing the interior by 1/2" cubes. Trace the item and pluck foam out by hand- no tools required. Watertight, crushproof and dust-proof. Strong open cell core and solid wall design. Includes O-ring seal, automatic pressure equalization valve, comfortable rubber over-molded fold-down handle, easy-open double throw latches and stainless steel hardware and padlock protectors. Exterior measures: 16.44" x 13" x 6.82". Lifetime guarantee. IP67 Certified. MIL C-4150J, Def Stan 81-41/STANAG 4280 certified.



1450-000-110

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1450-000-110	05823677	1450 Case	Ea	\$176.33



1065CC HardBack Case with Liner

Designed to protect most 10" tablets including iPad®, iPad® 2 and iPad® 2 with Smart Cover. Molded plush shock absorbing liner protects from impact and will not scratch tablets. Watertight gasket seal is created when case is shut. Easy open latch remains shut under pressure or after impact. Automatic Purge Valve keeps water and dust out while balancing air pressure. Watertight, crushproof and dust-proof. Interior measures: 9.96" x 7.76" x 0.81". Lifetime Guarantee of Excellence.



1065CC

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1065CC	05804605	Tablet HardBack case w/ liner	Ea	\$64.74

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





There are times — such as when responding to an emergency or making repairs under low-light conditions — when safety in the workplace greatly depends on a high-quality flashlight, lantern, or headlamp. Selecting the right lighting equipment is important to the safety efficiency of the user. ANSI/NEMA FL1 Flashlight Basic Performance is a flashlight standard designed to help users rate and compare the most important features of personal lighting tools, including peak beam intensity, beam distance, impact resistance, run time, light output, and even water resistance.

Go to www.nema.org for complete details.

LIGHTING

Flashlights.....	142-147
Area Lighting.....	147-148



88031



71500



66318

ProTac® 2L Professional Tactical Light

Constructed of machined aircraft aluminum with anodized finish and tempered, O-ring sealed glass lens. Includes anti-roll facecap, removable pocket clip, holster and multi-function, push-button tactical tailswitch. TEN-TAP® programmable switch allows user to select 1 of 3 different programs. IPX7 rated design, waterproof to 1 m for 30 minutes. Limited lifetime warranty.

Features:

- C4® LED (50,000-hour lifetime) powered by (2) 3 V CR123A lithium batteries (included)
- Output: High: 350 lumens, 3.25 hour run time; Low: 30 lumens, 35 hour run time (strobe 6 hour run time)
- Length: 4.77"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 88031	05892952	ProTac 2L Professional tactical light	Ea	\$70.48

Streamlight Jr.® LED Flashlight

Machined aircraft aluminum with non-slip rubberized comfort grip, unbreakable polycarbonate lens with scratch-resistant coating, push-button tailcap and removable pocket clip.

Features:

- Source: C4® LED, 50,000-hour lifetime
- Output: 140 lumens
- Run time: 5 hours
- Power: (2) AA alkaline batteries (included)
- Length: 6.5"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
71500	13071500	Streamlight Jr. LED flashlight	Ea	\$45.67

MicroStream® Penlight

Abrasion- and corrosion-resistant anodized aircraft aluminum construction with unbreakable, scratch-resistant polycarbonate lens. Removable pocket clip also clips onto brim of hat for hands-free use.

Features:

- Source: C4® LED
- Output: 45 lumens
- Beam distance: 41 m
- Run time: 2.25 hours
- Power: (1) AAA alkaline battery (included)
- Length: 3.6"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
66318	05866318	MicroStream LED penlight	Ea	\$24.39



61050

Trident® Headlamp

Broadest range of lighting needs - both distance and up close. Low battery indicator and hands-free LED headlamp with 3-position lighting options. Water-resistant with unbreakable polycarbonate lens. Features 90° tilting head and low-battery indicator.

Includes rubber and elastic straps. Limited lifetime warranty. Class I, Div. 2 rated.

Features:

- Source: (1) C4® LED, 50,000-hour lifetime and (3) LEDs, 100,000-hour lifetime
- Output: 35 lumens (3) LEDs/80 lumens C4 LED/11 lumens (1) 5 mm LED
- Run time: 10 hours (3) LEDs/5 hours C4 LED/53 hours (1) 5 mm LED
- Power: (3) AAA alkaline batteries (included)

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
61050	13061050	Trident w/ white LEDs	Ea	\$33.09

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



4AA ProPolymer® LED Flashlight

Made of impact-resistant engineering polymer resin with a rubber face cap for impact and shock resistance, unbreakable polycarbonate lens with scratch-resistant coating and tailswitch for momentary blink or constant "on" operation. Includes wrist lanyard connection. Waterproof. Yellow. Limited lifetime warranty. Approvals: UL® Class I, Div. 1, Grps. C and D; Class I, Div. 2 Grps. A, B, C and D; Class II, Div. 2, Grps. F and G; Class III, T3C; MSHA rated. Meets applicable European Community (CE) Directives.

Features:

- Source: (7) LEDs (100,000-hour lifetime)
- Power: (4) AA alkaline batteries (included unless noted otherwise)
- Output: 67 lumens, 155 hour run time
- Length: 6.5"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
68202	13068202	4AA ProPolymer LED flashlight w/ white LED	Ea	\$36.74



Dualie 3AA Flashlight



Dual beams are independently controlled by separate push button switches. Use the spot beam as a traditional flashlight for navigating in the dark. Switch to the flood beam for up close tasks or to light up an area. Turn on both beams to see what's ahead. Powerful C4 LED technology. High performance anti-static thermoplastic body is chemical- and solvent-resistant. Unbreakable polycarbonate lens with scratch-resistant coating. O-ring sealed, IPX7 rated waterproof to 1 meter for 30 minutes. Limited lifetime warranty. Rated intrinsically safe for use in hazardous locations. Class I, II, Division 1, Groups A,B,C,D, E, F, G. Class III; CL 1, ZN 0, IIC.

Features:

- Output (3) modes: Spot mode - 140 lumens, 18 hour run time; Flood mode - 140 lumens, 18 hour run time; combined spot and flood mode - 245 lumens, 9 hour run time
- Beam distance of 561'
- Power: (3) AA batteries (not included)

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
68751	05847205	Dualie 3AA flashlight	Ea	\$41.46



3C ProPolymer® Xenon Flashlight

Features bright, non-conductive, shock-resistant, corrosion-proof and waterproof construction. Push-button switching makes for easy, 1-handed operation. Approved for Class I, Division 1 use in hazardous locations.

- Output: 50 lumens, 5.5 hour run time
- Length: 8.5"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
33254	13033254	3C Xenon ProPolymer w/out batteries	Ea	\$43.87



Stylus® Penlight

Tempered, aircraft aluminum body with anodized finish, pocket clip and non-slip knurled grip. Designed with momentary blink and constant "on" modes. Limited lifetime warranty.

Features:

- Source: High-intensity LED (50,000-hour lifetime)
- Power: (3) AAAA alkaline batteries (included)
- Output: 11 lumens, 140 candela, 24 hour run time
- Length: 6.21"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
65018	13050041	Stylus penlight w/ white LED	Ea	\$19.74



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





45856



E-Spot® LiteBox® Lanterns

Rechargeable lantern with deep-dish parabolic reflectors to produce a large spot pattern and dual rear LEDs. Standard system includes shoulder strap, AC/DC chargers and mounting rack. Vehicle-mount system includes shoulder strap, DC charge cord and vehicle-mountable hard-wire rack.

Features:

- Source: C4® LED, (3) LEDs, powered by rechargeable 6 V, 12 Ah sealed lead acid battery (included)
- Output: High: 540 lumens, 7 hour run time; Low: 330 lumens, 15 hour run time

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 45851	05821524	E-Spot LiteBox lantern, standard system	Ea	\$253.34
▲ 45855	05821525	E-Spot LiteBox lantern, vehicle-mount system	Ea	\$242.77
▲ 45856	05821526	E-Spot LiteBox lantern w/out charger	Ea	\$200.57



90641



Knucklehead® Rechargeable Work Lights

Made from high-impact super-tough nylon. All openings are O-ring sealed for weather resistance. Includes removable magnet with 135-lb. pull strength and stowable hook for hands-free operation. The 210° articulating head rotates 360°. IPX4 rated for water-resistant operation. Limited lifetime warranty. Meets USTC Class I, II, Div. 2, Grps. A, B, C, D, E, F and G; Class III, T4; charger meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position.

Features:

- C4® LED with 50,000-hour lifetime
- Output: High: 200 lumens, 3.5 hour run time; Low: 63 lumens, 16 hour run time
- Powered by rechargeable NiCd 4.8 V, 4-cell sub-C (included); optional (4) AA alkaline non-rechargeable battery pack
- Height: 9.2"

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 90641	05820799	Knucklehead work light, alkaline	Black	Ea	\$123.51
▲ 90642	05820798	Knucklehead work light, alkaline	Yellow	Ea	\$123.51



3AAA eLED® Vizion® Z3 Headlamps

Made from high-impact ABS, LEXAN®, polyurethane rubber, and stainless steel construction for durability. Advanced Compound Path Optics (CPO) focus the beam and are contained internally so that there are no lens parts to lose. Waterproof design for all weather use. Large push button control switch works with heavy gloves. Energy conservation design transfers heat back into batteries for longer burn time and improved cold weather performance. LED lamp module can be removed from head mount for use as camp light. Rotating beam angle adjustment knob, no hinge to break. Extra wide head band for comfort. Red.

Features:

- 3 Selectable beam patterns - Spot, Diffuse and Red Diffuse
- 3 Selectable brightness levels
- Output: 210 lumens on high with 3.5 hour run time; 110 lumens on medium for 6.5 hour run time; 40 lumens on low for 32 hour run time
- Power: (3) AAA alkaline batteries



517109



517110

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 517110	05853780	Underwater Kinetics 3AAA Vizion Z3 headlamp, Herculite w/ helmet mount	Ea	\$57.64
▲ 517109	05853781	3AAA Vizion Z3 headlamp, Herculite w/ rubber band	Ea	\$48.03

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



2AA eLED® Herculite® Flashlight

Constructed of a special chemical-resistant polymer. Extremely compact and lightweight. Deep parabolic reflector creates a bright focused beam. Can be attached to a helmet or hard hat using optional helmet clip. Waterproof for all weather use. Features pushbutton tail switch. Limited lifetime warranty.

Features:

- 2 Brightness levels
- Output: 100 lumens on high for 5 hour run time; 10 lumens on low for 40 hour run time
- Power: (2) AA alkaline batteries

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
515519	05853782	2AA eLED Herculite flashlight	Ea	\$24.10



515519



4AA eLED® Herculite® Flashlight

Made of a proprietary blend of polymer materials that provide enhanced chemical resistance to many industrial compounds including gasoline, diesel fuel, brake fluid, battery acid, acetone, grease, hydrochloric acid, coolant, methyl ethyl ketone and ethanol. Waterproof to 10'. Internally protected from dust and liquids (not dive rated). Electrically non-conductive. Pushbutton tail switch. Limited lifetime warranty.

Features:

- Output: 180 lumens with 8 hour run time
- Power: (4) AA batteries

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
514611	05853783	eLED Herculite flashlight	Ea	\$27.79



514611



935-004



Flash Batons

Features 4- or 6-LED light source with carrying strap and attachment clip. Can switch from red flashing to red steady light. Operates on (2) C batteries (not included).

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
935-004	13093504	4-LED flash baton	16" L x 1" dia	Ea	\$5.50
935-006B	13093506	6-LED flash baton w/ audible alarm	22" L x 1" dia	Ea	\$9.79



Multi-Purpose Worklight - Rechargeable

Rechargeable all-LED worklight has both a spotlight and a floodlight built in. Spotlight, located in the base of the handle, is perfect for putting a narrow beam of light into a specific area. Floodlight is designed for lighting up a large area.

Features:

- Source: (6) LED spotlight/(60) LED floodlight
- Output: spotlight 32 lumens/floodlight 230 lumens
- Run time: spotlight 18 hours/floodlight 3 hours
- Power: integrated rechargeable NiMH, AC and DC power supplies included
- Length: 14.3"



SLR-2166

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SLR-2166	05802166	Rechargeable worklight, 66 LEDs	Ea	\$47.32



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





NSP-1260

Nightstick® Multi-Purpose Flashlight-Floodlight-Dual-Light™

Functions as a flashlight, floodlight or both. Flashlight has a focused beam with a bright center spot for distant illumination. Floodlight offers broad, even lighting without the bright center spot for close-in illumination. Dual-Light™ provides maximum safety in work area or while moving. Rugged polymer housing is impact- and moisture-resistant. Body is oval-shaped with non-slip texture and soft-touch finish. Includes impact bumpers and removable magnetic clip. Orange. One-year warranty. Meets European Community (CE) Directives.

Features:

- Source: bright LEDs, 35,000-hour lifetime
- Output: 150 lumens flashlight/120 lumens floodlight/270 lumens dual
- Run time: 10 hours flashlight/4 hours half-power floodlight/10 hours full-power floodlight
- Power: (4) premium AA alkaline batteries (included)
- Length: 10.9"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
NSP-1260	05837296	Dual function light	Ea	\$43.68

NSP-1174-K01



Nightstick® Safety Light/Flashlight Kit

Non-slip, textured body design with soft-touch finish and belt ring. Rugged polymer housing is impact- and moisture-resistant. Ideal for law enforcement, security and industrial professionals or roadside emergencies. Thin profile and oval shape fits any size hand. Switch offers two options: momentary spotlight or safety light (constant or flashing). Heavy-duty magnetic base allows safe, hands-free operation. Includes batteries, magnetic clip, red safety cone, and lanyard ring. Limited lifetime warranty.

Features:

- Source: CREE® LED flashlight, (30) LEDs floodlight/amber flashing light, 35,000-hour lifetime
- Output: 150 lumens flashlight/120 lumens safety light
- Run time: 10 hours flashlight/30 hours floodlight or flashing safety light
- Power: (4) premium AA alkaline batteries (included)
- Length: 10.9"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
NSP-1174-K01	05837299	Safety light/flashlight w/ cone & magnet base	Ea	\$54.60



Nightstick® Intrinsically Safe Polymer Dual-Light™

Intrinsically safe permissible for use in both above and below ground hazardous locations where explosive gases and dusts may be present.

Features:

- Source: CREE® LED with 50,000-hour LED lifetime
- Output: 120 lumens flashlight, 120 lumens floodlight, 240 lumens in dual-light mode
- Run time: 17.5 hours flashlight, 17.5 hours floodlight, 4.5 hours in dual-light mode

MFG #	DILLON #	COLOR	UOM	PRICE
XPP-5422G	05800427	Green	Ea	\$38.22
XPP-5422B	05869212	Black	Ea	\$38.22



XPP-5422G



UK4AA Xenon Front Switch Flashlight

Rubber sheath molded over bezel minimizes glare and provides impact resistance (passes 30' drop to concrete test). Push-button thumb switch, pre-focused spot beam and easy-loading, drop-in battery compartment. Hydrogen scrubber catalyst, polarized battery contacts and 0-psi vent design reduces explosive risk from leaking batteries. Non-corroding ABS and polycarbonate plastic construction. Waterproof to 10'. Approvals: UL® Class I Div. 2 and Class II Div. 2 rated for use in hazardous locations.

Features:

- Source: xenon
- Output: 38 lumens
- Run time: 4-5 hours
- Power: (4) AA alkaline/LR6 batteries
- Length: 6.1"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
14120	13070035	UK4AA-AS2 Xenon	Ea	\$26.78



14120

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Industrial Flashlight

Features comfort grip, spare bulb holder, tool box-tough design, built-in extra-tough hang ring and environmentally friendly construction. Polypropylene, impact-resistant design passes 7' drop test. Resistant to oil, water and chemicals. Yellow. Lifetime warranty.

- Source: PR2 krypton bulb
- Output: 10 lumens on alkaline batteries/8 lumens on heavy-duty batteries
- Run time: 20 hours on alkaline/7 hours on heavy-duty
- Power: (2) D batteries (not included)
- Length: 10.75"

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
IN2-MS	13070025	2D Safety flashlight w/ shock & corrosion-resistance	Ea	\$8.13



IN2-MS



Hazardous Location Stand Light

Built to endure harsh job site conditions. Tripod stands are made of heavy-wall tube steel and have no plastic parts. The 400 W metal halide lights and 300 W flood lamps offer the flexibility to provide the right light and meet the NEPA requirements for hazardous environments. Light heads are extremely strong, compact, and bulbs are rated to last 10,000 hours. Built and tested to meet stringent UL® requirements.



XP-1530-50P

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
XP-1530-50P	05892983	300 W 120 V flood lamp w/ 50' cord	Ea	\$2,330.48



Hazardous Location Inspection Light

Features heavy-duty Tuffite handle design for high-impact strength and chemical resistance. Ideal for use in tank cleaning and industrial maintenance areas. Non-sparking aluminum guard and swivel hook. For use in hazardous locations. Approvals: UL® Listed Class I, Div. 1, Gp. C and D.



XP-162

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
XP-162	05892984	Inspection light only w/ 120 V bulb (no cord)	Ea	\$493.08



Portable Scene Light Rechargeable Lantern

Rapidly deployed and easily stowed. High-impact thermoplastic housing and weatherproof construction; O-ring sealed, unbreakable polycarbonate with scratch-resistant coating. C4® LEDs and wide pattern reflectors produce a uniform flood pattern with two selectable beam widths and three light output intensities. Toggle switch allows operation from internal battery or continuous operation from external 12 VDC power source. Red and green LEDs provide charge status feedback. Batteries will continue to charge while operating directly from an external 12 VDC power source when using the remote cord. AC charger also included for continued use. Features optimum peripheral illumination for scene lighting; 90° swivel to aim the beam where you need it for task lighting. Balanced design and easy setup: less than 30 seconds for full deployment; pole extends to 72"; cord built into the pole to avoid snags; stabilization legs provide balance on uneven surfaces. Packs to a compact size (22"; 55.88 cm) for easy stowage. Yellow. IP67 rated; dust-tight and waterproof to 1 meter for 30 minutes. Designed to resist 40 mph wind continuous in all directions with head fully extended. Limited lifetime warranty.

Features:

- Source: (6) C4 LEDs
- Output: 5,300 lumens high/2,500 medium/1,300 low
- Beam distance: 410 m beam distance on high/292 m medium/215 m low
- Run time: 4 hours on high/9 hours on medium/18 hours on low
- Power: rechargeable 12 V, 7.2Ah sealed lead acid batteries are rechargeable up to 500 times
- Size: 22" L x 6 1/2" W x 11" H; 6.7" dia.; Weighs 25 lbs. with batteries



45670



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
45670	05830901	Portable scene light w/ 120 VAC/12 VDC	Ea	\$994.15


All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

9420XL LED Worklight

Portable; equipped with (2) LEDs and a 5' high mast that deploys easily in seconds and illuminates entire work area. Gets the job done without the hassle of power cords. Lightweight and collapsible. Kit includes blow-molded case, lithium-ion batteries, DC vehicle charger, AC main charger with transformer, charging station and easy carry shoulder strap. CE and RoHS Approved.

Features:

- Source: (2) LEDs
- Output: 1,000 lumens
- Run time: 4 hours on low/2 hours on high
- Power: (2) Li-ion batteries



9420XL

9430 Remote Area Lighting System

Includes low battery warning system, waterproof rubber activation switch and fully extendable mast with 360° rotating head and mast extension lock. Lifetime guarantee. Restriction of Hazardous Substances (RoHS) compliant.

Features:

- Source: (6) LED's per head, (24) high-flux LEDs, 50,000-hour lifetime
- Output: 3,000 lumens on high/1,500 on low
- Run time: 8 hours on high/15 on low
- Power: 12 V rechargeable, sealed lead (included)
- Dimensions (closed): 15.8" L x 7.9" W x 9.1" H
- Height with mast head extended: 32.28"



9430

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9420XL	05888488	9420XL LED worklight kit	Ea	\$639.87

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9430	05888489	9430 Remote area lighting system	Ea	\$1,318.22



AL2-7-35



Air-Light® II DC Powered Portable LED Light

Portable temporary or emergency area lighting for commercial and industrial applications. For use in all weather conditions. Sets up in seconds- no tools required. Features amber LED flasher on rear for added safety, vehicle jumper connection posts, cord storage in front and rear pockets, and DC power port for charging. 18" Stainless steel legs extend to provide stable tripod base and retract for storage. 26" H x 17" W x 8" D; 44 lbs. Light heads IP68 rated dustproof and waterproof. Lifetime warranty on LED lamps. NEMA 3 protection.

Specifications:

- Up to 8' extension; 24" storage height with mast down
- 2 VDC sealed 35 A/hr AGM lead acid battery
- Use 12 V power port adapter cable to charge and/or run DC-powered electrical devices
- Output: 7,400 lumens; 5.8 A, 70 W; full charge run time 5+ hours with both lights, 10+ with one light

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
AL2-7-35	05853668	Air-Light® II XP	Ea	\$1,598.93



Air-Light® System - DC Powered Portable LED Lighting

Designed to provide high-power lighting for indoor and the most adverse outdoor conditions. Compact portable design comes fully assembled for use and deploys rapidly in under 30 seconds without the need for component assembly.

Features:

- Full 87" light elevation
- 12 VDC, 22 A/hr, AGM battery
- Output: 4,000 Lumen 4K Model; 9,800 lumen 8600 Model
- Power supply can be switched from internal battery to external 12 VDC power or 110-240 VAC 50/60 Hz power without interrupting light operation
- Power port socket for charging of internal battery or powering external accessories like cell phones, laptops, handheld lights or any other device utilizing 12 VDC power
- Unit deploys/stows rapidly without the use of tools and folds to fit within the integral storage case
- Operational in sustained 35 mph full frontal winds or 65+ mph rear winds



AL4KBP



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
AL4KBP	05853666	Air Light™ 4K LED light (includes internal battery pack, 3 A battery charger)	Ea	\$1,598.93
AL8600BP	05853667	Air Light™ 8600 LED light (includes internal battery pack, 3A battery charger)	Ea	\$2,339.75
LP-PC-DE	05853669	DC to DC power cable	Ea	\$33.24
C7-PC-USA	05853670	115 VAC power cable	Ea	\$10.64

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Accidents may occur during handling of drums and other hazardous waste containers. Hazards include detonations, fires, explosions, vapor generation, and physical injury resulting from moving heavy containers by hand and working around stacked drums, heavy equipment, and deteriorated drums. While these hazards are always present, proper work practices, such as minimizing handling and using equipment and procedures that isolate workers from hazardous substances, can minimize the risks to site personnel.

Go to www.osha.gov for complete details.

HAZARDOUS STORAGE

Safety Cans	150-151
Drum Management	151
Safety Cabinets	152
Spill Containment	153
Grounding	154

JUSTRITE® Oily Waste Cans

Dispose of oil-soaked rags and protect from fires that start due to spontaneous combustion, sparks or careless use of smoking material. Rags and cloths soaked with flammable liquids present a serious fire risk when improperly discarded. Specially designed lid opens no more than 60° and stays closed when not in use, isolating contents from fire sources and limiting oxygen, virtually eliminating risk of spontaneous combustion. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Galvanized steel body with a durable powder-coat paint finish. Red. FM tested and approved, UL® listed, and TÜV certified.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 09100	05809100	6-Gal. oily waste can w/ foot-operated cover	11 7/8" OD x 15 7/8" H	Ea	\$77.68
09300	05809300	10-Gal. oily waste can w/ foot-operated cover	13 15/16" OD x 18 1/4" H	Ea	\$88.85
▲ 09500	05892868	14-Gal. oily waste can w/ foot-operated cover	16 1/16" OD x 20 1/4" H	Ea	\$100.33
▲ 09700	05809702	21-Gal. oily waste can w/ foot-operated cover	18 3/8" OD x 23 7/16" H	Ea	\$148.66



Type II AccuFlow™ Safety Cans

Offer additional convenience with 2 openings; top opening with lift lever for easy filling, second opening equipped with flexible metal hose for targeted pouring. Hose also provides a safe bonding path to the receiving vessel. Manifold automatically vents to provide fast, precise, plug-free pouring. Long-lasting, stainless steel flame arrester dissipates heat to prevent flashback ignition. Gasketed, self-closing leak-tight lid automatically vents to guard against pressure buildup at elevated temperatures. Warning label with extra large ID zone for identifying contents, department location, or individual user name. Heavy-duty, lead-free coated steel with reinforcing ribs and tough powder-coat paint finish for durability. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Type II Flammable Safety Cans, Red					
7210120	05810327	1-Gal. AccuFlow™ safety can w/ 5/8" hose	9 1/2" dia. x 10 1/2" H	Ea	\$92.97
7225120	05892887	2 1/2-Gal. AccuFlow™ safety can w/ 5/8" hose	11 3/4" dia. x 12" H	Ea	\$95.14
▲ 7250120	05892888	5-Gal. AccuFlow™ safety can w/ 5/8" hose	11 3/4" dia. x 17 1/2" H	Ea	\$96.27
7250130	05810821	5-Gal. AccuFlow™ safety can w/ 1" hose	11 3/4" dia. x 17 1/2" H	Ea	\$96.27
Type II Diesel Safety Cans, Yellow					
▲ 7220220	05801343	2-Gal. AccuFlow™ safety can w/ 5/8" hose	9 1/2" dia. x 13 1/4" H	Ea	\$100.68
▲ 7225220	05801342	2 1/2-Gal. AccuFlow™ safety can w/ 5/8" hose	11 3/4" dia. x 12" H	Ea	\$101.82
▲ 7225230	05801346	2 1/2-Gal. AccuFlow™ safety can w/ 1" hose	11 3/4" dia. x 12" H	Ea	\$101.82
7250230	05800573	5-Gal. AccuFlow™ safety can w/ 1" hose	11 3/4" dia. x 17 1/2" H	Ea	\$102.89

Type I Steel Safety Cans

Fully compliant safety can with ergonomically counter-balanced design for easy pouring with rounded, swinging comfort handle. Protection features include a long-lasting, stainless steel flame arrester that dissipates heat to prevent flashback ignition and leak-proof, positive pressure-relief cap that automatically vents to guard against rupture or explosion. Large ID zone provided for identifying content mixtures and/or department location, work shift, crew or individual user. Heavy-duty, 24-gauge galvanized steel body and handle with powder-coat paint finish. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Type I Flammable Safety Cans, Red					
7110100	05810301	1-Gal. safety can	9 1/2" dia. x 11" H	Ea	\$42.04
7120100	05810501	2-Gal. safety can	9 1/2" dia. x 13 3/4" H	Ea	\$45.38
7125100	05810701	2 1/2-Gal. safety can	11 3/4" dia. x 11 1/2" H	Ea	\$48.68
7150100	05810801	5-Gal. safety can	11 3/4" dia. x 16 7/8" H	Ea	\$49.79
▲ 7110110	05837284	1-Gal. safety can w/ 11202Y poly funnel	9 1/2" dia. x 11" H	Ea	\$48.12
▲ 7125110	05825110	2 1/2-Gal. safety can w/ 11202Y poly funnel	11 3/4" dia. x 11 1/2" H	Ea	\$54.76
▲ 7150110	05850105	5-Gal. safety can w/ 11202Y poly funnel	11 3/4" dia. x 16 7/8" H	Ea	\$55.88
Type I Diesel Safety Cans, Yellow					
▲ 7110200	05801345	1-Gal. safety can	9 1/2" dia. x 11" H	Ea	\$48.68
▲ 7120200	05801344	2-Gal. safety can	9 1/2" dia. x 13 3/4" H	Ea	\$52.02
7150200	05810811	5-Gal. safety can	11 3/4" dia. x 16 7/8" H	Ea	\$56.43
▲ 7110210	05801348	1-Gal. safety can w/ funnel	9 1/2" dia. x 11" H	Ea	\$54.76
▲ 7120210	05801347	2-Gal. safety can w/ funnel	9 1/2" dia. x 13 3/4" H	Ea	\$58.09
▲ 7150210	05850106	5-Gal. safety can w/ funnel	11 3/4" dia. x 16 7/8" H	Ea	\$60.68
Type I Kerosene Safety Cans, Blue					
▲ 7150300	05837287	5-Gal. safety can	11 3/4" dia. x 16 7/8" H	Ea	\$62.51
Funnels					
11202Y	05811200	Poly funnel for Type I steel cans, 1-gal. & above	1/2" dia. x 11 1/4" L	Ea	\$8.04
11089	05811089	Bolt-on funnel w/ galvanized hose for steel cans only	1" dia. x 14" L	Ea	\$24.24

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



UI-25-FS



Type I Galvanized Safety Cans

Industry approved for safe handling and storage of gasoline and other flammable liquids. Features deep drawn, 2-piece, no-weld construction without top or side seams, non-sparking pour spout with flame arrestor and a spring-closing lid with neoprene gasket to safely relieve internal pressure at 5 psi. Powder-coat paint finish with silk-screened label in English, Spanish, and French. Specific labeling included. Red. Compliance: OSHA 29 CFR 1910.106, 1926.152 and NFPA Code 30.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ UI-20-FS	05821120	2-Gal. w/ funnel	11 1/4" dia. x 9 1/2" H	Ea	\$55.54
▲ UI-50-FS	05821150	5-Gal. w/ funnel	12 1/2" dia. x 13 1/2" H	Ea	\$61.12



Drum Cover

Economical way to convert open-top 55-gal. steel drums into fire-safe receptacles for combustible trash. Easily attaches using only a screwdriver and wrench. Easy to remove. Steel with a highly chemical-resistant powder-coat paint finish. Fits drums with 22 1/2" to 22 3/4" Dia. Replaceable fusible-link assembly inside cover melts at 165° F to automatically close cover and extinguish flame in the event of a fire in the drum. FM Approved.



26750

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 26750	05848335	Self-close drum cover w/ fusible link for 55-gal. drums	Ea	\$173.53



EcoPolyBlend™ Accumulation Centers

Economical, low-profile secondary containment platforms are eco-friendly. Made of 100% recycled, post-industrial, durable polyethylene. Yellow version is made from 45% recycled content. Nearly impervious to chemicals, including acids and corrosives. Seamless design ensures any leaks or spills are captured in sump before reaching floor drains or creating a slip hazard. Sturdy grates are nearly 2 1/2" thick for superior crack resistance, self-locating, reduce chance of grate "ride-up" and remove for easy cleaning. Modular centers allow for creating a customized system using optional joining clips to firmly lock units together to expand storage space. Sumps remain separate and clips can be removed for easy repositioning. Optional Sump-to-Sump™ drain kit allows centers to be joined together on-site for full compliance to EPA and fire codes when combined sump capacities need to meet 66 gals. Six-drum center meet or exceed regulations; EPA 40 CFR 264.175, NFPA 1 the Uniform Fire Code 60.3.2.10, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 9.13.1 and OSHA 29 CFR 1910.106(e)(2)(iii).



ACCUMULATION CENTERS

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
▲ 28655	05848338	2-Drum accumulation center	Black	5 1/2" H x 49" W x 25" D	Ea	\$174.29
▲ 28657	05848339	4-Drum accumulation center	Black	5 1/2" H x 49" W x 49" D	Ea	\$313.73
▲ 28659	05828659	6-Drum accumulation center	Black	5 1/2" H x 73" W x 49" D	Ea	\$441.52
▲ 28926	05828926	Joining clips, 1 pair, stainless steel		4" x 2"	Ea	\$24.18
▲ 28927	05828927	Sump-to-Sump™ drain kit			Ea	\$48.37
▲ 28687	05876754	Ramp for 2 drums & larger	Black	6 1/4" H x 48" W x 33" D	Ea	\$267.25
▲ 28650	05876741	Ramp for 2 drums & larger	Yellow	6 1/4" H x 48" W x 33" D	Ea	\$280.24



EcoPolyBlend™ Low-Line Pallets

Indoor spill control pallets are 9" (23 mm) tall offering a comfortable working height for pumping operations or waste collection activities. Compliant, large sump and big footprint accepts drums, pails and more. Grates remove for easy cleaning. Made of 100% recycled polyethylene. Optional ramp for drum handling. Black. Meets or exceeds EPA 40 CFR 264.175, NFPA 1 the Uniform Fire Code 60.3.2.10, International Fire Code 2704.2.3, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 9.13.1 and OSHA 29 CFR 1910.106(e)(2)(iii).



28672

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 28672	05876749	2-Drum, 67-gal. sump	55" W x 45" D x 9" H	Ea	\$367.14
▲ 28673	05876750	4-Drum, 79-gal. sump	55" W x 55" D x 9" H	Ea	\$436.85
▲ 28679	05876753	Pallet ramp	48" W x 59 3/4" D x 11 1/4" H	Ea	\$413.63



Safety Drum Funnel

Heavy 18-gauge galvanized steel with electrostatically applied epoxy powder-coat paint provides durability and chemical resistance to solvents, thinner, oil and paint wastes. Larger funnels accept a lock to prevent unauthorized access. Funnels intended for use with flammables are fitted with a brass flame arrestor that absorbs and dissipates heat, preventing any external ignition source from reaching the drum's flammable contents. Self-close models have a fusible link that melts at 165° F allowing the cover to automatically shut to extinguish the flames. Funnel complies with EPA and OSHA regulations and are FM approved.



08207

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 08207	05808207	Funnel w/ self-closing cover & 6" flame arrestor for flammables	10 3/4" dia. x 10" H	Ea	\$257.35

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





899320

Sure-Grip® EX Horizontal Drum Storage Cabinets

Provides safe storage for solvent filled drums. Designed to house 55-gal. drum being used for gravity flow dispensing. Interior provides space for a drip can and includes tracks to guide drum cradle into position. Yellow. Drum cradle sold separately.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 899300	05862355	Horizontal 1 drum cabinet, 2 doors, manual close	50" H x 30" W x 48" D	Ea	\$1,878.58
▲ 899320	05862354	Horizontal 1 drum cabinet, 2 doors, self-close	50" H x 30" W x 48" D	Ea	\$2,081.77

Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

Allow increased access to often-used flammable liquids without compromising safety. Portable size keeps work areas flexible. Fit almost anywhere and provide protection when space is at a premium. Includes (1) adjustable shelf. Yellow. Complies with OSHA and NFPA regulations. 12-Gal. cabinets are FM approved.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 890400	05848340	4-Gal. countertop cabinet, manual close	22" H x 17" W x 17" D	Ea	\$484.68
▲ 891200	05848341	12-Gal. compac cabinet, manual close	35" H x 23 1/4" W x 18" D	Ea	\$647.41
▲ 891220	05876775	12-Gal. compac cabinet, self-close	35" H x 23 1/4" W x 18" D	Ea	\$712.52

Sure-Grip® EX Corner Flammable Safety Cabinets

Designed especially for environments where space is at a minimum, cabinet fits into an empty corner to maximize amount of space available for storage. Features a fail-safe, 3-point self-latching door, double-walled construction with 1 1/2" air space, dual vents, grounding connector and a large trilingual warning label identifying contents. Leakproof 2" sump in cabinet bottom safely collects spills. Galvanized steel safety shelves adjust on 3" centers for versatile storage. Manual close doors open to a full 180° and self-latch when pushed closed. Self-close doors shut and latch automatically when a fusible link melts at 165° F (74° C) under fire conditions. Yellow. Ten-year warranty. Meets OSHA, NFPA 30 and NFPA 1; self-close doors also meet the International Fire Code.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 893100	05830814	30-Gal. corner cabinet w/ 2 manual close doors & 1 shelf	44" H x 43" W x 21 3/4" D	Ea	\$1,032.39
▲ 893120	05830813	30-Gal. corner cabinet w/ 2 self-close doors & 1 shelf	44" H x 43" W x 21 3/4" D	Ea	\$1,132.92
▲ 894600	05830812	45-Gal. corner cabinet w/ 2 manual close doors & 2 shelves	65 1/4" H x 43" W x 21 3/4" D	Ea	\$1,260.47
▲ 894620	05830811	45-Gal. corner cabinet w/ 2-self close doors & 2 shelves	65 1/4" H x 43" W x 21 3/4" D	Ea	\$1,349.39

Sure-Grip® EX Safety Cabinets for Flammables

Double-wall, 18-gauge steel construction has (2) vents with flame arresters that allow hazardous vapors to be piped away if required. Integral leak-proof well contains accidental spills. Features (2) self-latching doors with 3-point stainless steel bullet latches to help reduce fire risks. Includes U-Loc™ padlockable handle, reflective Haz-Alert™ warning labels for visibility in the dark and SpillSlope® safety shelves that direct incidental spills to the back and bottom of a leaktight 2" sump. Ten-year warranty. Yellow. Models with self-closing doors comply with the International Fire Code and NFPA 1 Fire Code. Meets NFPA Code 30 and OSHA regulations. FM Approved.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
30-Gal. Cabinets					
▲ 893000	05892889	Cabinet w/ 1 shelf, manual close	44" H x 43" W x 18" D	Ea	\$919.46
▲ 893020	05892890	Cabinet w/ 1 shelf, self-close	44" H x 43" W x 18" D	Ea	\$1,028.82
45-Gal. Cabinets					
▲ 894500	05880044	Cabinet w/ 2 shelves, manual close	65" H x 43" W x 18" D	Ea	\$1,138.88
▲ 894520	05892892	Cabinet w/ 2 shelves, self-close	65" H x 43" W x 18" D	Ea	\$1,251.23
60-Gal. Cabinets					
▲ 896000	05880045	Cabinet w/ 2 shelves, manual close	65" H x 34" W x 34" D	Ea	\$1,371.48
▲ 896020	05814687	Cabinet w/ 2 shelves, self-close	65" H x 34" W x 34" D	Ea	\$1,490.82

VaporTrap™ Filter

Reduces harmful VOC vapors found inside safety cabinets. Activated carbon filter medium contained in a stainless steel mesh cartridge absorbs volatile organic chemical vapors inside cabinets containing flammable liquids. Unique cylindrical design allows 360° air flow for maximum surface contact and absorption. High strength magnetized 4" x 5 1/2" (102 mm x 139 mm) base attaches easily and can be repositioned anywhere. Date notation area on label serves as a reminder for replacement; life cycle varies based upon vapor types and concentrations. Filter size: 8 3/4" x 2 1/4" (222 mm x 57 mm).

Note: Due to variables such as the chemical itself, its purity or its vapor pressure, temperature, humidity, charcoal age, etc., it is difficult to estimate VOC vapor adsorption rates. Not intended to be used as a substitute for using "safe closed containers" as required by OSHA and the EPA. It is important to clean up spills and residues from the cabinet and containers. 2/Pack.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 29916	05803736	VaporTrap filter	Pk	\$80.15

29916



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

JUSTRITE® Rigid-Lock QuickBerm® Lite

Lightweight, leakproof berm folds down for easy storage and reuse to capture overflow spills from fuel tanks and refueling operations, hydraulic leaks and breaks, damaged saddle tanks, and leaky batteries. One-piece design sets up fast and easy—deploys quickly for emergency spill response. Tough EnGuard™ PVC coated fabric provides broad UV and chemical resistance. Patented Rigid-Lock wall supports maximize usable space inside the berm. Helps comply with EPA and SPCC.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 28370	05800419	79-Gal. Rigid-Lock QuickBerm Lite	4' x 4'	Ea	\$273.59
▲ 28372	05853301	119-Gal. Rigid-Lock QuickBerm Lite	4' x 6'	Ea	\$439.50
▲ 28374	05853300	159-Gal. Rigid-Lock QuickBerm Lite	4' x 8'	Ea	\$596.92
▲ 28376	05853299	318-Gal. Rigid-Lock QuickBerm Lite	8' x 8'	Ea	\$705.92



ULTRATECH INTERNATIONAL, INC. Ultra-IBC Spill Pallet Plus®

Economical and portable containment for IBCs. Low 28" profile allows for safe and convenient IBC tank handling and dispensing. All-polyethylene construction offers excellent chemical resistance and will not rust or corrode. Large 52" x 52" deck provides safe and convenient placement of IBC tanks. Forkliftable for convenient positioning to desired locations. 62" L x 62" W x 28" H. Optional bucket shelf catches leaks and spills during dispensing. Pull-over cover keeps rainwater out of sump and helps comply with Stormwater Management Regulations. 365-Gal. sump capacity meets EPA Container Storage Regulations.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 1157	05892895	Ultra-IBC Spill Pallet Plus w/out drain	Ea	\$1,528.13
▲ 1158	05892896	Ultra-IBC Spill Pallet Plus w/ drain	Ea	\$1,555.95



Foam Wall Spill Berms

Easy set up and deployment. Absorbents are both lightweight and rugged to handle daily wear and tear. Lightweight construction allows for portability. No tools, assembly or inflation required. absorbs up to 5 gallons of material.



SPILL BERMS

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ FW181804-Y	05817610	Spill berm, 5 gal.	18" x 18" x 4"	Ea	\$159.21
▲ FW242404-Y	05817609	Spill berm, 9 gal.	24" x 24" x 4"	Ea	\$180.30
▲ FW363604-Y	05817608	Spill berm, 20 gal.	36" x 36" x 4"	Ea	\$257.03
▲ FW484804-Y	05817607	Spill berm, 36 gal.	48" x 48" x 4"	Ea	\$345.27
▲ FW487204-Y	05817605	Spill berm, 54 gal.	48" x 72" x 4"	Ea	\$422.00



Ultra-Drain Guards®

Keep sediment and other pollutants from entering the stormwater systems. Drain Guards are designed to remove silt, sediment, hydrocarbons or debris from stormwater as it enters into drains and catch basins. The heavy-duty geotextile material is held in place by the grate on top of the drain. Ultra-X-Tex strips inside of the Drain Guard provide added hydrocarbon absorption capacity.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 9217	05836540	Drain Guard, oil & sediment	48" W x 36" L x 18" H	Ea	\$43.70
▲ 9356	05836539	Drain Guard, oil & sediment	60" W x 60" L x 18" H	Ea	\$58.88



Ultra-PopUp Pools®

Excellent for response to damaged saddle tanks and cross-over lines, hazmat spills, leaking containers, machinery and piping. Other applications include use as a decontamination pool

or collection pool for soiled sorbents. Instantly ready for emergency response; remove from protective carrying case, give unit a quick shake and it expands for use. Foam ring rises with level of liquid to raise sidewalls. Compact folded size stores efficiently inside spill kits or can be hung on a wall near shipping/receiving docks. All-polyethylene construction offers excellent chemical resistance, including diesel fuel, antifreeze, acids, caustics and corrosives. Helps minimize environmental damage and related clean-up costs.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 8022	05836538	PopUp Pool, 20 gals.	35" dia. x 8" H	Ea	\$103.04
▲ 8068	05836537	PopUp Pool, 66 gals.	53" dia. x 12" H	Ea	\$147.20
▲ 8102	05836536	PopUp Pool, 100 gals.	64 1/2" dia. x 12" H	Ea	\$154.55

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Retract-A-Clamp® Assemblies

Coiled static grounding and bonding assemblies provide a cost effective and easy-to-use system. Corrosion-resistant, orange vinyl-coated coiled cable. Choose from a variety of clamps, cable sizes and lengths.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ RAC5	05892907	RAC system w/ 5' cable & REB clamp	Ea	\$55.61
▲ RAC10	05892908	RAC system w/ 10' cable & REB clamp	Ea	\$65.48
▲ RAC20	05892909	RAC system w/ 20' HD cable & GAT-P clamp	Ea	\$76.57
▲ RAC20-B	05892910	RAC system w/ 20' HD cable & G40PC clamp	Ea	\$188.23


RAC5

RAC20

RC10

C-Clamps for Metal Grounding

Designed to ensure a good metal to metal ground connection. Model EP1 is made of galvanized material with stainless steel point for clamping on material up to 3/4". Model EP3 is made of bronze material with stainless steel point for clamping on material up to 1 1/2".




EP1

EP3

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ EP1	05892916	Galvanized C-clamp, 3/4"	Ea	\$19.37
▲ EP3	05892917	Bronze C-clamp, 1 1/2"	Ea	\$120.86

Grounding Clamp

Aluminum is ideal for grounding objects where flammable liquid or dust is present. Stainless steel is used in areas where corrosion, sanitation and wash-down are a consideration for the materials to be used. Personnel grounding assemblies are designed to ground individuals who may experience static charge accumulation on themselves and their clothing.



REB2960

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ REB2960	05892923	Plier-type aluminum grounding clamp w/ 2 stainless steel points	Ea	\$29.76

Grounding Assemblies

Clamps and cables can be assembled in various configurations for grounding and bonding of containers, cabinets, drums, totes and other industrial applications. Standard assemblies offer 1/8" dia. flexible stainless steel cable in 3' lengths with choice of clamp.

- **Plier-type clamp:** die cast aluminum body with 2 stainless steel points and a hefty 55-lb. spring compression; can penetrate multiple layers of paint or corrosion build-up
- **Bronze pipe clamp:** designed for 1" pipe; rugged design for semi-permanent connections
- **C-clamp:** galvanized material with stainless steel point for clamping on material up to 3/4"



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ R-1	05892912	(2) Plier-type clamps w/ 3' SS cable	Ea	\$85.48
▲ R-2	05892913	(1) Plier-type clamp w/ 3' SS cable	Ea	\$52.00
▲ R-3	05892914	(1) Bronze pipe clamp w/ 3' SS cable	Ea	\$87.49
▲ R-4	05892915	(1) C-clamp w/ 3' SS cable	Ea	\$77.23




G40

G40-PM

G40 Series Grounding Clamps

Heavy-duty clamps used to ground trucks, railcars and barges are available in bronze (G40) construction. All clamps available with stainless steel points and optional quick-release design. The G40 series includes a 1/4" bronze cable.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ G40	05892924	Bronze 2 points w/out release	Ea	\$115.89
▲ G40-P	05892925	Bronze 2 point w/ release	Ea	\$129.68
▲ G40-C	05892926	Bronze 3 points w/out release	Ea	\$123.23
▲ G40-PC	05892927	Bronze 3 points w/ release	Ea	\$136.33
▲ G40-PCU	05892928	Bronze 3 points w/ ball attachment & release	Ea	\$141.67
▲ G40-PM	05892929	Bronze 3 points w/ release, for neoprene cable	Ea	\$135.00



Where required by some Occupational Safety and Health Administration standards, firms with more than 10 employees must have a written emergency action plan; smaller companies may communicate their plans orally. Top management support and the commitment and involvement of all employees are essential to an effective emergency action plan. Employers should review plans with employees when initially put in place and re-evaluate and amend the plan periodically whenever the plan itself, or employee responsibilities, change.

Emergency procedures, including the handling of any toxic chemicals, should include:

- Escape procedures and escape route assignments
- Special procedures for employees who perform or shut down critical plant operations
- Systems to account for all employees after evacuation and for information about the plan
 - Rescue and medical duties for employees who perform them
 - Means for reporting fires and other emergencies
- Directing all emergency activities including evacuation of personnel
- Ensuring that outside emergency services are notified when necessary
 - Directing the shutdown of plant operations when necessary

Go to www.osha.gov for complete details.

SPILL CONTROL

Sorbents	156-159
Spill Kits	160-162



TRACKMAT™


This unique, 3-ply construction mat includes an oil-only polypropylene core, surrounded by a non-slip barrier film that prevents sorbed liquids from leaching out. It's tough, UV-resistant top layer provides maximum strength and durability. Fits between standard train rails but also has universal application in many different types of industries.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ TM30	05812720	TRACKMAT, jumbo pads, 30/Cs	29" x 29"	Cs	\$201.51
▲ TM29	05812721	TRACKMAT	29" x 80'	RI	\$238.48
▲ TM58	05812719	TRACKMAT	58" x 80'	RI	\$349.40



BASIC™ Universal Pads and Rolls

General purpose sorbents clean up oils, coolants, solvents and water-based fluids and absorb up to 20 times their weight. Ideal for use around assembly lines, printing equipment or any general manufacturing area.




MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
BPU100	05819619	Pads, heavyweight, 100/Cs	15" x 17"	Cs	\$33.27
BRU150	05854121	Roll, heavyweight	30" x 150'	RI	\$90.96



UXT Universal Sorbent Pads and Rolls

The UXT universal sorbent pads offer a 3-ply construction; double-sided, low-linting coverstock with meltblown core. Heavyweight, gray perfed pads that are premium extra-tough for universal industrial maintenance and Hazmat cleanup applications.




UXT100

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ UXT100	05819607	Pads, heavyweight, 100/Cs	15" x 19"	Cs	\$55.27
▲ UXT30-DP	05819604	Roll, heavyweight, perfed every 15"	30" x 150'	RI	\$127.55



MRO Plus® Absorbents

Medium and heavyweight, 3-ply dimpled material with enhanced thickness and strength. Suitable for virtually any industrial application. Low-linting and absorbs water, petroleum and chemical-based fluids. 100/Case.



MRO100

MFG #	DILLON #	DESCRIPTION	CAPACITY	SIZES	UOM	PRICE
▲ MRO100	05815101	Pads, heavyweight	26 gal/Cs	15" x 19"	Cs	\$68.30
MRO300	05815301	Pads, medium weight	20.5 gals/Cs	15" x 19"	Cs	\$60.54



ALLWIK® SOCs

Dependable, flexible tubes contain and absorb liquid spills. SOCs mold around corners and conform to uneven surfaces to prevent spreading and soak up spills and drips around the workplace. Available in a variety of types and sizes for any application. 12/Case.



AW412

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
AW412	05859294	SOCs, ALLWIK	3" x 4'	Cs	\$99.76



Adhesive Mat Roll

The tacky underside adheres to any surface, keeping the absorbent in place to greatly reduce the likelihood of slips, trips and falls. When it's time to discard, the absorbent is easily removed without leaving any residue on floor. Use Adhesive Mat in walkways and aisles, near equipment and as a replacement for traditional rugs. Suitable for most universal spills.



AD30100

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
▲ AD30100	05817612	Rug w/ permanent adhesive	Black	30" x 100'	RI	\$295.39
▲ AD15100	05817611	Rug w/ permanent adhesive	Black	15" x 100'	RI	\$199.49
▲ AD30100-BLUE	05817622	Rug w/ semi-permanent adhesive	Blue	30" x 100'	RI	\$266.62
▲ AD15100-BLUE	05817621	Rug w/ semi-permanent adhesive	Blue	15" x 100'	RI	\$180.30



BASIC™ Chemical Pads

Specially developed chemical absorbent that is yellow color-coded for safety and easy separation of hazardous waste. Does not react with aggressive fluids. 15" x 17". 200/Case.



BPH200

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BPH200	05817615	Pads, lightweight	Cs	\$55.63

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



High-Visibility Chemical Absorbents

All-purpose industrial absorbents feature a yellow caution color and printed message to visually warn workers of potential slips, trips and fall risks as well as easy separation for hazardous waste. Features a 3-ply SMM construction and a low linting material that will not react to aggressive fluids.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ CH100	05819615	Heavyweight pads, 100/Cs	15" x 19"	Cs	\$72.10
▲ CH30DP	05819611	Heavyweight roll, perfed every 15" & up center	30" x 150'	RI	\$147.61
▲ CH303	05819612	Medium weight roll, perfed every 15" & up center	30" x 300'	RI	\$181.54

CH100



BASIC® Absorbent Roll

Single-ply construction that is absorbent up to 38 gal. Best suited for chemical spills. 30" W x 150' L. Yellow.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BRH150	05817614	Roll	RI	\$83.43

BRH150



Drip Pads

Constructed from PVC. Designed and weighted to maximize the benefit of absorbent pads. For use indoors and outdoors. 17" x 20", 22 oz.

DRIP1720-Y



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ DRIP1720-B	05817603	Drip pad, blue	Ea	\$74.80
▲ DRIP1720-Y	05817604	Drip pad, yellow	Ea	\$64.26



BASIC™ Oil-Only Pads and Rolls

Durable absorbent for cleaning and containing petroleum-based spills and leaks. Proven to absorb liquids and repel water. Effective in both industrial and environmental applications. Fast, easy cleanup during emergency spills.



BPO100

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ BPO100	05819620	Pads, heavyweight, 100/Cs	15" x 17"	Cs	\$28.47
▲ BRO150	05894416	Roll, heavyweight	30" x 150'	RI	\$84.08



Oil-only Pads

High performance, oil-only absorbent made to handle petroleum-based spills while repelling water. Spunbond coverstock on both sides offers maximum durability and very low linting. Ideal for workstations involving the wipe down of tools, or where extra strength is required.



SXT300

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
SXT300	05807013	Pads, medium weight, 100/Cs	15" x 19"	Cs	\$46.59
SXT30DP	05807014	Roll, heavyweight	15" x 150'	RI	\$119.98



ENV® Oil Absorbents

Used for oil and petroleum-based fluids. Equally effective on land and water. Repels water and floats indefinitely, even when saturated. Pads and rolls are MAXX Enhanced for greater performance without extra weight.



ENV100

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
ENV100	05815104	Pads, heavyweight, 100/Cs	15" x 19"	Cs	\$43.90
ENV300	05837346	Pads, medium weight, 100/Cs	15" x 19"	Cs	\$36.98
ENV150	05800753	Roll, medium weight	30" x 150'	RI	\$97.93



ENV™ Sorbent Booms

Keep petroleum-based products out of sensitive natural areas and away from equipment. Link at both ends to contain any size spill. Made for oil-only. Ideal for outfalls and discharge ponds. 4/Case.



ENV510

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
ENV510	05821580	Booms	5" x 10"	Cs	\$59.16
ENV810	05821581	Booms	8" x 10"	Cs	\$90.22

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Universal Bonded Pads

Reinforced with coverstock and rolls and bonded for extra durability. Able to handle aggressive and non-aggressive leaks and spills in high-traffic areas, tool cribs and routine industrial applications. Constructed with treated, chemically inert polypropylene. Strong bonded layers allow fluid to spread through the material quickly for the best absorption rate.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
L90902	05890902	Universal bonded pads, heavyweight, 100/Cs	15" x 19"	Cs	\$76.11
L91001	05800211	Universal bonded pads, middle weight, 100/Cs	15" x 19"	Cs	\$74.55
L91003	05871003	Universal bonded pads, lightweight, 200/Cs	15" x 19"	Cs	\$82.73
L90901	05890901	Roll, heavyweight, 1/Bx	30" x 150'	RI	\$142.51
L90540	05890540	Roll, heavyweight, perfed 15" x 18", 1/Bx	30" x 150'	RI	\$142.51
L91002	05891021	Roll, middle weight, perfed 15" x 18", 1/Bx	30" x 150'	RI	\$109.26

L90902



Universal Camouflage Roll

Camouflage design is ideal for hiding oil tracking in aisles and high traffic areas. Absorbs aggressive and non-aggressive leaks including hydraulic oils, coolants, cutting fluids and some acids. Fluids spread quickly through the material for fast absorption. Rolls are easily cut into any configuration. Heavyweight. Perforated 15" x 18". 30" x 150'.

L90821



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
L90821	05890821	Universal camouflage roll	RI	\$200.52

Cob Socks

Designed to conform and fit snugly in tight spaces and around corners. Filled with corn cob granules and will absorb up to 1 qt. of fluid per 12" of product. 3" x 42". 40/Box.



L90862

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
L90862	05890862	Cob socks	Bx	\$88.70

Universal Industrial Rugs

Made of durable needle-punched polypropylene and tough enough to withstand extractor wringers and centrifuges. Ideal for high traffic areas, material has high liquid holding capacity.




L90861

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
L90863	05890863	Universal industrial rug, split, 2/Cs	18" x 300'	Cs	\$261.41
L90861	05890861	Universal industrial rug	36" x 300'	RI	\$217.51

Universal Socks

Sock skin filled with recycled cellulose. Ideal for non-aggressive fluids, oils, coolants and water. Use at the base of machinery or around drums to prevent leaks and spills from spreading. Absorb up to 1 qt. of fluid per 12" of product.

L90936



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
L90890	05890890	Universal socks, 40/Bx	3" x 4'	Bx	\$83.03
L90936	05890936	Universal socks, 10/Bx	3" x 10'	Bx	\$76.90

Oil-Only Smart Pads

Hydrophobic pads repel water while absorbing petroleum-based fluids. Constructed of meltblown polypropylene. Ideal for industrial plant or marine applications. Great for absorbing drips and spills from hoses and leaky equipment. Material is easy to cut to fit into any application area. Available in heavy, middle and lightweight pads. 15" x 19". 100/Box.

L90850



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
L90850	05890850	Oil-only heavyweight pads	Bx	\$60.77
L90904	05890904	Oil-only middle weight pads	Bx	\$52.97
L90851	05890851	Oil-only lightweight pads	Bx	\$64.29

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Spill Magnet™ Drain Seal

The Spill Magnet drain seal will temporarily block off any small round drains from contaminants. It is 12" in diameter and backed with a strong magnet designed to hold to the metal of a drain. It can also be easily re-used by cleaning it with soap and water.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
96229	05868816	Spill Magnet drain seal	Ea	\$24.20



OIL-DRI Oil-Only Booms

Keep petroleum-based products out of sensitive natural areas and away from equipment. Absorb petroleum-based fluids and contain spills on water. Links at both ends make for easy handling and can be hooked together to contain any size spill. 4/Case.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
L90857	05890857	Oil-only boom	5" x 10'	Cs	\$84.20
L90855	05890855	Oil-only boom	8" x 10'	Cs	\$116.34

OIL-DRI Oil-Only Poly Sock

Designed to conform and fit snugly into tight spaces and around corners. Placing socks at the base of machinery or around drums prevents leaks and spills from spreading. Meltblown polypropylene construction repels water while absorbing petroleum-based fluids. 3" x 4'. 12/Box.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
L90898	05890898	Oil-only socks	Bx	\$58.57



Ultra-Drain Seal®, Clear Models

Transparent drain protection allows responders to see spills are being stopped. Clear material provides unobstructed view of covered drains and enables responders to make sure a complete seal is made. No more guesswork about drain seal effectiveness; quickly see if spills are entering the drain through cracks in the surface, imperfections in the grating, or other irregularities that can break the seal.

Reinforcing mesh is "sandwiched" between layers of polyurethane, increasing durability and resistance to tearing. Unique urethane construction allows pad to deform and seal off most drains. Temporarily seals to any smooth surface. Helps comply with SPCC and NPDES.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2201	05800359	Clear Ultra-Drain Seal, square	24" L x 24" W x 3/8" H	Ea	\$178.48
2202	05800358	Clear Ultra-Drain Seal, square	36" L x 36" W x 3/8" H	Ea	\$375.36
2204	05800355	Clear Ultra-Drain Seal, square	48" L x 48" W x 3/8" H	Ea	\$601.67



Ultra-Drain Guards®

Designed to remove silt, sediment, hydrocarbons or debris from stormwater as it enters into drains and catch basins. Heavy-duty geotextile material is held in place by the grate on top of the drain. Ultra-X-Tex strips inside of the oil/sediment and high capacity models provide added hydrocarbon absorption capacity.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
9227	05868817	Drain Guard, trash & debris	36" L x 48" W x 18" H	Ea	\$46.00
9229	05868818	Drain Guard, trash & debris, 10/Cs	36" L x 48" W x 18" H	Cs	\$417.67
9358	05868819	Drain Guard, oil & sediment plus	60" L x 60" W x 18" H	Ea	\$79.12
9393	05868820	Drain Guard, high capacity	60" L x 60" W x 35" H	Ea	\$117.76

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





6.5 Gallon Specialty Spill Kits

Combines absorbent pads, accessories, and PPE. All kits absorb up to 7 gallons of material.

Formaldehyde kit contains:

- (10) Pads,
- (1) 2 lb. acid neutralizer
- (1) 2 lb. granular
- (1) Goggles
- (1) Respirator
- (1) Scoop and scraper
- (1) Pair neoprene gloves
- (2) Disposal bags
- (1) Instruction sheet

Battery acid kit contains:

- (10) Pads
- (2) SOC's

- (1) 2 lb. granular
- (1) 2 lb. acid neutralizer
- (1) Goggles
- (1) Faceshield
- (1) Neoprene apron
- (1) Scoop and scraper
- (1) Pair neoprene gloves
- (2) Disposal bags
- (1) Instruction sheet

Mercury kit contains:

- (10) Pads
- (1) 2 lb. mercury absorbent powder
- (1) Goggles

- (1) Scoop and scraper
- (1) Pair neoprene gloves
- (2) Disposal bags
- (1) Instruction sheet

Bodily fluids kit contains:

- (10) Pads
- (1) Set of sanitary wipes
- (1) 2 lb. granular
- (1) Goggles
- (1) Neoprene apron
- (1) Scoop and scraper
- (1) Pair neoprene gloves
- (2) Disposal bags
- (1) Instruction sheet

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SK-FORM	05817617	Spill kit, formaldehyde	Ea	\$93.99
▲ SK-BATT	05817620	Spill kit, battery acid	Ea	\$93.99
▲ SK-MERC	05817618	Spill kit, mercury	Ea	\$93.99
▲ SK-BF	05817619	Spill kit, bodily fluids	Ea	\$93.99



BSCSK-CB



Basic Vehicle Spill Kit

Mobile, compact emergency kit for fast spill response. Designed to easily fit in truck, cab or storage cubby; includes oil-only and universal products allowing kit to be used on mixed fluid applications. Available in a clear economical portable bag. Absorbs up to 7 3/4 gals. per kit.

Kit contains:

- (10) Oil-only pads 15" x 19"
- (10) Universal pads 15" x 19"
- (2) SOC's 3" x 42"
- (1) Putty
- (2) Disposable bags
- (1) Pair goggles
- (1) Pair nitrile gloves

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
BSCSK-CB	05868821	Basic vehicle spill kit	Ea	\$60.60



SK-FORM

SK-BATT

SK-BF

SKA-PP



Economy Spill Kit™

Highly visible yellow PVC bag is just right for small spills. Absorbs up to 5 gals. 5/Case.

Kit contains:

- (10) 15" x 19" Pads
- (2) 3" x 4' SOC's
- (1) Pair nitrile gloves
- (1) Disposal bag
- (1) Instruction sheet

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SKA-PP	05815646	Spill kit, ALLWIK®	Cs	\$36.79



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





ALLWIK® 20-Gal. Lab Pack

Water- and chemical-resistant polyethylene lab pack with screw top lid for small to medium response situations. Can absorb up to 17 gals. UN Approved.

Kit contains:

- (12) 15" x 19" Pads
- (3) 3" x 12' SOCs
- (2) 18" x 18" Pillows
- (1) Pair goggles
- (1) Pair nitrile gloves
- (3) Disposal bags
- (1) Emergency response handbook

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SKA-20	05812712	Lab pack	Ea	\$192.26

SKA-20



ALLWIK® 30-Gal. Poly Drum Spill Kit

Water- and chemical-resistant polyethylene container with screw top lid for small to medium response situations. Absorbs up to 12 gals. Meets all applicable industry standards. UN approved.

Kit contains:

- (60) 15" x 18" Pads
- (3) 3" x 4' SOCs
- (1) Pair goggles
- (1) Pair nitrile gloves
- (2) Disposal bags with zip ties
- (1) Emergency response guidebook

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SKA-30	05812713	Spill kit, ALLWIK	Ea	\$268.05

SKA-30



ALLWIK® 55-Gal. Lab Pack

Open and close this lever-locking 55-gal. drum for fast spill response. Drum meets UN specifications. Absorbs up to 38 gals.

Kit contains:

- (50) 15" x 19" Pads
- (4) 3" x 12' SOCs
- (8) 18" x 18" Pillows
- (1) Pair goggles
- (1) Pair nitrile gloves
- (5) Disposal bags
- (1) Emergency response handbook

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SKA-55	05815645	Lab pack	Ea	\$582.87

SKA-55



ALLWIK® 95-Gal. Overpack

Tough, secure and highly visible, this top quality screw-topped lab pack meets UN and DOT specifications. Used for larger spill response. Absorbs up to 75 gals.

Kit contains:

- (110) 15" x 19" Pads
- (12) 3" x 4' SOCs
- (8) 3" x 12' SOCs
- (8) 18" x 18" Pillows
- (1) Pair goggles
- (1) Pair nitrile gloves
- (10) Disposal bags
- (1) Emergency response handbook

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SKA-95	05812715	Overpack, ALLWIK	Ea	\$720.99

SKA-95



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

BRADY Brightsorb Spill Kits

High visibility absorbents warn of potential slips, trips and fall hazards. Tough, secure, screw-topped overpack drum for large spills meets UN and DOT specifications.

5 gallon kit includes:

- (10) Pads (15" x 19")
- (2) SOC's (3" x 4')
- (1) Disposal bag
- (1) Pair nitrile gloves
- (1) Instruction sheet

55 gallon kit contains:

- (50) Pads (15" x 19")
- (4) SOC's (3" x 12')
- (8) Pillows (18" x 18")
- (5) Disposal bags
- (1) Pair goggles
- (1) Pair nitrile gloves
- (1) Emergency response guidebook

95 gallon kit includes:

- (110) Pads (15" x 19")
- (12) SOC's (3" x 4')
- (8) SOC's (3" x 12')
- (8) Pillows (18" x 18")
- (10) Disposal bags
- (1) Pair goggles
- (1) Pair nitrile gloves
- (1) Emergency response guidebook



SKCH-55

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SKCH-PP	05894415	Spill kit, 5 gal, high-viz	Ea	\$46.51
▲ SKCH-55	05894414	Spill kit, 55 gal, high-viz	Ea	\$491.91
▲ SKCH-95	05894413	Spill kit, 95 gal, high-viz	Ea	\$760.23

OIL-DRI 5-Gal. Universal Bucket Kit

Small kits are an easy and cost effective way to prepare for emergencies. Perfect for carrying in vehicles or placing in areas of the plant where spills are most likely.

Kit contains:

- (2) Universal socks
- (15) Universal perforated pads
- (1) Disposal bag with tie



L90435

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
L90435	05890435	5-Gal. universal bucket kit	Ea	\$42.89

OIL-DRI 95-Gal. Universal Spill Kit

Contains a wide variety of materials to manage and clean up spills.

Kit contains:

- (16) Universal socks, 48" L
- (10) Universal socks, 120" L
- (8) Universal pillows
- (150) Universal bonded pads
- (10) Disposal bags with ties
- (1) Emergency response guidebook
- (1) Overpack, 95-gal.
- (1) Pair goggles
- (1) Pair protective gloves



L90667

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ L90667	05890667	95-Gal. universal spill kit	Ea	\$686.20

OIL-DRI 20-Gal. Universal Spill Kit

Universal kit with key materials needed to contain and clean up minor spills.

Kit contains:

- (4) Universal socks, 48"
- (1) Universal sock, 120"
- (2) Universal pillows
- (15) Universal bonded pads
- (3) Disposal bags with ties
- (1) Emergency response guidebook
- (1) Overpack, 20-gal.



L90410



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ L90410	05890410	20-Gal. universal spill kit	Ea	\$163.01

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Where the eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use. Emergency eyewash and showers must be located in areas that can be reached in up to 10 seconds without the use of steps, stairs or ramps. The areas must be well-lit and identified with highly noticeable signs.

Styles include:

Plumbed Showers - emergency showers that are permanently connected to a source of potable water. Must be tested and inspected regularly.

Self-Contained Showers - contain its own flushing fluid, and must be refilled/replaced after each use.

Drench Hoses - flexible hose connected to a water supply and used to irrigate and flush eyes, face and body area.

Gravity-Fed Eye Wash - contains its own flushing fluid and must be refilled or replaced after each use.

Go to www.osha.gov for complete details.

EYEWASH & SHOWERS

Permanent Units	164-165
Portable Units	165-166



8320-8325



AXION® MSR Combination Eye/Face Wash and Showers



Combination unit includes the AXION MSR eye/face wash head assembly and AXION hydrodynamic shower design. Features a round 11" (28 cm) ABS plastic bowl. Zero Vertical Velocity™ stream engineering with even laminar flow. Stainless steel push flag for eye/face wash activation, stainless steel pull rod for shower activation, mesh in-line eye/face wash strainer and ball valves with stainless steel ball and stem. Pipe and fitting: 1 1/4" (NPT). Schedule 40 hot-dipped galvanized steel. Certified by CSA to meet ANSI Z358.1 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8320-8325	05892985	Combination eye/face wash & shower	Ea	\$1,347.28

8300-8309 Combination Shower/Eyewash

All stainless steel construction. Includes 11" round stainless steel bowl with eyewash head and integral flow control. Eyewash streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness. Certified by CSA to meet ANSI Z3851-2009 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8300-8309	05823625	Combination shower & eye/facewash	Ea	\$1,247.02



8300-8309

AXION® MSR 8300CRP-8309CRP Combination Shower and Eye/Face Wash

Combination unit includes the AXION MSR eye/face wash head assembly and AXION hydrodynamic shower design. Features a round 11" (28 cm) Type 304 stainless steel bowl. Zero Vertical Velocity™ stream engineering with even laminar flow. Stainless steel push flag for eye/face wash activation, stainless steel pull rod for shower activation, mesh in-line eye/face wash strainer and ball valves with stainless steel ball and stem. Pipe and fitting: 1 1/4" NPT. Schedule 40 for corrosion, hot-dipped galvanized steel with green epoxy coating (corrosion unit only). Certified by CSA to meet ANSI Z358.1 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8300CRP-8309CRP	05801191	Combination shower & eye/face wash, corrosion-resistant	Ea	\$1,679.40



8300CRP-8309CRP

AXION® MSR 8317CTFP Heat-Traced Emergency Shower/Eyewash

Heat-traced combination unit features AXION MSR eye/face wash and showerhead. Safety features include a thermal actuator bleed valve, 120 V thermostat cable, double-wrapped piping, 3/4" insulation surrounding piping and outside jacket to prevent freezing. Operational to -30° F. Stainless steel pipe stanchion and galvanized fittings. CSA electrical certified, TYPE 4 Class I, Div. 2, Grp. B, C and D. Certified by CSA to meet ANSI Z358.1 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8317CTFP	05823626	Heat-traced emergency shower/eyewash	Ea	\$5,558.34



8317CTFP

AXION® MSR 8122 Drench Shower

Horizontal or vertical drench shower with AXION ABS plastic showerhead. Offers hydrodynamic shower design, minimizing the strong physical pressure that drives water to the outer rim of normal showerheads, making distribution equal across entire footprint of the flow. Includes universal sign and test tags. Certified by CSA to meet ANSI Z358.1 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8122	05892990	Drench shower	Ea	\$369.72



8122

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



AXION® eyePOD® 7620 Stainless Steel, Faucet-Mounted Eyewash

Thermostatically-controlled, faucet-mounted eyewash is constructed of polished stainless steel. Compact design is ideal for professional business facilities. Provides eyewash irrigation capabilities as the inverted flow design provides a Medically Superior Response (MSR) by sweeping contaminants away from the vulnerable nasal cavity. Easy to install, with a variety of industry standard adapters included. Features easy rotation for on/off operation, inverted water flow pattern supplied by integral .9 GPM flow control and safety shut-off valve to prevent scalding at high temperatures. Faucet outlet flows at .5 GPM, and supplied with optional 1 GPM nozzle. Certified by CSA to meet ASME A112.18.1/CSA B125.1 and ANSI Z358.1 standards for emergency eyewash and shower equipment.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7620	05804956	Faucet-mounted eyewash	Ea	\$332.12



AXION® MSR Wall and Pedestal Eye/Face Washes

Features an inverted flow and Zero Vertical Velocity™ stream engineering. Includes mesh in-line strainer to collect line debris and ball valve with stainless steel ball and stem for durability. Available with round 11" green ABS plastic or stainless steel receptor. Supply: 1/2" NPT. Waste: 1 1/4" NPT. Certified by CSA to meet ANSI Z358.1 standards.



MFG #	DILLON #	DESCRIPTION	MATERIAL	UOM	PRICE
7260B-7270B	05892986	Eye/face wash, wall-mounted	ABS Plastic	Ea	\$419.85
7360B-7460B	05892987	Eye/face wash, wall-mounted	Stainless steel	Ea	\$501.32
7361-7461	05823624	Eye/face wash, pedestal-mounted	Stainless steel	Ea	\$720.64
7261-7271	05892988	Eye/face wash, pedestal-mounted	ABS Plastic	Ea	\$576.51

SPEAKMAN® SE-580 Traditional Series Eyesaver® Eye/Face Wash

Features yellow plastic bowl, dual aerated sprays with automatic flow controls and flip-top dust covers. Effectively removes contaminants from eyes with aerated water that follows eye contours to gently scrub delicate eye areas. Wall-mounted with 1/2" NPT water supply inlet. Meets ANSI Z358.1.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SE-580	05899318	SE-580 Eyesaver eye/face wash	Ea	\$384.70

SPEAKMAN® Speakman® GravityFlo® 9-Gallon Portable Eyewash

Designed for locations without access to a potable water source. Features 9-gal. tank which provides continuous flow for 15 minutes. Can be shelf-, table- or wall-mounted. Gravity-operated eyewash can be placed almost anywhere within a work site. Intuitive pull-down activation with highly-visible yellow activator allows hands-free operation. Three-year limited warranty. ANSI Z358.1 Certified.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SE-4400	05882089	9-Gal. portable eyewash	Ea	\$268.46



Portable Gravity-Fed Eyewash Series

FDA-approved, high-density green polyethylene tank provides for 15 minutes of full-pattern flushing at .4 gpm. Pulling the yellow activation arm down to the open position activates unit. Tank has handles on top and side to allow for easy handling. Wide-fill opening with threaded cap permits easy inspection, cleaning and filling. Ideal solution for a facility's ANSI eyewash requirements in locations without access to a continuous potable water source. Unit is supplied with a wall bracket. Holds 9 gal. Certified by CSA to meet ANSI Z358.1 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7501	05814698	7501 Portable gravity eyewash	Ea	\$288.26
7501T	05861668	7501T Portable gravity eyewash, tempered blanket	Ea	\$2,124.33



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Sterile Bacteriostatic Preservative

9082



Concentrated, sterile water preservative additive for use in portable eyewash stations. Each carton contains (4) 5 oz. plastic bottles. Use only with clean, potable water. When used as directed, a bottle will preserve 6 to 20 gals. of water for up to 3 months. Three-year shelf life.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9082	05809082	Sterile bacteriostatic preservative	Ea	\$17.86



F.I.T.™ Emergency Eyewash and Shower Kits

Simple, compact and versatile matting solution for Eyewash Stations or Emergency Showers. Features high-visibility yellow borders and elevates user above hazardous overflow in critical situations. Created for high visibility per ANSI recommendations. Designates area and encourages unencumbered access. Overall thickness 5/8" (16 mm). Conforms to ANSI Z535.1-1998 standard.



546.58X27X42GNYL

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
Eyewash Kit					
▲ 546.58X27X30GNYL	05882637	Green/yellow	27" x 30"	Ea	\$161.37
▲ 546.58X27X42GNYL	05882638	Green/yellow	27" x 42"	Ea	\$211.93
Shower Kit					
▲ 546.58X27X30RDYL	05882639	Red/yellow	27" x 30"	Ea	\$161.37
▲ 546.58X27X42RDYL	05882640	Red/yellow	27" x 42"	Ea	\$211.93



32-002000-000

Honeywell

Fendall 2000® Eyewash Station

Provides 100% sterile Eyesaline® eyewash solution via a 100% sterile delivery system. Portable unit includes emergency eyewash station sign, bracket, installation DVD and tamper seals. Integrated waste containment prevents spilling and empties easily. Built-in alarm sounds when unit is activated and again when 15-minute flush is complete. Measures 34 3/4" H x 17 1/2" W x 15 1/2" D. Sterile Eyesaline solution cartridges sold separately. 24-Month cartridge life. One-year warranty. Meets ANSI Z358.1.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 32-002000-0000	05814699	Fendall 2000 eyewash station	Ea	\$564.73
▲ 32-ST2050-0000	05892991	Sterile Eyesaline refill cartridge	Ea	\$383.42

Honeywell

Fendall Porta Stream® II Eyewash Station

Portable, self-contained design may be mounted on a wall or mobile cart. Nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open. Molded handle accepts hanging bracket for vertical or horizontal surface installation. Supplied with Eyesaline® concentrate; when mixed provides 14-16 gals. of preserved, buffered saline solution. Industry-compliant 15-minute flow cycle from a large 16-gal. reservoir permits thorough eye flushing by providing a 0.4 gpm flow rate over the eyes. Large fill hole with lockable fill cap simplifies refilling and cleaning and reduces risk of possible tampering. Hi-viz green. Includes Emergency Eyewash sign. Meets ANSI Z358.1 standard for 15-minute flushing requirements for primary eyewash stations.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 32-000200-0000	05803378	Fendall Porta Stream II eyewash station w/ saline concentrate	Ea	\$374.66
▲ 32-000513-0000	05803388	Saline concentrate, 180 oz., 4/Cs	Cs	\$348.26

Honeywell

Eyesaline® Wall Stations

Provides temporary and immediate flushing. Each station contains (1) or (2) bottles of Eyesaline® personal eyewash or body wash and is classified as a personal (secondary) eyewash device. Includes easy-open tamper-resistant top and extended-flow opening for longer flow rate. Distinctive green color offers high visibility. FDA-grade polyethylene bottles feature lot numbers and expiration dates with simple, trilingual instructions. Mounts easily with provided fasteners. Personal/secondary eyewash does not meet ANSI Z358.1 standard for 15-minute flushing requirement, and is intended to support—not replace—primary units.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
32-000460-0000	05826033	Single eyewash station, 16 oz. bottle	Ea	\$32.66
32-000461-0000	05826032	Single eyewash station, 32 oz. bottle	Ea	\$36.90
▲ 32-000462-0000	05803386	Double eyewash station, 32 oz. bottles	Ea	\$55.74
32-000454-0000	05800091	Eyewash refill bottle, 16 oz.	Ea	\$9.95
32-000455-0000	05826037	Eyewash refill bottle, 32 oz.	Ea	\$13.84

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



First aid is emergency care provided for injury or sudden illness before emergency medical treatment is available. The first aid provider in the workplace is someone who is trained in the delivery of initial medical emergency procedures, using a limited amount of equipment to perform a primary assessment and intervention while awaiting arrival of emergency medical service (EMS) personnel.

Go to www.osha.gov for complete details.

FIRST AID & MEDICAL

Kits	168-171
Fire Blankets	172
Bandages	172
Antiseptics & Repellents	173
AED	174
First Aid Accessories	174



Class A First Aid Kits

Case comes with a carrying handle and is wall-mountable. Contents meet the 2015 ANSI Class A requirements for specified number of people.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
90754	05829331	10-Person, Class A, Type III kit, waterproof plastic	Ea	\$21.93
90562	05829339	25-Person, Class A, Type III kit, waterproof plastic	Ea	\$26.91
90563	05829334	25-Person, Class A+, Type III kit, weatherproof plastic	Ea	\$29.15
▲ 90561	05829335	25-Person, Class A+, Type III kit, weatherproof metal	Ea	\$43.66
90564	05829337	50-Person, Class A+, Type III kit, weatherproof metal	Ea	\$58.39
▲ 90673	05829332	50-Person, Class A+, Type III vehicle kit, weatherproof metal	Ea	\$86.32

	90754	90561, 90562, 90563	90564	90673
DESCRIPTION	QTY	QTY	QTY	QTY
Adhesive bandage, 1" x 3"	16	8	60	100
First aid tape, 1/2" x 5 yd.	1	1	1	2
Triangular bandage, 40" x 40" x 56"	1	1	1	2
Fabric knuckle bandage	-	-	10	4
Fabric fingertip bandage	-	-	10	5
Elastic bandage, 2" x 5 yd.	-	-	1	1
Conforming gauze roll, 2"	1	1	2	-
Conforming gauze roll, 4"	-	-	1	2
Gauze dressing pad, 3" x 3"	2	2	6	12
Trauma pad, 5" x 9"	2	2	2	2
Burn dressing, 4" x 4"	1	1	1	1
Burn cream packet	10	10	12	20
Cold compress, 4" x 5"	1	1	1	2
Sterile eye pads	2	2	2	2
Eyewash, 1 oz.	1	1	1	-
Eyewash, 4 oz.	-	-	-	2
Triple antibiotic ointment	10	10	12	20
BZK antiseptic wipes	10	10	15	-
CPR mask w/ one way valve	1	1	1	1
Hand sanitizer packet	6	6	10	10
Nitrile gloves	4	2	4	4
Scissors	1	1	1	1
First aid guide	1	1	1	1
Insect sting relief wipe	-	-	3	-
Tweezers	-	-	1	1
Alcohol wipes	-	-	20	40
Infection control wipes	-	-	4	-
Aspirin tablet	-	-	-	12
Povidone-iodine wipes	-	-	-	10
Antacid tablets	-	-	-	12



ANSI 3-Shelf First Aid Station with Medications

Solid steel case comes with a carrying handle and is wall mountable. Contents exceed the 2015 ANSI Class A requirements and are sufficient to treat 100 or more people. Measures: 15 1/2" x 17" x 5 3/4".

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
90574	05829336	3-Shelf first aid station w/ medications	Ea	\$173.54
90620	05829333	3-Shelf first aid station refill	Ea	\$101.45

	90754
DESCRIPTION	QTY
Fabric bandages, 1" x 3"	100
First aid tape, 1/2" x 5 yd.	1
Nitrile gloves	12
Triple antibiotic ointment	25
Antiseptic spray, 4 oz.	1
CPR mask w/ one way valve	1
Burn dressing, 4" x 4"	1
Burn spray, 4 oz.	1
Cold compress, 6" x 9"	1
Sterile eye pads and strips	2
Eyewash, 4 oz.	1
Hand sanitizer	10
Conforming gauze roll, 2"	1
Scissors	1
Gauze pad, 3" x 3"	10
Triangular bandage	2
Tweezers	1
Fabric bandages, 2" x 3"	10
Fabric knuckle and fingertip bandage	50
Gauze dressing pads, 2" x 2"	10
Gauze dressing pads, 4" x 4"	10
Alcohol pads	100
Non-aspirin	100
Cotton tipped applicators, 3"	100
Elastic bandage, 4" x yds.	1
Hema-Flex, 5" x 9" in Trauma pad, 4" x 4"	1
Trauma pad, 5" x 9"	1
Antacid tablets	100
First aid guide	1

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



50-Person Class B Kit

Weatherproof plastic case comes with a carrying handle and is wall-mountable. Contents meet the 2015 ANSI Class B requirements and are sufficient to treat 50 or more people.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 90566	05809900	50-Person, Class B, Type III kit	Ea	\$51.79

DESCRIPTION	QTY	DESCRIPTION	QTY
Plastic bandage, 1" x 3"	50	Nitrile gloves	8
First aid tape, 1/2" x 5 yd.	2	Conforming gauze roll, 2"	2
Triple antibiotic ointment	25	Scissors	1
BZK antiseptic wipes	50	Gauze pad, 3" x 3"	8
CPR mask w/ one way valve	1	Trauma pad, 5" x 9"	4
Burn dressing, 4" x 4"	2	Triangular bandage, 40" x 40" x 56"	2
Burn cream	25	Conforming gauze roll, 4"	1
Cold compress, 4" x 5"	2	First aid guide	1
Sterile eye pads	2	Eyewash, 4 oz.	1
Hand sanitizer packet	10	Padded splint, 4" x 24"	1
		Tourniquet	1



90566



Bloodborne Pathogens Kit

Weatherproof plastic case is completely modular with removable interior packages for apparel and spill clean-up items. Measures: 4 1/2" H x 7 1/2" W x 2 3/4" D.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
3060	05850037	Bloodborne pathogens kit	Ea	\$21.77

DESCRIPTION	QTY
Absorbent powder	1
Pouch, 2 oz.	1
Biohazard bag	1
BZK antiseptic wipes	1
Clear bag	1
Eye & faceshield/mask	1
Exam gloves	1
Paper towels	1
Scoop	1
Spatula	1
Surface disinfecting wipes	1



3060



340420FP



Truck Kit

Compact vehicle first aid kit can be mounted behind the seat or stored in the trunk. Steel case with fold-down lid features pump spray and dustproof, waterproof seal. Ideal for off-site workers. Measures: 6 5/16" H x 9 1/16" W x 2 3/8" D.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
340420FP	05859270	Truck kit	Ea	\$51.34

DESCRIPTION	QTY
Fingertip "T" bandages	8
Knuckle bandages, 8/Bx	1
Adhesive bandages, cloth, 1" x 3", 16/Bx	1
Adhesive tape, 1/2" x 2 1/2 yds.	1
Gauze clean-wrap bandages, non-sterile, 2 ea.	1
Bandage compress, 3" w/ Telfa pad, 2/Bx	1
Triangular bandage, 40" x 40" x 56"	1
Instant cold pack, 4" x 6"	1
Aspirin, 5 gr, 2/Pk, 25 Pk/Bx	3

DESCRIPTION	QTY
Swiftex eye wash, 4 oz.	1
Tweezer, 3 1/2"	1
Scissor, 4", red	1
Ammonia inhalant	2
Non-adherent pad, 2" x 3"	10
BZK antiseptic wipes	4
Vinyl gloves, 1 pr.	1
First aid spray, aerosol	1
First aid guide	1

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





FAK25PL-CLSA



FAK100CAB-CLSB

Class A First Aid Kits

Available in 25-, 50- and 75-person sizes with a plastic or steel case. Compact size and carrying handle make it easy to transport. Ideal for small and low risk business environments. Steel cases are water-resistant and plastic cases are waterproof. Meets requirements for 2015 ANSI Class A specifications.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FAK25PL-CLSA	05826735	25-Person first aid kit, plastic case, class A	Ea	\$63.99
▲ FAK50PL-CLSA	05826737	50-Person first aid kit, plastic case, class A	Ea	\$67.48
▲ FAK75PL-CLSA	05826739	75-Person first aid kit, plastic case, class A	Ea	\$94.63
▲ FAK25STL-CLSA	05826736	25-Person first aid kit, steel case, class A	Ea	\$53.97
▲ FAK50STL-CLSA	05826738	50-Person first aid kit, steel case, class A	Ea	\$89.92
▲ FAK75STL-CLSA	05826740	75-Person first aid kit, steel case, class A	Ea	\$115.89

	25 PERSON	50 PERSON	75 PERSON
	FAK25STL-CLSA	FAK50STL-CLSA	FAK75STL-CLSA
	FAK25PL-CLSA	FAK50PL-CLSA	FAK75PL-CLSA
DESCRIPTION	QTY	QTY	QTY
Adhesive bandage, 1" x 3", plastic	32	100	100
Fingertip bandage, cloth	3	4	8
Knuckle bandage, cloth	2	3	6
Adhesive bandage, extra large, plastic	1	2	3
Adhesive tape, 1/2" x 2 1/2 yds.	2	2	3
Conforming bandage, 2" x 6 yds., non-sterile	2	3	4
Conforming bandage, 3" x 6 yds., non-sterile	1	2	2
Elastic bandage, 2"	-	1	1
Triangular bandage, non-sterile	1	1	1
Gauze pads, 2" x 2", sterile	4	10	10
Gauze pads, 3" x 3", sterile	4	4	10
Trauma pad, 5" x 9", sterile	1	1	1
BZK antiseptic wipes	6	12	12
Antibiotic ointment pouch	6	12	12
Sting relief wipes	6	12	12
First aid/burn cream with aloe	6	12	12
Eye-Lert® eyewash, 1 oz.	1	1	2
Eye pad, sterile	1	2	3
Aypanal non-aspirin	3	6	6
CPR Filtershield™	1	1	1
Forceps, pointed, plastic	1	1	1
Scissors, angled, red handle	1	1	1
Instant cold pak	1	2	2
Medical gloves, synthetic	2 pr.	2 pr.	5 pr.
First aid guide	1	1	1
Wire splint	-	-	1

Class B First Aid Kits

Available in 100-, 150- and 200-person sizes with a steel case. Features carrying handle for transportation. Ideal for medium to large offices and manufacturing facilities. For indoor use only. Meets requirements for 2015 ANSI Class B specifications.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FAK100CAB-CLSB	05826742	100-Person first aid kit, class B	Ea	\$222.84
▲ FAK150CAB-CLSB	05826743	150-Person first aid kit, class B	Ea	\$312.14
▲ FAK200CAB-CLSB	05826744	200-Person first aid kit, class B	Ea	\$459.33

	100 PERSON	150 PERSON	200 PERSON
	FAK100CAB-CLSB	FAK150CAB-CLSB	FAK200CAB-CLSB
DESCRIPTION	QTY	QTY	QTY
Adhesive bandage, 4" x 2"	6	6	6
Adhesive bandage, 1" x 3"	100	100	100
Fingertip bandage	40	40	40
Knuckle bandage	40	40	40
Triangular bandage, 40" x 40" x 56"	2	2	3
Roller bandage, 2"	4	6	8
Roller bandage, 4"	4	6	8
Elastic bandage, 3" x 4.5 yds.	1	3	4
Neomycin antibiotic	30	30	30
Blood stopper trauma pad	4	4	4
Gauze pad, 2" x 2"	10	10	20
Gauze pad, 3" x 3"	25	25	50
Adhesive tape, 1" x 5 yds.	2	2	2
Adhesive tape 1/2" x 5 yds.	-	1	2
Non adherent pads, 2" x 3"	10	20	20
Pump burn relief, 2 oz.	1	2	2
Burn dressing, 4" x 4"	2	2	3
Eye pads w/ adhesive strips	8	8	10
Eyewash, 4 oz.	1	1	2
Pump antiseptic, 2 oz.	1	2	2
Alcohol prep pads	10	10	20
Hand sanitizer, .9 g	10	20	30
Cold pack, 5" x 6"	2	3	4
Scissors	1	1	1
Tweezers	1	1	1
Exam gloves, Pr.	4	6	8
Non-aspirin pain reliever, 2/pouch	50	50	100
Tourniquet	1	1	1
Wire splint	1	1	1
CPR Filtershield™	1	1	1
First aid guide	1	1	1

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Soft Pak First Responder Kit

Easily transportable kit is ideal for office employee first responders and work vehicles. Meets requirements for 2015 ANSI Class B specifications.

FRKSFTPAK-CLSB



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FRKSFTPAK-CLSB	05826741	Soft Pak first responder kit, class B	Ea	\$154.20

DESCRIPTION	FRKSFTPAK-CLSB
QTY	
Adhesive bandage, 4" x 2"	10
Adhesive bandage, 1" x 3"	100
Fingertip bandage	4
Knuckle bandage	6
Triangular bandage, 40" x 40" x 56"	2
Roller bandage, 2"	2
Roller bandage, 4"	1
Bandage compress, 2"	4
Elastic bandage, 3" x 4.5 yds.	1
Neomycin antibiotic	30

DESCRIPTION	FRKSFTPAK-CLSB
QTY	
Blood stopper trauma pad	4
Gauze pad, 3" x 3"	10
Gauze compress, 18" x 36"	1
Adhesive tape, 1" x 5 yds.	1
Pump burn relief, 2 oz.	1
Burn dressing, 4" x 4"	2
Eye pads w/ adhesive strips	8
Eyewash, 4 oz.	1
Pump antiseptic, 2 oz.	1
Alcohol prep pads	10

DESCRIPTION	FRKSFTPAK-CLSB
QTY	
Hand sanitizer, .9 g	10
Cold pack, 5" x 6"	2
Scissors	1
Tweezers	1
Exam gloves, Pr.	4
Tourniquet	1
Wire splint	1
CPR Filtershield™	1
Rescue blanket	1
Hydrocortisone, 1.0%	10
First aid guide	1

Class B Industrial First Aid Stations

FAK3SHLF-CLSB

Steel first aid stations for industrial environments. Wall mountable with carrying handle. Ideal for use in warehouses, large retail outlets, construction sites and manufacturing facilities. Meets requirements for 2015 ANSI Class B specifications.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ FAK3SHLF-CLSB	05826745	Industrial first aid station, 3-shelf, class B	Ea	\$229.80
▲ FAK4SHLF-CLSB	05826746	Industrial first aid station, 4-shelf, class B	Ea	\$295.16



DESCRIPTION	FAK3SHLF-CLSB	FAK4SHLF-CLSB
QTY	QTY	QTY
Adhesive bandage, 4" x 2"	6	6
Adhesive bandage, plastic, 1" x 3"	100	100
Adhesive bandage, woven, 1" x 3"	100	100
Fingertip bandage	40	40
Knuckle bandage	40	40
Triangular bandage, 40" x 40" x 56"	2	2
Roller bandage, 2"	4	4
Roller bandage, 4"	4	4
Elastic bandage, 3" x 4.5 yds.	1	1
Neomycin antibiotic	30	30
Blood stopper trauma pad	4	4
Gauze pad, 2" x 2"	10	10
Gauze pad, 3" x 3"	25	25
Adhesive tape, 1" x 5 yds.	2	2
Non adherent pads, 2" x 3"	10	10
Pump burn relief, 2 oz.	1	1
Burn dressing, 4" x 4"	2	2
Pump antiseptic, 2 oz.	1	1

DESCRIPTION	FAK3SHLF-CLSB	FAK4SHLF-CLSB
QTY	QTY	QTY
Alcohol prep pads	10	10
Hand sanitizer, .9 g	10	10
Cold pack, 5" x 6"	2	2
Scissors	1	1
Tweezers	1	1
Exam gloves, Pr.	4	4
Tourniquet	1	1
Wire splint	1	1
CPR Filtershield™	1	1
First aid guide	1	1
Cotton tips	100	100
Ammonia inhalants	10	10
Red biohazard bag	2	2
Tongue blades	6	6
Non-aspirin pain reliever, 2/pouch	50	50
Miralac tabs, 2/pouch	-	50
Sinus decongestant, 2/pouch	-	50
Cedaprin (Ibuprofen), 2/pouch	-	50

80100K



Cold Pack

Provides immediate and effective cooling whenever and wherever needed. No refrigeration needed. Measures: 6" x 9".

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
80100K	05856569	Cold pack	Ea	\$0.88

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Water-Jel® Heat Shield Fire Blankets

Made of 100% worsted wool. Inter-cellular weave can absorb up to 13 times its own weight of the scientifically formulated cooling gel in which it is soaked. Stabilizes the patient and helps prepare for transport to a burn center or ER. Immediately upon contact, the biodegradable, bacteriostatic and water-soluble gel begins to extinguish flames, cool the burn and help stop burn progression and pain. Vital in areas where high heat flames, arc flash, hot liquid, steam or chemicals exist. Can also put out fires and protect a rescuer from heat and flames. Easy-lock mechanism keeps blanket securely inside canister. Grip and Turn lid allows simple, quick opening. Used by EMS, fire fighters, utility companies and the military.



7260-1

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 3630-1	05848295	Water-Jel blanket	36" x 30"	Ea	\$118.32
▲ 7260-1	05848296	Water-Jel blanket	72" x 60"	Ea	\$271.18



Emergency Fire Blankets

Reusable design is 90% wool and fire-resistant. Can be used to smother flames.



5560390

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 5560390	05859273	Emergency fire blanket	Ea	\$46.71
▲ 5560390CASE	05859272	Emergency fire blanket in CORDURA® bag	Ea	\$69.72



1-800

Industrial Station Refills - Wound Care

Features fabric and plastic bandages in a variety of sizes and package counts. Sterile packaging.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
1-200	05881184	Plastic strips, 100/Bx	1" x 3"	Bx	\$4.20
1-400	05814000	Light woven strips, 100/Bx	1" x 3"	Bx	\$6.57
1-800	05801800	Heavy woven strips, 100/Bx	1" x 3"	Bx	\$7.80
1-725	05801725	Heavy woven XL strips, 25/Bx	2" x 3"	Bx	\$5.95
1-850	05814859	Heavy woven knuckle, 50/Bx		Bx	\$7.02
3-201	05823201	Gauze pads, 25/Bx	3"	Bx	\$3.48
3-301	05806754	Gauze pads, 25/Bx	4"	Bx	\$4.37
8-001	05818001	Adhesive tape, 2/Bx	1/2" x 5 yds.	Bx	\$1.30
8-500	05881223	Adhesive triple-cut tape, spool	2" x 5 yds.	Ea	\$2.71
▲ 1-120L	05838081	Butterfly closures, large, 100/Bx		Bx	\$7.02



Industrial Station Refills - Antiseptics and Burn Care

A selection of sprays, ointments and other products for topical treatment and temporary relief of pain associated with minor burns, cuts and abrasions.



16-004

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
12-110	05832110	Alcohol wipes, 100/Bx		Bx	\$2.32
10-004	05881188	PVP iodine swabs, 10/Bx	0.5 cc	Bx	\$4.75
18-012	05818012	Hydrocortisone cream packets, 12/Bx	0.9 gm	Bx	\$2.28
12-725	05851800	Triple antibiotic ointment, 25/Bx	0.5 gm	Bx	\$5.36
13-600	05813600	First aid burn cream packets, 60/Bx	0.9 gm	Bx	\$7.74
600U-01	05860001	Water-Jel® burn jel packets, 25/Bx	1/8 oz.	Bx	\$30.09
16-004	05881193	Water-Jel burn dressing, 1/Bx	4" x 4"	Bx	\$8.52
13-040	05813040	Burn spray, pump, 12/Bx	4 oz.	Ea	\$4.20



Wound Care

- Woven bandages: Light woven, flexible adhesive bandages are highly absorbent, sterile, and just right for minor cuts, scrapes, abrasions and puncture wounds.
- Triple biotic ointment: Used to prevent infection due to cuts, burns and abrasions. Three-in-one antibiotic contains bacitracin, neomycin and polymyxin B.
- Alcohol: Hospital grade rubbing alcohol used as a local antiseptic for the treatment of minor cuts and abrasions.

231209G



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
016459	05816459	Woven bandages, 100/Bx	1" x 3"	Bx	\$7.10
231209G	05823120	Triple biotic foil packs, 144/Bx	1 gm	Bx	\$18.26
150935	05850935	Isopropyl alcohol 70%, bottle	16 oz.	Ea	\$2.70



Industrial Station Refills - Medicinals

Restock first aid stations with convenient dispenser boxes of individually packaged medications. Each item packaged 2/pack.

Active ingredients:

- Aspirin 325 mg
- Extra-strength pain reliever: acetaminophen 250 mg, aspirin 250 mg, caffeine 65 mg
- Ibuprofen 200 mg
- Antacid: calcium carbonate 420 mg



90316

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
90014	05820150	Aspirin, 50 Pk/Bx	Bx	\$4.26
90316	05820450	Extra-strength pain reliever, 50 Pk/Bx	Bx	\$5.97
90015	05820550	Ibuprofen, 50 Pk/Bx	Bx	\$7.51
20-599	05800941	Ibuprofen, 250 Pk/Bx	Bx	\$29.16
90089	05820750	Antacid, 50 Pk/Bx	Bx	\$5.59

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Alco-Screen™ 02 Saliva Alcohol Test

63427

Department of Transportation (DOT) approved saliva testing method for detection of blood alcohol levels equal to or exceeding 0.02%, for zero tolerance testing. One-step saliva screening test is minimally invasive and provides results within 4 minutes. CLIA waived and FDA 510(k) cleared for institutional and home testing. 24/Box.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
63427	05848782	Saliva alcohol test	Bx	\$68.67



BugX® 30 Insect Repellent Towelettes

Repels mosquitoes, ticks, chiggers, fleas, mites, black flies, sand flies and deerflies. With the 30 percent active DEET formula, this convenient sheet is highly effective against West Nile Virus, Lyme disease, human dranculocytis etc. Individually wrapped in easy-to-carry foil pack with towelette pouch. 50/Box.



18-750

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
18-750	05814638	Insect repellent towelettes	Bx	\$54.25



IvyX® Pre-Contact Lotion Towelettes

Creates an invisible barrier when applied to help protect skin from the poisonous plant oil: Urushiol, which is commonly found in poison ivy, poison oak and poison sumac. Dries quickly and is not greasy or sticky. Water- and sweat-resistant. Almost unnoticeable on the skin and washes off with soap and water. 50/Box.



18-055

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
18-055	05848399	IvyX pre-contact wipes	Bx	\$33.72



IvyX® Post-Contact Skin Lotion and Towelettes

Provides professional skin protection from poison oak, ivy, or sumac. Apply after contact with poison oak, ivy, or sumac to remove the sticky Urushiol oils of poisonous plants. Non-greasy and non-sticky formula dries quickly on skin. Washes off easily with soap and water.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
18-060	05811019	IvyX post-contact lotion, 4 oz.	Ea	\$4.22
18-065	05892605	IvyX post-contact wipes, 50/Bx	Bx	\$33.72




18-060



Wasp and Hornet Killer PLUS™

Fast acting, high strength insecticide features ergonomic trigger that provides control, even with gloved hands. Dense spray reaches over 20'. Safe on most plastics and contains no chlorinated solvents. High dielectric strength of 47,600 volts. 20 oz. Aerosol.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
14010	12314010	Wasp & Hornet Killer PLUS insecticide	Ea	\$8.33



14010



Cutter® Backwoods™ Insect Repellent Spray

Sweat-resistant formula contains 25% DEET. Provides up to 10 hours of protection against mosquitoes. Also protects against ticks, chiggers, gnats, no-see-ums and biting flies. Aerosol, 6 oz.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
HG96280	05875038	Cutter Backwoods insect repellent spray	Ea	\$7.41



OFF!® Deep Woods® Aerosol

25% DEET formula provides up to 8 hours of protection from mosquitoes. Also protects against ticks, biting flies, stable flies, black flies, sand flies, deer flies, chiggers, fleas, gnats and no-see-ums. Protects against the mosquitoes that may carry Zika, Dengue or West Nile virus. 6 oz. Aerosol spray is non-greasy and resists perspiration. No CFCs; EPA registered.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
94903	04951055	OFF! Deep Woods	Ea	\$9.77



HG96280

94903

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Splinter Out

Use the sterile point to gently loosen skin above and around the splinter until it can be lifted out. Individually wrapped. Packaged 10 per hinged plastic box.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
320001	05832000	Splinter Out	Bx	\$2.93



Scissors and Forceps

Unitized package contains (1) pair each of metal forceps and plastic-handled scissors.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
17-005	05817005	Scissors & forceps	Bx	\$2.28



Eye Flush and Dressing Pack

Relieves eye irritation due to general dryness. Soothes eyes exposed to dust, smoke and arc flash.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7-009	05881219	Eye flush, 1 oz., pads & strips	Ea	\$4.20
7-006	05881217	Eye flush, 4 oz.	Ea	\$3.33



Insect Sting Relief Products

Provides temporary and comforting relief from pain and itching caused by insect stings and bites. Individually packaged for convenience and easy storage.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
19-002	05819002	Sting relief wipes, 10/Bx	Bx	\$1.64



CPR Microshield®

Perform CPR and artificial resuscitation without the risk of ingesting harmful bacteria. Faceshield features a 1-way valve and mouth-to-mouth barrier.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
21-007	05850034	CPR Microshield	Ea	\$12.70



SunX® SPF 30+ Broad Spectrum Sunscreen

Contains aloe vera gel and vitamin E. UVA/UVB rated and water- and sweat-resistant (up to 80 minutes). PABA free and oil free. 50/Box.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
18-450	05892604	Sunscreen lotion & towel	Bx	\$38.70

ZOLL AED Plus® Defibrillators and Accessories

Designed to support the full Chain of Survival by supporting effective CPR. Provides Real CPR Help® with real-time feedback on depth and rate of chest compressions, which gives rescuers the confidence needed to help all sudden cardiac arrest victims, not just victims who require defibrillation. Includes: AED Plus with cover, (1) CPR-D-padz electrode with compression depth and rate sensors, CR123a batteries (10/Pk) and carry case.

Features:

- CPR-D-padz® electrode with compression depth and rate sensors. Includes: accessory package with gloves, barrier mask, scissors, razor and wet and dry wipes. Five-year shelf life.
- Intelligent Pediatric Capability
- PlusTrac™ AED compliance program management from En-Pro™ (not included in all packages)



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
Semiautomatic AED Plus				
8000-004000-01	05800057	Package w/ PlusRX medical prescription	Ea	\$2,262.23
8000-004003-01	05868787	Package w/ PlusTrac Professional1	Ea	\$2,498.05
8000-004004-01	05868788	Package w/ PlusTrac Professional5	Ea	\$2,829.97
Fully Automatic AED Plus				
8000-004007-01	05868789	Package w/ PlusRX medical prescription	Ea	\$2,262.23
8000-004010-01	05868790	Package w/ PlusTrac Professional1	Ea	\$2,498.05
8000-004011-01	05868791	Package w/ PlusTrac Professional5	Ea	\$2,829.97

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
Accessories				
8000-08070-01	05868792	Type 123 lithium batteries, 10/sleeve	Sl	\$98.26
8900-0800-01	05868793	CPR-D-padz 1-pc. electrode pad w/ Real CPR Help, gloves, barrier mask, scissors, razor, wet wipe & dry wipe; 5-yr. shelf life	Ea	\$221.42
8900-0810-01	05868794	Pedi-padz® II pediatric multi-function electrodes, (adjust AED energy to pediatric levels)	Ea	\$124.47

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Excessive exposure to heat is referred to as heat stress and excessive exposure to cold is referred to as cold stress.

In a very hot environment, the most serious concern is heat stroke. In absence of immediate medical attention, heat stroke could be fatal. Heat stroke fatalities do occur every summer. Heat exhaustion and fainting (syncope) are less serious types of illnesses which are not fatal but interfere with a person's ability to work.

At very cold temperatures, the most serious concern is the risk of hypothermia or dangerous overcooling of the body. Another serious effect of cold exposure is frostbite or freezing of the exposed extremities such as fingers, toes, nose and ear lobes. Hypothermia could be fatal in absence of immediate medical attention.

Go to www.osha.gov for complete details.

HEAT & COLD STRESS

Electrolyte Drinks	176-178
Coolers	179
Cooling Products	180-183
Winter Liners	183-184



Thirst Quencher Instant Drink Mix



Helps replenish lost electrolytes and stimulates thirst, promoting proper hydration. The 6% carbohydrate solution delivers energy without carbonation or caffeine. Powder mixes quickly and easily with water. Assorted flavors and package sizes.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8.5 oz. Instant Powder Mix Makes 1 Gal. 40/Cs				
03956	05833965	Lemon-Lime	Pk	\$1.91
03966	05803966	Orange	Pk	\$1.91
03808	05833807	Fruit Punch	Pk	\$1.91
33665	05833674	Riptide Rush™	Pk	\$1.91
21 oz. Instant Powder Mix Makes 2 1/2 Gal. 32/Cs				
03969	05833973	Lemon-Lime	Pk	\$4.70
03970	05815077	Orange	Pk	\$4.70
33691	05833974	Fruit Punch	Pk	\$4.70
33677	05833677	Glacier Freeze®	Pk	\$4.70
33673	05833673	Riptide Rush	Pk	\$4.70
01353	05855800	Glacier Cherry	Cs	\$150.15

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03944	05803944	Variety Pack (Lemon-Lime, Fruit Punch, Orange, Riptide Rush)	Cs	\$150.15
▲ 13478	05805897	G2 Variety pack (Grape, Fruit Punch)	Cs	\$150.15
51 oz. Instant Powder Mix Makes 6 Gal. 14/Cs				
03967	05803968	Lemon-Lime	Pk	\$9.92
03968	05833967	Orange	Pk	\$9.92
33690	05833692	Fruit Punch	Pk	\$9.92
33676	05833676	Glacier Freeze	Pk	\$9.92
33672	05833672	Riptide Rush	Pk	\$9.92
01357	05855799	Glacier Cherry	Cs	\$138.93
▲ 13441	05805896	G2 Fruit Punch	Cs	\$138.93
▲ 13439	05805895	G2 Grape	Cs	\$138.93



Thirst Quencher Liquid Concentrate

Helps replenish lost electrolytes and stimulates thirst, promoting proper hydration. The 6% carbohydrate solution delivers energy without carbonation or caffeine. Liquid concentrate mixes instantly with water. Yield: 1 gal. liquid makes 6 gal. drink. 4/Case.



03984

03955

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03984	05803984	Lemon-Lime	Cs	\$50.43
03955	05803955	Orange	Cs	\$50.43
33977	05833977	Fruit Punch	Cs	\$50.43
33305	05800612	Fierce® Grape	Cs	\$50.43
49044	05849044	Pump for liquid concentrate	Ea	\$4.66



500101



ServaStation Wire Basket and Pump

Chrome-plated steel wire basket measures 11 1/4" H x 11" L x 7" W. Ideal for use with 64 oz. liquid concentrate drink mix. Wall-mount. Pump spout for Squwincher® liquid concentrate is made to fit 64 oz. bottles.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 600101	05800555	Wire basket	Ea	\$42.28
▲ 500101	05881335	Pump spout for 64 oz. bottles	Ea	\$4.84

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Liquid Concentrate

Great tasting, scientifically formulated electrolyte replacement drink restores important mineral salts and fluids lost through dehydration, physical exertion and heat stress. More satisfying than water or soft drinks because it is readily absorbed by the body. Mixes quickly and easily with water. Yield: 64 oz. concentrate makes 5 gal.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
030324-OR	05881324	Orange	Ea	\$10.15
030325-FP	05881325	Fruit Punch	Ea	\$10.15
030322-GR	05881322	Grape	Ea	\$10.15

030324-OR



030325-FP



030322-GR



Liquid Concentrate Zero

Contains no calories or sugars, providing an ideal solution for diabetics or consumers monitoring their daily intake. Includes the same electrolyte content as regular Squinch® (low sodium and great source of potassium to aid the body in replenishing essential elements lost to heat stress and fatigue). Mixes quickly and easily with water. Yield: 64 oz. concentrate makes 5 gals. 6/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 050102-FP	05890102	Fruit Punch	Cs	\$61.96
▲ 050103-GR	05880103	Grape	Cs	\$61.96
▲ 050104-LL	05880104	Lemon-Lime	Cs	\$61.96
▲ 050107-OR	05850107	Orange	Cs	\$61.96

050102-FP



050103-GR



050104-LL



050107-OR



030534-OR



030532-GR

030535-FP



Ready-to-Drink Widemouth Bottles



Great-tasting electrolyte formula is more satisfying than water or soft drinks, because it quickly restores the body's proper electrolyte and fluid balance. Convenient ready-to-drink 20 oz. bottles, no mixing required. 24/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
030534-OR	05830574	Orange	Cs	\$26.88
030535-FP	05830575	Fruit Punch	Cs	\$26.88
030532-GR	05830572	Grape	Cs	\$26.88

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Powder Mix



Replace lost fluids and electrolytes and avoid dangerous dehydration in high-heat environments. Quickly mixes with water and is convenient enough to take anywhere.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
9.53 oz. Powder Mix Makes 1 Gal., 80/Cs				
▲ 016008-LL	05881301	Lemon-Lime	Cs	\$129.57
▲ 016004-OR	05881299	Orange	Cs	\$129.57
016005-FP	05881300	Fruit Punch	Cs	\$129.57
23.83 oz. Powder Mix Makes 2 1/2 Gals., 32/Cs				
016044-AS	05801604	Assorted	Cs	\$126.74
▲ 016043-LL	05881306	Lemon-Lime	Ea	\$3.96
016041-OR	05881304	Orange	Ea	\$3.96
016042-FP	05881305	Fruit Punch	Ea	\$3.96
▲ 016046-GR	05881308	Grape	Ea	\$3.96
47.66 oz. Powder Mix Makes 5 Gals., 16/Cs				
▲ 016408-LL	05886408	Lemon-Lime	Ea	\$7.63
▲ 016404-OR	05886404	Orange	Ea	\$7.63
▲ 016405-FP	05881312	Fruit Punch	Ea	\$7.63
▲ 016406-GR	05886406	Grape	Ea	\$7.63

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1.76 oz. Powder Mix Zero, Sugar Free Makes 2 1/2 Gals., 32/Cs				
▲ 016801-OR	05801182	Orange	Cs	\$120.39
▲ 016803-FP	05801183	Fruit Punch	Cs	\$120.39
▲ 016804-GR	05801184	Grape	Cs	\$120.39



Single Serve Qwik Stik™ Zero

Offers the same great taste and electrolyte content as regular Squincher® (low sodium and great source of potassium) with no calories or sugar. Simply tear open the convenient, single-serve pouch, add to 20 oz. bottled water, shake and enjoy. 50/Bag.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
060103-LA	05860133	Lemonade	Bg	\$20.24
060100-OR	05806010	Orange	Bg	\$20.24
060102-FP	05860122	Fruit Punch	Bg	\$20.24
060107-GR	05860107	Grape	Bg	\$20.24
060101-MB	05860101	Mixed Berry	Bg	\$20.24
060109-CC	05804992	Cool Citrus	Bg	\$20.24



Squeeze Pops

Reduce core body temperature and protect from heat stress and fatigue. Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals needed for proper rehydration. Mixed case of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry. 3 oz. each. 10/Pack.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
159200201	05824010	Assorted flavors	Pk	\$2.86

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



451

400 Series Water Cooler

Industrial water cooler keeps beverages cold, clean and readily available almost anywhere. Durable, built for the roughest job site and the most punishing work crews. Red and yellow high-visibility safety colors. HDPE hide won't chip, peel, buckle or rust. Ultraviolet stabilizers prevent fading and cracking in all exposures. Features a sanitary FDA-grade inner liner that resists stains, odors and is easy to clean. Includes spigot, reinforced handle and cup dispenser bracket. All parts are replaceable for extended life. 5 Gal. capacity.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
451	05370020	Water cooler	Ea	\$44.18



Insulated Beverage Containers and Accessories



Insulated to keep water and beverages cold. Features drip-resistant spigot and leak-resistant lid. Orange. Cups, bracket and spigot also available. Brackets are adjustable with bolt-down areas to fasten to cart or vehicle and tie-down strap. BPA-free.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1683-01-11	05316831	Insulated beverage container, 3 gal.	Ea	\$34.55
1840999	05316851	Insulated beverage container, 5 gal.	Ea	\$36.68
1610-01-11	05316101	Insulated beverage container, 10 gal.	Ea	\$75.84
FG2B8725WHT	05328700	Replaceable spigot for 3, 5 & 10 gal. containers, white	Ea	\$6.63
1640-02-331	05303110	Cooler mounting rack, universal	Ea	\$56.02
8257-UM	05308257	Cooler cup dispenser, 4 & 6 oz.	Ea	\$18.30
SCC42R	05368808	Cone cups, 4 oz., 200/sleeve	Sl	\$3.40



1683-01-11

1840999

1610-01-11



1530-04-11



Victory Thermal Cooler

Beverage container with urethane-based foam insulation for superior thermal performance. Features easy-to-open screw-on lid, easy-to-clean liner, easy-flow spout, bail handle for easy carrying, and large mouth for easy filling. Leak-proof. Stain- and odor-resistant. 2-Gal. capacity. Weight empty: 2.8 lbs.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1530-04-11	05315304	Thermal cooler, 2 gal.	Ea	\$16.23

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Chill-Its® 6660 Hard Hat Brims with Shade

Fits around the outside of a hard hat providing sun/UV protection on the face and neck. Universal patented design made from 100% polyester fabric with hook-and-loop to ensure secure attachment. Blocks the sun's rays keeping workers comfortable in environments absent from other forms of shade.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
12640	05859313	6660 Hard hat brim w/ shade	Hi-viz lime	Ea	\$9.89
12641	05859314	6660 Hard hat brim w/ shade	Hi-viz orange	Ea	\$9.89



SWEATSOpad® Headbands

Made from absorbent, 100% fleece cotton. Features air cushion layer, absorbs excessive perspiration and helps to minimize "helmet-head" and helmet slippage. Eliminates the frustration of wearing a helmet over a sweatband. Flame-retardant treated with hook-and-loop fastener. Russet. 2/Pack.




MFG #	DILLON #	DESCRIPTION	UOM	PRICE
20-3200V	05881377	Hard hat headband	Pk	\$3.07



Chill-Its® 6609 Terry Sweatband

Economical way to manage moisture and keep sweat out of eyes. Fits most hard hat suspension systems. 100% Cotton. Machine washable. Gray.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
12440	05882576	6609 Terry sweatband	Ea	\$2.92



Terry Cloth Sweatband

EZ-Cool™ terry cloth sweatband with snap closure. Attaches to hard hat suspension with plastic snaps. Helps alleviate heat stress and absorb sweat at forehead. Navy blue.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
396-20870-NAV	05853252	Terry cloth sweatband	Ea	\$1.80



MiraCool® Hard Hat Pad

Soak in cold water for 10-20 minutes and fasten to the suspension using hook-and-loop straps. Air movement works with the pad to enhance cooling evaporation. Hard hat sold separately.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
968	05800968	Hard hat pad	Ea	\$3.83

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Disposable Sweatband

SBR100



Regular cellulose sweatband with elastic band provides excellent cooling relief. Simply dip in cold water to soften, squeeze out excess water, and wear.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SBR100	05822009	Disposable sweatband	Ea	\$0.46



Cotton Neck Shades

971-HVY



Made from 100% cotton. Fits most regular hard hats. Shade at back of neck facilitates perspiration evaporation.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
971-HVY	05899971	Terry cloth sweatband w/ neck shade	Hi-viz yellow	Ea	\$2.91
971-K	05892608	Terry cloth sweatband w/ neck shade	Khaki	Ea	\$2.91



Chill-Its® 6716 Hard Hat Liner

12338



Lightweight, comfortable, cotton hard hat insert provides cool comfort. Activate absorbent acrylic polymers by soaking in water 2-5 minutes for heat relief that lasts for up to 4 hours. Attaches conveniently to hard hat suspension headbands. Hook-and-loop closure.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
12338	05812638	6716 Hard hat liner	Ea	\$3.86



Chill-Its® 6700 Evaporative Cooling Bandanas

12307



12303



12306



12305

Evaporative cooling process helps workers stay cool when needed most. Lightweight cotton design with super-absorbent acrylic polymer that provides cool comfort for hours after soaking in water 2-5 minutes. Reuse by re-soaking. Features tie closure.


MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
12307	05822039	6700 Bandana/headband	Solid blue	Ea	\$2.26
12303	05822038	6700 Bandana/headband	Stars & Stripes	Ea	\$2.26
12305	05812305	6700 Bandana/headband	Red western	Ea	\$2.26
12306	05812306	6700 Bandana/headband	Navy western	Ea	\$2.26



RCS50

ARCTIC Radwear™ Cooling Wraps

Made with Advanced ARCTIC™ Technology that accelerates the evaporative cooling process. Just soak in water for 2-3 minutes and then experience cooling relief for up to 5 hours. Safe and reusable wrap is designed to keep wearer cool during hot outdoor activities, such as construction work or tough workouts. Anti-microbial treated to help prevent mold build-up and unwanted smells. Measures 26" x 8 1/4".



RCS51

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
RCS50	05853237	Cooling wrap	Blue	Ea	\$3.42
RCS51	05853236	Cooling wrap	Hi-viz lime	Ea	\$3.42



Chill-Its® 6602 Cooling Towels

12420



12439



Dampen synthetic space age towel to create a super-evaporative cooling aid significantly colder than ambient air. Simply wet to activate. Advanced PVA material holds water without feeling heavy. Wear around neck for hours of cooling relief. Machine washable. Measures: 13" x 29 1/2".


MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
12420	05806602	6602 Cooling towel	Blue	Ea	\$7.40
12439	05805201	6602 Cooling towel	Hi-viz lime	Ea	\$7.40

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



EZ-Cool™ Evaporative Cooling Bandanas

Made from 65% polyester/35% cotton poplin blend with cooling crystals. Soak in water for 10-20 minutes and squeeze out excess to activate. Place around neck to facilitate cooling sensation. Cooling effects last for hours. Reusable. Universal size.



MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
393-100-DGC	05812051	Evaporative cooling bandana	Digital camo	Ea	\$2.12
393-100-NAVY	05894491	Evaporative cooling bandana	Navy	Ea	\$2.12
393-100-KHK	05894490	Evaporative cooling bandana	Khaki	Ea	\$2.12



EZ-Cool™ Evaporative Cooling Ranger Hat

Ideal for use in hot work conditions to avoid heat related illness. Made of poly/cotton fabric with cooling polymers at the crown. Soak in water for 15 minutes to activate cooling. Extended neck shade to block the sun. Khaki.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
396-425-KHK/M	05859307	Evaporative cooling ranger hat	M	Ea	\$10.42
396-425-KHK/L	05859308	Evaporative cooling ranger hat	L	Ea	\$10.42
396-425-KHK/XL	05859309	Evaporative cooling ranger at	XL	Ea	\$10.42



S230 Boonie Hat

Woven, 300-denier Oxford polyester with polyurethane (PU) coating, mesh venting and 1" reflective tape with contrasting trim. Universal, 24" circumference. ANSI/ISEA 107 compliant.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
61587	05837306	S230 Boonie hat	Lime	Ea	\$8.75
61588	05837307	S230 Boonie hat	Orange	Ea	\$8.75



S108 Hi-Viz Baseball Caps

Made of 100% polyester 300 denier Oxford with (2) mesh venting panels and silver reflective material. Adjustable hook-and-loop closure. Conforms to ANSI/ISEA 107- Class Headwear.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
61705	05820419	S108 Hi-viz baseball cap	Lime	Ea	\$8.15
61706	05815047	S108 Hi-viz baseball cap	Orange	Ea	\$8.15



EZ-Cool™ Flash High-Visibility Cooling Vest

Fast activating (1 -2 minute activation), lightweight cooling fabric. Extended cooling lasts 5-10 hours per activation. Cooling properties can be reactivated for the life of the product; may be used over and over again. Polyester outer fabric with nylon inner lining, silver reflective tape, hook-and-loop closure and surveyor's style pockets. Hi-viz yellow. Meets ANSI/ISEA 107 Class 2.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
390-EZ202-S/M	05836405	Hi-viz cooling vest	S/M	Ea	\$45.32
390-EZ202-L/XL	05836406	Hi-viz cooling vest	L/XL	Ea	\$45.32
390-EZ202-2X/3X	05836407	Hi-viz cooling vest	2XL/3XL	Ea	\$45.32
390-EZ202-4X/5X	05836408	Hi-viz cooling vest	4XL/5XL	Ea	\$45.32

390-EZ202



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

390-PCVKT1



EZ-Cool™ Phase Change Cooling Vest

Maintains comfortable 65° temperature for up to 3 hours. Semi-solid thermal energy storage material (PCM) absorbs heat generated by wearer. Ideal for use in high-humidity areas and under other PPE garments where evaporative products are less effective. Adjustable at shoulders and torso for snug, high fit to deliver core cooling. Activate by placing packs in freezer for 1 hour or in cooler with ice water for approximately 20 minutes. Can be worn under PPE. Blue. Universal size.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 390-PCVKT1	05814081	Phase change cooling vest w/ packs	Ea	\$154.65
▲ 390-PCVCP1	05814080	Replacement pack	Ea	\$111.70



364-1170

Pull-Over Winter Liner

Polyester fleece provides insulation and warmth. Features 3-in-1 adjustable design with drawstring tightening for full coverage. Ideal for use in cold work conditions. Universal.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
364-1170	05871046	Pull-over winter liner	Ea	\$11.50



FR-Treated Mid-Length Winter Liner

Winter liner features 2 layers of cotton twill/fleece, insulated ear barrier, mouthpiece and reflective strip. Flame-retardant treatment. Mid length. Universal. Navy blue.



364-ML2FMP

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
364-ML2FMP	05855229	Winter liner w/ mouthpiece	Ea	\$9.90



Quilted Winter Liner

Made of 100% quilted nylon shell, foam middle layer and fleece lining. Three layers to help trap and retain natural body heat. Features warming pack pockets and reflective strip. Blue with red lining. Universal.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
RQ301	05882117	Quilted fleece-lined winter liner	Ea	\$5.10



RQ301



Hot Rods® Long Neck Winter Liner

Premium mid-length, 2-layer winter liner made of 100% cotton twill with FR treatment until washed. Features fleece lining, warming pack pockets, reflective strip and removable mouthpiece. Navy.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
LM660	05866099	Long neck winter liner	Ea	\$7.80



LM660



Hot Rods® Camo Winter Liner

Classic mid-length, 1-layer winter liner made of 100% polyester anti-pilling super heavyweight fleece. Features mesh mouth/nose guard. No insulated ear barrier.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
LF649	05816240	Camo winter liner	Ea	\$9.89

LF649

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Hot Rods® Hand and Toe Warmers

Hand warmers can be slipped into winter liners, gloves or other accessories. Simply open and shake to activate and enjoy warmth all day. Lasts up to 8 hours with an average temperature of 120° F/49° C.

Toe warmers fit securely and comfortably under toes. Simply open and shake to activate, position in shoes or boots, and enjoy warmth that lasts up to 5 hours with an average temperature of 115° F/46° C.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1100-10R	05800352	Hand warmers	Pr	\$0.80
1106-10TW	05800086	Toe warmers	Pr	\$1.25



Classic Hard Hat Knitted Tube Liner

Knitted tube liners are constructed of 100% polyester and fit snugly over regular length hard hats, blocking wind tunneling inside the crown. Liners trap warmth inside hard hats to keep head and ears warm. Space-saving design folds up on the outside of a hard hat when not in use. Blue.



RK800-01

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
RK800-01	05882503	Regular knitted tube liner	Ea	\$3.52



N-Ferno® Balaclavas

Stretch polyester fleece with reflective accent for higher visibility. Universal. Black.

16821: 240 g for warmth and comfort.

16822: 320 g body with lightweight, ultra-stretchable spandex top for extra comfort. Offers warmth in extreme conditions.



16821

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
16821	05848272	6821 Fleece balaclava	Ea	\$7.13
16822	05848273	6822 Balaclava w/ spandex top	Ea	\$8.65



Hot Rods® Classic Full Face Winter Liner

Keeps face and neck warm in cold environments. Fits snugly over most cap-style hard hats. Blue.



LK810-01

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
LK810-01	05882504	Classic full face winter liner	Ea	\$7.24

360-BEANNIE-LY

360-BEANNIE-OR



Beanie Hats

Hi-viz knit cap features silver reflective stripe for increased visibility. One size fits most.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
360-BEANNIE-LY	05800533	Beanie hat	Lime yellow	Ea	\$7.15
360-BEANNIE-OR	05800532	Beanie hat	Orange	Ea	\$7.15

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Employers are responsible for identifying and warning employees about all hazards and the potential for hazards within and around workplace areas. Hazards should be engineered out and identification signs, labels, tags and barriers shall be used according to OSHA. Each sign or label must comply with OSHA's 1910 requirements and shall be presented in a manner that is easily apparent and understood by all employees. Danger signs shall be used only where an immediate hazard exists. Caution signs shall be used only to warn against potential hazards or to caution against unsafe practices. Accident prevention tags shall be used as a temporary means of warning employees of an existing hazard and may not be used in place of, or as a substitute. All accident prevention identification shall be visible at all times when work is being performed, and shall be removed or covered promptly when the hazards no longer exist.

Go to www.osha.gov for complete details.

ID/SIGNS & LABELS

Label Printers & Tapes	186-189
5S, GHS, & SDS	189-190
RTK & NFPA	190-192
Scoreboards & ID Signs	193
Facility Signage & Accident Prevention Tags	193-194
Lanyards	194

BMP®21-PLUS Label Printers

Drop-tested printer, super rugged with molded rubber bumpers provides protection from falls.

All-in-one label printer for voice/data comm, electrical and general industrial crews. With label materials designed specifically for harsh environments, the portable printer can quickly and easily create clear, legible labels that stay stuck for years despite extreme temperatures and curved or highly textured surfaces. Printer includes a 2-year warranty.



BMP21-PLUS-KIT1

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ BMP21-PLUS	05864380	BMP21-PLUS label printer w/ M21-750-499 label cartridge, lanyard & Quick Start Guide	Ea	\$134.75
▲ BMP21-PLUS-KIT1	05864381	BMP21-PLUS label printer kit w/ M21-750-499 label cartridge, hard case, li-ion battery, power adapter, lanyard & Quick Start Guide	Ea	\$248.82



M21-750-595-RD



M21-750-427



M21-125-C-342



M21-750-499

BMP®21 Indoor/Outdoor Vinyl Tapes

Offers solvent, high heat and scratch resistance. Available in a variety of colors. Measures: 0.75" x 21'. Also compatible with ID PAL™ label printer.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ M21-750-595-WT	05864382	Indoor/outdoor vinyl, black on white	Ea	\$30.61
▲ M21-750-595-YL	05864383	Indoor/outdoor vinyl, black on yellow	Ea	\$30.61
▲ M21-750-595-OR	05864384	Indoor/outdoor vinyl, black on orange	Ea	\$30.61
▲ M21-750-595-BL	05864385	Indoor/outdoor vinyl, black on blue	Ea	\$30.61
▲ M21-750-595-RD	05864386	Indoor/outdoor vinyl, black on red	Ea	\$30.61
▲ M21-750-595-BK	05864387	Indoor/outdoor vinyl, white on black	Ea	\$30.61
▲ M21-750-595-BR	05864388	Indoor/outdoor vinyl, white on brown	Ea	\$30.61
▲ M21-750-595-GN	05864389	Indoor/outdoor vinyl, white on green	Ea	\$30.61
▲ M21-750-595-PL	05864390	Indoor/outdoor vinyl, white on purple	Ea	\$30.61
▲ M21-750-595-GY	05864391	Indoor/outdoor vinyl, black on gray	Ea	\$30.61

Self-Laminating Wire and Cable Wraps

Self-laminating vinyl label cartridges with matte finish. Abrasion- and smudge-resistant. Excellent water and oil resistance. Self-extinguishing. Black on white/translucent.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ M21-750-427	05864392	Self-laminating vinyl	0.75" x 14'	Ea	\$34.36
▲ M21-1000-427	05864393	Self-laminating vinyl	1" x 14'	Ea	\$41.48
▲ M21-1500-427	05864394	Self-laminating vinyl	1.5" x 14'	Ea	\$42.66

PermaSleeve® Heat Shrink Wire and Cable Markers

PermaSleeve labels provide a wire marking solution that combines speed, ease of use and permanence to create long-lasting, high quality identification. Polyolefin material is fade-resistant, flame-retardant and offers superior aesthetic appearance. 3:1 Heat shrink ratio. Black on white. Meets SAE, MIL-STD specifications.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ M21-125-C-342	05864395	PermaSleeve markers for BMP21	0.235" x 7'	Ea	\$52.75
▲ M21-187-C-342	05864396	PermaSleeve markers for BMP21	0.335" x 7'	Ea	\$57.49
▲ M21-250-C-342	05864397	PermaSleeve markers for BMP21	0.439" x 7'	Ea	\$65.78
▲ M21-375-C-342	05864398	PermaSleeve markers for BMP21	0.645" x 7'	Ea	\$74.09

Wire, Cable and Terminal Block Adhesive Strips

Narrow nylon cloth label strips for alignment on wires and cables or terminal blocks. Black on white. Prints with user-specified spacing when using terminal block mode.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ M21-750-499	05864399	Nylon cloth tape, black on white	0.75" x 16'	Ea	\$32.59
▲ M21-375-499	05864400	Nylon cloth tape, black on white	0.375" x 16'	Ea	\$28.43

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



BBP®31 Sign and Label Printer

142052

Easy to use and packed with functionalities. Can use as a stand-alone mobile unit or connected to PC. Available with many material options to handle all labeling needs. Customize labels, tapes and signs from 1/2" to 4" on materials with up to 10-year outdoor grade durability. Includes power cord, USB cable, drivers CD, stylus, cleaning kit, cutter cleaning tool, Quick Start Guide and documentation holder.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 142052	05802379	BBP31 sign & label maker	Ea	\$2,382.02
▲ 142114	05837354	Extra BBP31 media wiper, 5/Pk	Ea	\$31.37
▲ 142115	05837355	Extra BBP31 replacement stylus, 3/Pk	Ea	\$16.52
▲ 142116	05837356	Extra BBP31 cutter cleaning tool	Ea	\$17.70
▲ 142117	05837357	Extra BBP31 dust cover	Ea	\$17.70




118090

BBP®31 Heavy-Duty Print Ribbons

Tough, smear-proof and produce long-lasting printed text. Print can withstand years in industrial areas and outdoor conditions. No calibrating, no threading, no waste, no hassles. Measures: 4.33" x 200'.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 118084	05802380	BBP31 ribbon	Black	Ea	\$139.99
▲ 118090	05802381	BBP31 ribbon	White	Ea	\$139.99



118084

142029



118001

117926

118064

118048

BBP®31 Indoor/Outdoor Vinyl Tape

Durable, low-shrink vinyl conforms to irregular, curved, rough and highly textured surfaces. Adheres to "difficult" low-surface energy items such as PVC piping, blow-molded equipment cases, ABS plastics and recycled plastics.

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
▲ 142028	05802382	White	3" x 100'	Ea	\$313.84
▲ 142032	05802383	Yellow	4" x 100'	Ea	\$313.84
▲ 142029	05802384	White	2.25" x 100'	Ea	\$209.00
▲ 142034	05802385	Yellow	2.25" x 100'	Ea	\$209.00

BBP®31 Retro-Reflective Tapes

For highly reflective identification that shines back brightly when struck by light. Ideal for labeling outdoor utility poles and pedestals, jobsite equipment and rooftop equipment. Recommended for low light or inclement weather conditions. Measures: 2 1/4" x 50'.

MFG #	DILLON #	COLOR	UOM	PRICE
▲ 117998	05837361	Silver	Ea	\$276.00
▲ 118001	05837362	Yellow	Ea	\$276.00
▲ 117995	05837363	Orange	Ea	\$276.00

BBP®31 BradyGlo™ High-Intensity Photoluminescent Tape

For glow-in-the-dark identification up to 10 hours. Designed for directional and evacuation marking. Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls. Measures: 2 1/4" x 50'.

MFG #	DILLON #	UOM	PRICE
▲ 117926	05837360	Ea	\$320.47

BBP®31 Raised Profile Labels

Thermal transfer printable raised push button labels designed to make legend plate creation quick, less expensive and hassle free. Use for electrical components, electrical cabinets, push buttons and patch panels. Can also be used for rating and serial plates using alphanumerics that require name plate quality.

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
<i>Raised Profile Labels, Push Button Style</i>					
▲ 118062	05837364	Red	1.9" x 1.2"	RI	\$184.43
▲ 118064	05837365	Green	1.9" x 1.2"	RI	\$184.43
▲ 118063	05837366	Yellow	1.9" x 1.2"	RI	\$184.43
<i>Raised Profile Labels, Rectangular Style</i>					
▲ 118049	05837367	Green	2.5" x 3"	RI	\$181.13
▲ 118048	05837368	Yellow	2.5" x 3"	RI	\$181.13

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



142064



BBP®31 Kits

Kits include all the printer supplies and accessories needed for either arc flash warning, safety and supply compliance, 5S visual workplace, pipe ID or general industry. Printer sold separately. For a complete listing of all kit contents, please contact your local Dillon Sales Representative.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 142061	05837369	Arc flash warning supply kit	Ea	\$1,369.48
▲ 142062	05837370	Safety & compliance supply kit	Ea	\$1,898.97
▲ 142063	05837371	5S Visual workplace supply kit	Ea	\$2,110.63
▲ 142064	05837372	Pipe ID supply kit	Ea	\$2,498.78
▲ 142065	05837373	General industry & 5S supply kit	Ea	\$2,470.91



BMP®71 Label Printer

Portable printer with a variety of features, label materials and design options. With a print speed of 1 1/2" per second, it features built-in label design wizards, storage space for over 100,000 label files, and a large, full color graphical screen. Has more than 400 different label options for a variety of applications, including workplace safety labels, wire and cable markers, patch panel labels, die-cut labels, flags, tags, arc flash labels, visual workplace labels, barcode labels, equipment ID, labels for bins, racks and shelves, 5S labels, facility identification and more.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 115157	05815339	BMP71 label printer	Ea	\$1,187.70
▲ M71-AC-BC	05861649	BMP71 AC battery adapter	Ea	\$80.30

115157



BMP®71 Consumables

Labels, ribbons and tapes are available in a variety of colors and sizes. Offers solvent, high heat and scratch resistance.

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
BMP71 Indoor/Outdoor Vinyl Film Tape					
▲ M71C-2000-595-WT	05815343	White	2" x 50'	Ea	\$126.25
▲ M71C-2000-595-YL	05815344	Yellow	2" x 50'	Ea	\$126.25
▲ M71C-2000-595-RD	05815345	Red	2" x 50'	Ea	\$126.25
▲ M71C-2000-595-OR	05815346	Orange	2" x 50'	Ea	\$126.25
▲ M71C-1000-595-WT	05815347	White	1" x 50'	Ea	\$83.57
▲ M71C-1000-595-YL	05815348	Yellow	1" x 50'	Ea	\$83.57
BMP71 Repositional Vinyl Film Tape					
▲ M71C-1000-581-WT	05815349	White	1" x 50'	Ea	\$90.68

M71C-2000-595-YL

M71C-1000-581-WT



M71-R6000

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
BMP71 Printer Ribbon					
▲ M71-R6000	05815341	Black	2" x 150'	Ea	\$72.54
▲ M71-R4400-WT	05815342	White	2" x 150'	Ea	\$85.93

Markware® Software Kit

Use a PC to quickly design professional looking signs and labels. Print directly to a Brady labeling system or most Windows® inkjet/laser printers. Use pre-formatted templates for quick and easy label creation or freely customize label layouts. Utilize over 1,000 safety and industrial pictograms and (15) different bar code symbols. Import logos, photos and other graphics or use the built-in graphics library. Create hazardous communication labels from database of 2,000 chemicals or create intricate designs with advanced drawing and formatting tools.



20700

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 20700	05815325	Markware software kit	Ea	\$794.89

Markware® Lean Tools Edition Software Kit

Helps manufacturers simplify machine setup and identify operating abnormalities at a glance through use of visual equipment controls on gauges, oil sight tubes, drive train belts and other machine components. Use a PC to quickly design professional looking signs and labels. Print directly to a Brady labeling system or most Windows® inkjet/laser printers. Use pre-formatted templates provided for quick and easy label creation or freely customize label layouts to own specifications.



20700L

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 20700L	05821579	Markware Lean Tools edition software kit	Ea	\$794.89

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Tool Board and Workbench Marking Tapes

Shadow vinyl allows for quick and easy creation of tool shadows to exact size and shape. Simply place tool or object over vinyl, trace outline, cut and apply to workplace surface. Use corner and T-shaped tapes to quickly define storage locations on workbenches, desktops and shelves. Border tape allows creation of solid borders and divider lines or place the color-coded bands on tools or supplies for easy identification.



121117

121420

121417

121125

121123

121124

Shadow Vinyl Roll, 12" x 12"

MFG #	DILLON #	COLOR	UOM	PRICE
▲ 121117	05821542	Red	RI	\$49.10
▲ 121120	05821543	Green	RI	\$49.10
▲ 121121	05821544	Black	RI	\$49.10
▲ 121119	05821545	Yellow	RI	\$49.10
▲ 121118	05821546	Blue	RI	\$49.10

L-shaped Corner Marking Tape, 1" x 1"

MFG #	DILLON #	COLOR	UOM	PRICE
▲ 121413	05821547	Red	RI	\$33.02
▲ 121416	05821548	Green	RI	\$33.02
▲ 121417	05821549	Black	RI	\$33.02
▲ 121415	05821550	Yellow	RI	\$33.02
▲ 121414	05821551	Blue	RI	\$33.02

T-shaped Corner Marking Tape, 1.5" x 1"

MFG #	DILLON #	COLOR	UOM	PRICE
▲ 121418	05821552	Red	RI	\$33.02
▲ 121421	05821553	Green	RI	\$33.02
▲ 121422	05821554	Black	RI	\$33.02
▲ 121420	05821555	Yellow	RI	\$33.02
▲ 121419	05821556	Blue	RI	\$33.02

Border Marking Tape, 0.5" x 50'

MFG #	DILLON #	COLOR	UOM	PRICE
▲ 121127	05821557	Red	RI	\$26.43
▲ 121130	05821558	Green	RI	\$26.43
▲ 121131	05821559	Black	RI	\$26.43
▲ 121129	05821560	Yellow	RI	\$26.43
▲ 121128	05821561	Blue	RI	\$26.43

Border Marking Tape, 0.25" x 50'

MFG #	DILLON #	COLOR	UOM	PRICE
▲ 121122	05821562	Red	RI	\$19.80
▲ 121125	05821563	Green	RI	\$19.80
▲ 121126	05821564	Black	RI	\$19.80
▲ 121124	05821565	Yellow	RI	\$19.80
▲ 121123	05821566	Blue	RI	\$19.80

Premium 5S Marking Kits

Everything needed to clearly identify storage locations, traffic lanes and safety hazards.

Includes:

Toughstripe™ floor marking tapes

- (4) Rolls of 2" floor tape (yellow, red, blue, green)
- (4) Packages of 2" L-shaped corner marks (yellow, red, blue, green)

Toolboard/workbench marking tapes

- (4) Rolls of 12" shadow vinyl (black, red, blue, green)
- (4) Rolls of 1/2" border tape (black, red, blue, green)
- (4) Rolls of 1/2" L-shaped corner marks (black, red, blue, green)

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 142109	05821567	Premium 5S marking kit	Ea	\$592.53
▲ 142111	05821569	Premium 5S marking kit w/ BMP®71 printer	Ea	\$1,896.35

BradyGlo™ Wall-Mounted Exit Signs

BradyGlo Photoluminescent "Glow-in-the-Dark" exit signs are non-radioactive, non-electric, conserve energy and require no wiring or batteries.

Made with .035" steel and non-toxic plastic with punch out chevron arrows making for easy direction selection. Low installation cost, explosion-proof, maintenance-free, and vandalism-resistant for worry-free operation. Can be surface, flag or ceiling mounted. Includes mounting hardware. Measures: 8" x 15".



90887B

90885B

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 37851B	05815350	Wall-mounted exit sign	Black	Ea	\$196.97
▲ 90885B	05815351	Wall-mounted exit sign	Red	Ea	\$196.97
▲ 90887B	05815352	Wall-mounted exit sign	Green	Ea	\$196.97
▲ 80753B	05815353	Wall-mounted exit sign	White	Ea	\$196.97


Lean Communication Boards

Used to facilitate communication between management and shop floor employees, as well as between different shifts and departments.

Visual display boards can be used to track key performance indicator trends, inform employees of scheduling assignments, and to post notices of upcoming events. Made standard with (4) self-adhesive document holders and ability to display dry erase panels (sold separately). Blue.



142111



114613

114611

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Lean Communication Boards					
▲ 114611	05821570	4 panels & 4 document holders	25" x 34"	Ea	\$156.48
▲ 114613	05821571	6 panels & 6 document holders	37" x 34"	Ea	\$204.52

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



5S/Lean Custom Store-Boards™/Shadow Boards


Quickly see tools and supplies that are not in their designated storage location. Shadow boards, or Store-Boards™, are used during the 5S process and other lean initiatives to organize tools, equipment and materials. Contact to schedule an interactive design session to walk through every step of the design process and ensure your vision becomes reality.



CUSTOM STORE-BOARDS

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ PSB155	PSB155	Accu-Shield™ - custom size	Ea	Call for pricing
▲ PSB655	PSB655	Max-Duty Aluminum - custom size	Ea	Call for pricing
▲ PSB755	PSB755	Ultra Aluma-Lite™ - custom size	Ea	Call for pricing
▲ PSB855	PSB855	Diamond Aluminum - custom size	Ea	Call for pricing
▲ PSB955	PSB955	Accu-Shield™ FB-X - custom size	Ea	Call for pricing

MBR321



MBR323

5S Campaign Banners

Banners are a great motivational tool for employees. Convey company's commitment to 5S standards in and around facility. Banners capture attention with graphics and full-color photographic quality images along with large scale lettering. Printed on tough, durable 10 oz. reinforced vinyl with double-stitched hems. Metal grommets surround the banner for mounting and hanging. Includes (4) 2' rope pieces. Measures: 28" x 8'.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ MBR321	05864409	Committed to 5S	Ea	\$104.70
▲ MBR323	05864410	5S Remember	Ea	\$104.70



LZH601EV5

LZH602EV5

LZH603EV5

LZH604EV5

LZH605EV5

LZH606EV5

LZH607EV5

LZH608EV5

LZH609EV5

GHS Pictogram Labels


Pictogram labels comply with the Globally Harmonized System. Identify hazards associated with chemicals and warn users of types of precautions that should be taken to minimize adverse effects that could result from exposure. 500/Roll.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ LZH601EV5	05868758	Flame	1" x 1"	RI	\$41.96
▲ LZH611EV5	05868759	Flame	2" x 2"	RI	\$49.80
▲ LZH602EV5	05868760	Flame Over Circle	1" x 1"	RI	\$41.96
▲ LZH612EV5	05868761	Flame Over Circle	2" x 2"	RI	\$49.80
▲ LZH603EV5	05868762	Exploding Bomb	1" x 1"	RI	\$41.96
▲ LZH613EV5	05868763	Exploding Bomb	2" x 2"	RI	\$49.80
▲ LZH604EV5	05868764	Corrosion	1" x 1"	RI	\$41.96
▲ LZH614EV5	05868765	Corrosion	2" x 2"	RI	\$49.80
▲ LZH605EV5	05868766	Gas Cylinder	1" x 1"	RI	\$41.96

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ LZH615EV5	05868767	Gas Cylinder	2" x 2"	RI	\$49.80
▲ LZH606EV5	05868768	Skull & Crossbones	1" x 1"	RI	\$41.96
▲ LZH616EV5	05868769	Skull & Crossbones	2" x 2"	RI	\$49.80
▲ LZH607EV5	05868770	Exclamation Mark	1" x 1"	RI	\$41.96
▲ LZH617EV5	05868771	Exclamation Mark	2" x 2"	RI	\$49.80
▲ LZH608EV5	05868772	Environment	1" x 1"	RI	\$41.96
▲ LZH618EV5	05868773	Environment	2" x 2"	RI	\$49.80
▲ LZH609EV5	05868774	Health Hazard	1" x 1"	RI	\$41.96
▲ LZH619EV5	05868775	Health Hazard	2" x 2"	RI	\$49.80

LKC241

BACK



GHS Wallet Cards

Keep a visual reminder of GHS label and pictogram requirements close at hand for easy reference. Plastic wallet card measures 3 3/8" x 2 1/8" and is double-sided. One side of wallet card shows a representation of the 9 standard GHS pictograms, while flip side shows a GHS label example. Also available in a bilingual - English/Spanish version.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ LKC241	05868785	GHS wallet card	Ea	\$2.89
▲ SHLKC241	05868786	Bilingual GHS wallet card	Ea	\$2.89

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



GHS Jumbo Tags


Attach tags to chemicals in workplace and add appropriate signal word and GHS pictogram labels to identify the hazards. Large tags increase visibility for critical information. Tags have space to write in product/chemical identification, hazard statements and additional comments on the back. Label set of nine pictograms and two approved signal words "Danger" and "Warning" are included for each tag. Choose from PF-Cardstock, RS-Flexcard or RP-Plastic. Measures: 8 1/2" x 3 7/8". 5/Pack.



THS401




MFG #	DILLON #	DESCRIPTION	MATERIAL	UOM	PRICE
▲ THS401CTM	05868776	Product Identifier	PF-Cardstock	Pk	\$37.32
▲ THS401FTM	05868777	Product Identifier	RS-Flexcard	Pk	\$41.84
▲ THS401PTM	05868778	Product Identifier	RP-Plastic	Pk	\$46.46
▲ THS403CTM	05868779	Chemical Name	PF-Cardstock	Pk	\$37.32
▲ THS403FTM	05868780	Chemical Name	RS-Flexcard	Pk	\$41.84
▲ THS403PTM	05868781	Chemical Name	RP-Plastic	Pk	\$46.46
▲ THS405CTM	05868782	Product Name	PF-Cardstock	Pk	\$37.32
▲ THS405FTM	05868783	Product Name	RS-Flexcard	Pk	\$41.84
▲ THS405PTM	05868784	Product Name	RP-Plastic	Pk	\$46.46



ZTP139

GHS Posters

GHS poster displays GHS label and pictogram guidelines in a visual, straightforward style. Right-To-Know poster includes a summary of the information found in the GHS standardized 16-section SDS. Plastic laminate.



ZTP133

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ ZTP133	05862332	Right-To-Know SDS poster, English	20" x 32"	Ea	\$43.75
▲ SHZTP133	05862331	Right-To-Know SDS poster, Spanish	20" x 32"	Ea	\$43.75
▲ ZTP139	05862330	GHS poster, English	18" x 24"	Ea	\$32.30
▲ SHZTP139	05862329	GHS poster, Spanish	18" x 24"	Ea	\$32.30

NFPA Placard Kits and Self-Adhesive Hazard Panels

Blank placards are printed with proper coding using UV stable inks.

Write in the numbers or symbols on the blank placard or choose placard kit with pre-printed number and symbol hazard panels. Hazard panels are 1-mil clear, self-adhesive polyester. Kit includes 15 numbers (3 sets of 0-4), 7 specific-hazard symbols and NFPA Wallet Guide.



ZFD101EV

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ ZFD404EV	05821533	Placard kit	4" x 4"	Ea	\$18.48
▲ ZFD606EV	05821534	Placard kit	6" x 6"	Ea	\$28.76
▲ ZFD101EV	05821535	Placard kit	10" x 10"	Ea	\$40.86
▲ ZFD515EV	05821536	Placard kit	15" x 15"	Ea	\$63.84

GHS SDS Centers

Provide easy access to safety data sheets (SDS) in the workplace with center boards. Sturdy .063" aluminum backboard is 20" H x 15" W and printed with bold red diamond border for high visibility. PVC-coated steel wire rack holds 3-ring, 1 1/2" diameter binder (included). Four corner mounting holes are supplied for easy installation. Complete kit includes backboard, rack and binder.



ZRS407

ZRS409

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ ZRS407	05868835	SDS Information Center	Kit	\$92.42
▲ ZRS409	05868836	Safety Data Sheets Center	Kit	\$92.42

SDS Binders

Organize and store SDS documents in plastic binders. Front cover and spine have contrasting red letters. Three-ring binder has 36" metal security chain. Available in bilingual - Spanish/English version.

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
SDS Binder					
▲ ZRS641WT	05868837	White	1 1/2"	Ea	\$24.22
▲ ZRS641YL	05868838	Yellow	1 1/2"	Ea	\$24.22
▲ ZRS642WT	05868839	White	2 1/2"	Ea	\$31.01
▲ ZRS642YL	05868840	Yellow	2 1/2"	Ea	\$31.01
▲ ZRS643WT	05868841	White	3"	Ea	\$33.37
▲ ZRS643YL	05868842	Yellow	3"	Ea	\$33.37

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
Bilingual SDS Binder					
▲ SBZRS641WT	05868843	White	1 1/2"	Ea	\$24.22
▲ SBZRS641YL	05868845	Yellow	1 1/2"	Ea	\$24.22
▲ SBZRS642WT	05868844	White	2 1/2"	Ea	\$31.01
▲ SBZRS642YL	05868846	Yellow	2 1/2"	Ea	\$31.01



ZRS641YL

SBZRS642WT

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Compliance Centers

NFPA Center: The eye-catching, multi-color Right-To-Know Center Board incorporates the Hazardous Material Classification Guide as a quick reference to the NFPA hazard classification codes. Board measures: 18" H x 24" W board is .063" thick aluminum with a 8 3/4" H x 13 3/4" W x 5" D coated wire basket bolted to hold a single binder.

Single and Double RTK Center: Coated wire basket is bolted to lower portion of the aluminum center board to hold and store the SDS binder. The .063" Aluminum backboard measures: 20" x 15" for single and 24" x 30" for double style. Basket measures 9" H x 13 3/4" W x 5" D. Boards and binders are available in English and bilingual versions. Double boards include (2) 1 1/2" binders.



ZRS347



ZRS102



Wire Binder Basket

Mount basket on walls, cabinets, racks or any other vertical surfaces near hazardous materials storage areas. Measures 9" H x 13 3/4" W x 5" D with coated white finish. Wire formed on backside accommodates (4) mounting screws (hardware included) for added support of heavy binders. Can hold other information in binders, such as safety and operational procedures.



SHZRS347

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ ZRS347	05868829	NFPA basket-style, English	Ea	\$136.79
▲ SHZRS347	05868830	NFPA basket-style, bilingual	Ea	\$136.79
▲ ZRS326	05868831	Single basket, English	Ea	\$92.42
▲ SBZRS326	05868832	Single basket, bilingual	Ea	\$92.42
▲ ZRS335	05868833	Double basket, English	Ea	\$194.97
▲ SBZRS335	05868834	Double basket, bilingual	Ea	\$194.97

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ ZRS102	05868847	Wire binder basket	Ea	\$38.24



Safety Signs

Durable signs communicate important information, identify possible hazards, and help prevent accidents. A large variety of other signs, labels and custom signage is also available.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Plastic					
05848774	05848774	Danger Confined Space	10" H x 14" W	Ea	\$9.71
05871033	05871033	Danger Do Not Enter	10" H x 14" W	Ea	\$9.71
▲ 05894217	05894217	Danger No Smoking, Matches Or Open Flames	10" H x 14" W	Ea	\$9.71
05885733	05885733	No Smoking	10" H x 14" W	Ea	\$9.71
05848794	05848794	Restricted Area Video Surveillance In Use	10" H x 14" W	Ea	\$9.71
05868133	05868133	Exit	10" H x 14" W	Ea	\$9.71
05848793	05848793	Danger No Alcohol Or Drugs	10" H x 14" W	Ea	\$9.71
05894434	05894434	Notice Authorized Personnel Only	10" H x 14" W	Ea	\$9.71
▲ 05866433	05866433	First Aid Kit	10" H x 14" W	Ea	\$9.71
05862933	05862933	Caution Eye Protection Required In This Area	10" H x 14" W	Ea	\$9.71
05894488	05894488	Caution Hearing Protection Required In This Area	10" H x 14" W	Ea	\$9.71
05894423	05894423	Fire Extinguisher w/ down arrow	18" H x 4" W	Ea	\$7.54
▲ 05815359	05815359	Eye Wash	6" H x 9" W x 4" D	Ea	\$17.05
Aluminum					
▲ 05837131	05837131	Handicapped Parking w/ symbol	18" H x 12" W	Ea	\$23.11
▲ 05894410	05894410	No Parking	18" H x 12" W	Ea	\$23.11
▲ 05894405	05894405	Reserved Parking	18" H x 12" W	Ea	\$23.11
▲ 05815354	05815354	STOP	24" H x 24" W	Ea	\$122.49
Self-Sticking					
05894424	05894424	Fire Extinguisher w/ down arrow	18" H x 4" W	Ea	\$5.73
▲ 05815355	05815355	Danger Confined Space Enter By Permit Only	10" H x 14" W	Ea	\$9.50
▲ 05815356	05815356	Danger High Voltage	3" H x 5" W	Ea	\$2.59
▲ 05815358	05815358	Caution Area In Front Of Electrical Panel...	7" H x 10" W	Ea	\$9.50

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Digi-Day® 2 Electronic Scoreboards

Count safe work days in two colors with the next generation Digi-Day® 2. Innovative, frameless design takes the scoreboard's image right to the edge, wrapping it around each side to give it depth and visual impact. Made of lightweight, sturdy aluminum. Digi-Day® 2 technology eliminates the daily need to manually change numbers or write-in safe work days. Brightly-lit, 4-digit LED number display has an internal clock that automatically advances safe days every 24 hours. Tamper-proof electronic display is controlled by an easy-to-use handheld remote and stores the last number in the event of power failure. Digi-Day® 2 Scoreboards feature 2 1/2" H LED number display, operate on 120 VAC with 6' power cord, and are for indoor use only. Measures: 28" H x 20" W.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ SCG111	05817686	Pride in Safety...Days Without A Lost-Time Accident	Ea	\$388.45
▲ SCG119	05817685	This Plant Has Worked...Without A Lost Time Accident	Ea	\$388.45
▲ SCG104	05817684	On The Job Safety Begins Here We Have Worked...	Ea	\$388.45



PPE-ID™ Charts and Label Kit

Bring attention and remind workers about the requirements to wear protective equipment by posting a visual chart. The full-color PPE-ID charts are designed to identify approved personal protective equipment. Charts are completely customizable. Full-color, photographic images capture attention of employees, contractors and visitors - showing a commitment to a safe work environment.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ PPE248	05815371	PPE ID™ chart & label booklet kit	Ea	\$74.93
▲ PPE357	05815372	PPE-ID™ chart only	Ea	\$49.89
▲ PPE468	05815373	Label booklet only	Ea	\$38.03

Tags By-The-Roll


Made from 10-mil PF-Cardstock. 'Pulp-free' tags are tear-resistant and waterproof. Die-cut shaped like a traditional tag, yet connected end-to-end with perforations and rolled into a protective cardboard, octagon-shaped dispenser box. Simply pull out tag from box and tear off to use. Full size tag measures 6 1/4" x 3" with 3/8" hole. Features writable matte surface, printed on both sides with space to sign, date and add notes. Portable dispenser box measures 6 3/8" x 6 3/8" x 3 5/8". 100/Roll.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ TAR118	05817662	Danger Out Of Service	RI	\$54.32
▲ TAR114	05817661	Danger Do Not Operate	RI	\$54.32



Lumi-Glow™ Evacuation Map Holders

Bright, glow-in-the-dark background makes map visible even when the lights go out. Background appears white in regular light conditions. Border is printed with clear bold letters - with the glow area for the letters - to readily identify evacuation map in light and dark. Holder is designed to easily accommodate clear transparency film insert. Simply print map from your computer onto clear insert and slide into holder. Holder is made of .040" clear, durable polycarbonate face with rugged photoluminescent (glow) plastic back. Includes adhesive foam strips for mounting.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ DTA202	05821575	Glow holder, insert size 8 1/2" x 11", overall size 12" x 11 1/2"	Ea	\$93.12
▲ DTA204	05821576	Glow holder, insert size 11" x 17", overall size 15 1/2" x 17 1/2"	Ea	\$129.13
▲ DTA213	05821577	Clear insert for map holder, 8 1/2" x 11", 2/Pk	Pk	\$14.23
▲ DTA215	05821578	Clear insert for map holder, 11" x 17", 2/Pk	Pk	\$23.96

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Badge Holders

Clear badge holders with snap closure. BD-2 features black breakaway style lanyard. BD-4 features white retractable belt clip.



BD-2

BD-4

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
BD-2	05824200	Badge holder, breakaway lanyard	Ea	\$2.50
BD-4	05824400	Badge holder, retractable belt clip	Ea	\$3.45



Boxed Roll of Tags

Durable polypropylene material withstands extreme environments. Attaches directly to padlock (up to 9/32" shackle width) and complies with OSHA's padlock identification standard. Box provides convenient storage and transportation between jobs and holds (100) tags. Tags measure: 6" x 3". 100/Roll.



S4810

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
S4810	13404810	Do Not Operate	RI	\$66.90



Lockout Tags

Prevents accidental or unexpected start up or release of stored energy when working on equipment and machinery. Made from unrippable vinyl with brass grommet. Surface is easy to write on and stays legible longer. Exceeds OSHA 50 lb. pull out requirement.



RPT1

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
LOTAG11	05894011	Danger Do Not Operate, striped	6" x 3"	10/Pk	\$20.68
RPT1	05882166	Danger Do Not Operate	6" x 3"	25/Pk	\$29.37
JMTAG1	05894411	Danger This Tag & Lock To Be Removed...	7 3/8" x 4"	10/Pk	\$19.52



RPT34G

RPT28G



Accident Prevention Tags

Double-sided tags are made from unrippable vinyl and comes with grommet. Measures: 6" H x 3" W. 25/Pack.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
RPT34G	05815360	Danger Unsafe Do Not Use	Pk	\$29.37
RPT28G	05815361	Caution	Pk	\$29.37



Danger Tags

Lockout tags feature a reinforcing brass grommet with 3/8" dia. to accept most padlocks. Tag material surface allows for easy personalization of tags. Measure: 5 3/4" x 3". Choose from two durable materials:

Economy Polyester (B-851):

Rigid polyester surface is easy to write on and stays legible longer. Exceeds OSHA 50 lb. pullout requirement. 3/8" Diameter brass grommet.

Cardstock (B-853):

Cardstock material accepts pen, pencil and marker writing. Cost-effective tags designed for one-time use. 3/8" Diameter brass grommet.

76171



MFG #	DILLON #	DESCRIPTION	MATERIAL	UOM	PRICE
76171	05815362	Danger tags, 10/Pk	Economy polyester	Pk	\$45.86
65451	13465451	Danger Lock Out tags, 25/Pk	Cardstock	Pk	\$23.03

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





- Proper lockout/tagout (LOTO) practices and procedures safeguard workers from the release of hazardous energy. The OSHA standard for The Control of Hazardous Energy (Lockout/Tagout) (29 CFR 1910.147) for general industry, outlines specific action and procedures for addressing and controlling hazardous energy during servicing and maintenance of machines and equipment. Employers are also required to train each worker to ensure that they know, understand, and are able to follow the applicable provisions of the hazardous energy control procedures. Workers must be trained in the purpose and function of the energy control program and have the knowledge and skills required for the safe application, usage and removal of the energy control devices.
- All employees who work in areas where the energy control procedure(s) are utilized need to be instructed in the purpose and use of the energy control procedure(s) and about the prohibition against attempting to restart or reenergize machines or equipment that is locked or tagged out.
- All employees who are authorized to lockout machines or equipment and perform the service and maintenance operations need to be trained in recognition of applicable hazardous energy sources in the workplace, the type and magnitude of energy found in the workplace, and the means and methods of isolating and/or controlling the energy.
- Specific procedures and limitations relating to tagout systems where they are allowed.
- Retraining of all employees to maintain proficiency or introduce new or changed control methods.

Go to www.osha.gov for complete details.

LOCKOUT / TAGOUT

LOTO Devices	196, 198-202
Stations & Kits	197, 199
Padlocks	202-204



Lockout Procedure Station

Document, track and provide easy access to lockout/tagout procedures in one convenient location. Thick .063" aluminum backboard measures 20" H x 15" W and has a PVC-coated steel wire rack to hold the binder. Includes 3-ring, 1 1/2" binder and (25) forms to record steps to perform proper lockout procedures.



KSS142

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ KSS142	05859335	Lockout procedure station	Ea	\$118.03



STOPOUT® Look 'n Stop Compact Group Lock Box

Small, portable group lock box goes with you on the job – from the office to the production floor. Safely and securely stores keys from lockout. Specially designed lid hinges close with a twist. Stores up to (17) padlocks (sold separately). Inner pry guard prevents tamper access. Lid has (2) see-through windows and carry handle. Durable, impact-resistant universal "STOP" octagon plastic box in safety red measures 7 3/4" x 7 3/4" x 4".



KCC620

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ KCC620	05859348	STOPOUT® Look 'n Stop Compact Group Lock Box	Ea	\$26.99



STOPOUT® Ball Valve Lockouts

Stop valves from being turned by applying this unique gull-wing design ball valve lockout. Unique and easy-to-use lockout has (2) wingspan halves that hinge to quickly and simply secure over any closed ball valve handle. Device is secured with a padlock (sold separately) that is positioned so tag is always on top and visible. Bright safety red angular-shaped plastic device works with ball valve handles either perpendicular or parallel to the pipe. Durable plastic resists solvents, cracking, abrasion and extreme temperatures.



KDD442

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ KDD442	05859353	STOPOUT® Ball Valve Lockout for 3/8"-1 1/4" Valves	3 1/8" x 4 1/2" x 4 1/2"	Ea	\$16.71
▲ KDD440	05859354	STOPOUT® Ball Valve Lockout for 1 1/2"-2" Valves	4 1/2" x 5 5/8" x 5 5/8"	Ea	\$27.54



Tags By-The-Roll

Made from 10-mil PF-Cardstock. 'Pulp-free' tags are tear-resistant and waterproof. Die-cut shaped like a traditional tag, yet connected end-to-end with perforations and rolled into a protective cardboard, octagon-shaped dispenser box. Simply pull out tag from box and tear off to use. Full size tag measures 6 1/4" x 3" with 3/8" hole. Features writable matte surface, printed on both sides with space to sign, date and add notes. Portable dispenser box measures 6 3/8" x 6 3/8" x 3 5/8". 100/Roll.



TAR118

TAR114

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ TAR118	05817662	Danger Out Of Service	RI	\$54.32
▲ TAR114	05817661	Danger Do Not Operate	RI	\$54.32



Lockout Tags

Prevents accidental or unexpected start up or release of stored energy when working on equipment and machinery. Made from unrippable vinyl with brass grommet. Surface is easy to write on and stays legible longer. Exceeds OSHA 50 lb. pull out requirement.



RPT1

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
LOTAG11	05894011	Danger Do Not Operate, striped	6" x 3"	10/Pk	\$20.68
RPT1	05882166	Danger Do Not Operate	6" x 3"	25/Pk	\$29.37
JMTAG1	05894411	Danger This Tag & Lock To Be Removed...	7 3/8" x 4"	10/Pk	\$19.52



Boxed Roll of Tags

Durable polypropylene material withstands extreme environments. Attaches directly to padlock (up to 9/32" shackle width) and complies with OSHA's padlock identification standard. Box provides convenient storage and transportation between jobs and holds (100) tags. Tags measure: 6" x 3". 100/Roll.



S4810

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ S4810	13404810	Do Not Operate	RI	\$66.90

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Tag Centers

Store most commonly used tags in a single location. Acrylic center features polystyrene pockets for displaying and dispensing tags. Each pocket holds up to (30) tags. Backboard comes with (4) pre-drilled holes for wall mounting. Tags sold separately.

TC8



51181

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
TH2	05815698	1-Pocket tag holder	7 1/2" H x 4 1/2" W x 1 1/2" D	Ea	\$16.32
TC8	05815699	8-Pocket tag center	15 3/4" H x 23 1/2" W x 2" D	Ea	\$61.10

Lockout Stations with Accessories

Highly visible lock boards make locks, tags and lockouts easy to find and use. Space saving design: locks are hung sideways, greatly reducing the size of the board. Built for the toughest conditions. Made of durable plastic material.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
51181	05894402	5-Lock lockout station w/ (2) hasps & (12) tags	11 1/2" H x 15 1/2" W	Ea	\$240.35
51187	05800977	10-Lock lockout station w/ (4) hasps & (12) tags	13 1/2" H x 13 1/2" W	Ea	\$349.68



105967



105961

Breaker Lockout Sampler Toolbox Kit

Designed for 120/277 V and 480/600 V breakers in single- and multi-pole configurations.

Kit contents:

- (1) 120 V/277 V Clamp-On Breaker Lockout with cleat
- (1) 480 V/600 V Clamp-On Breaker Lockout with cleat
- (1) Universal Multi-Pole Breaker Lockout
- (2) 1" Group Lockout Hasps
- (2) Heavy-Duty Lockout Tags with Nylon Cable Ties
- (1) Lockout Belt Pouch
- (2) Keyed-Alike Safety Padlocks

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
105967	05894403	Breaker lockout pouch kit	Ea	\$122.54

Personal Electrical Lockout Kit

Provides lockouts for use on most circuit breakers, electrical plugs and disconnect switches.

Kit contents:

- (1) Mini-Cable Lockout
- (1) 3-in-1 Plug Lockout
- (2) 120 V/277 V Clamp-On Breaker Lockout with cleats
- (1) 480 V/600 V Clamp-On Breaker Lockout with cleats
- (2) Universal Multi-Pole Breaker Lockout
- (1) Oversized Breaker Lockout
- (3) 1" Group Lockout Hasps
- (3) Heavy-Duty Lockout Tags with nylon cable ties
- (1) Medium Lockout Toolbox
- (3) Keyed-Alike Safety Padlocks

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
105961	05800976	Personal electrical lockout kit	Ea	\$263.34



LKX

Economy Lockout Kit

Ensure equipment is de-energized/locked-out in accordance with OSHA 1910.47.

Kit includes:

- (3) 1 1/2" Steel Lockout Hasps
- (3) Blue Prinzing Padlocks
- (14) 2-Padlock Identifier Stickers
- (1) 10-Pack Lockout Tags with Ties
- (3) Single-Pole Breaker Lockouts
- (2) Multi-Pole Breaker Lockouts
- (1) 3-in-1 Electrical Plug Lockout
- (1) Lockout Training Booklet
- (1) Rugged Polyethylene Carrying Case

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
LKX	05815704	Economy lockout kit	Ea	\$136.98

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Butterfly Valve Lockouts

Designed to effectively lock out butterfly valves with lever handle in "off" position. Rugged and compact. Secures onto butterfly valve lever at pivot point so it cannot be engaged or moved. Made from durable impact-modified nylon, brass rivets and stainless steel plate. Red.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 121504	05888528	Small butterfly valve, 1/8" to 2 1/2"	Ea	\$31.39
▲ 121505	05888529	Large butterfly valve, 2" to 4"	Ea	\$42.62



Perma-Mount™ Ball Valve Lockouts

Retrofit devices stay permanently in place at the point of need. One-time installation is easy to complete in just a few minutes.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 121540	05864401	Fits 1/2"-2" dia. ball valves	Ea	\$37.73
▲ 121541	05864402	Fits 2"-4" dia. ball valves	Ea	\$64.71



Portable Metal Lock Box

Tamper-proof design is made of heavy-duty steel, powder-coated for extra rust resistance. Accommodates up to (13) padlocks and can store up to (40) padlocks. Locks not included. Measures 6" H x 9" W x 3 1/2" D. Red.



65699

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
65699	05815703	Portable metal lock box	Ea	\$101.08



3-In-1 Plug Lockout

Accommodates high and low voltage plugs up to 3" in diameter and 5 1/2" in length. The (2) sliding top lids can be used individually or together to fit small, medium and large diameter cords up to 1 1/4". Made of bright yellow thermoplastic material.



PLO23

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ PLO23	05815709	3-In-1 Plug lockout, English/Spanish	Ea	\$18.76



Latch Tight™ Portable Group Lock Box

Secure each lockout point on a piece of equipment with just (1) designated lock. Each authorized employee locks (1) personal safety lock onto the box, removing them only when their work is complete. Exclusive Latch Tight feature ensures keys cannot be accessed until the last lock is removed. Lockout message in English, Spanish and French communicates to all workers. Up to (12) workers can apply personal safety padlocks or hasps. Ergonomic, easy-to-grip handle.



498A

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 498A	05823691	Portable group lock box	Ea	\$65.99



Latch Tight™ Group Lock Box

Storage device captures keys for effective lockout of large equipment. Secure each lockout point on a piece of equipment with a single padlock. Each authorized employee locks (1) personal safety lock onto box, removing it only when their work is complete. Exclusive Latch Tight locking mechanism ensures keys cannot be accessed until last lock is removed. Durable powder-coated red finish with stainless steel handle. Integrated storage organizes up to (12) keys or hundreds of bulk keys. Up to (14) workers can apply personal safety padlocks or hasps.



503RED

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 503RED	05815730	Group lock box, portable or wall	Ea	\$65.99

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Portable Group Lock Boxes

Constructed of stainless steel for maximum corrosion resistance. Features clear impact-resistant window to view secured keys, (18) numbered lockout holes, latch with lock hole on front for operations lock, key slot to drop keys into removable cup, and drain holes on bottom to limit liquids from accumulating inside. Optional side window to view unused locks. Measures: 12 1/32" L x 6 27/64" W x 5 21/32" H. Storage capacity: (30) locks.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ S600	05855758	Portable group lock box w/ key window	Ea	\$96.15
▲ S601	05853298	Portable group lock box w/ key & side windows	Ea	\$96.15



S601

Large Portable Group Lock Box

Constructed of stainless steel for maximum corrosion resistance. Features clear impact-resistant window to view secured keys, (18) numbered lockout holes, latch with lock hole on front for operations lock, key slot to drop keys into removable cup, and drain holes on bottom to limit liquids from accumulating inside. Includes rewritable tag for specific procedure or machine information. Measures: 12 1/32" L x 6 27/64" W x 9 1/16" H. Storage capacity: (55) locks.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ S602	13405602	Large portable group lock box w/ key window	Ea	\$122.40



S602

Lockout Kits

Lightweight, modular kits for various lockout/tagout needs.

Group electrical lockout kit contents:

- (6) Red Zenex™ Padlocks, Keyed-Different
- (2) Red Circuit Breaker Padlocks
- (1) 420 Hasp
- (1) 427 Snap-On Hasp
- (1) Small Electrical Plug Cover
- (1) Large Electrical Plug Cover
- (2) Circuit Breaker Lockouts, Wide/Tall
- (4) Circuit Breaker Lockouts, Standard
- (2) Wall Switch Lockouts
- (2) Danger Tags (12/Pk- 24 Total)

Compact lockout pouch kit contents:

- (1) Red Zenex™ Padlock, Keyed-Alike
- (1) Red Circuit Breaker Padlock
- (1) 420 Hasp
- (1) Grip Tight™ Lockout for Wide or Tall Breaker Toggles
- (2) Grip Tight Device for Standard Breaker Toggles
- (1) Danger Tags (12/Pk)



1458E410



S1010E410

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 1458E410	05815735	Group electrical lockout kit	Ea	\$299.12
▲ S1010E410	13401010	Compact lockout pouch	Ea	\$81.61



429

Dual Jaw Aluminum Hasp

Made from aluminum with 1" and 1 1/2" jaws. Spark-resistant. Holds up to (8) padlocks. Measures: 2" x 5 7/8".

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 429	13400429	Dual jaw hasp	Ea	\$10.04

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Labeled Snap-On Safety Lockout Hasp

Master Lock

Lockout hasp allows multiple workers to lockout equipment at the same time. Features an easy-to-apply snap-on advantage with its spring-loaded locking arm. Fits more lockout points than alternative rivet-hinge labeled lockout hasp. Anodized aluminum and stainless steel construction for combined corrosion resistance and strength. Includes write-on label area to provide detail on work being done. Identify the responsible person, then erase for the next job. Holds up to (5) padlocks. Red.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
427	05815711	Labeled lockout hasp	Ea	\$11.37

Safety Lockout Hasps

Ideal for lockout by multiple workers at each lockout point, the hasp keeps equipment inoperative while repairs or adjustments are made. Cannot be removed until last worker's padlock is removed. Made of durable steel with vinyl-coated handle and accommodates up to (6) padlocks at one time.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
420	13400478	Lockout hasp w/ 1" dia. jaws	1 3/4" X 4 1/2"	Ea	\$5.25
421	05818477	Lockout hasp w/ 1 1/2" dia. jaws	2 3/8" x 5"	Ea	\$6.12

Sliding Safety Lockout Hasps


Eliminates the need to daisy chain hasps together in group lockout scenarios. Keeps equipment inoperative while repairs or adjustments are made. Control cannot be turned on until last worker's padlock is removed from hasp. Anodized aluminum finish for non-sparking and superior corrosion resistance. Offset lockout holes ensure that hasp cannot be locked in open position. Hasp "holes accept up to 9/32" shackle diameter.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ S440	05853295	Sliding lockout hasp for up to 12 workers	9" x 1 3/4"	Ea	\$15.60
▲ S450	05853297	Sliding lockout hasp for up to 24 workers	13 1/2" x 1 3/4"	Ea	\$30.59

Non-Conductive Lockout Hasp

Spark-proof nylon hasp allows lockout by multiple workers at each lockout point. Keeps equipment inoperative until last worker's padlock is removed. Holds up to (6) safety padlocks. Measures: 1 5/8" x 6 7/8" with 1" x 2 1/2" inside jaw diameter.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 428	13400428	Nylon lockout hasp	Ea	\$4.24

Heavy-Duty Safety Hasps

Lockout by multiple workers at each lockout point. Keeps equipment inoperative while repairs or adjustments are made. Control cannot be turned on until last worker's padlock is removed from hasp. Made from heavy-duty, pry-proof steel. Model 418 has 1" inside jaw dia.; 419 has 3" inside jaw dia.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 418	05815714	Heavy-duty hasp, 4-lock capacity	2 3/8" x 3 1/4"	Ea	\$5.68
▲ 419	05815715	Heavy-duty hasp, 8-lock capacity	2 3/8" x 6 5/8"	Ea	\$6.78

Compact Plug Prong Lockout

Patented plug lockout device grips prongs of 110-120 V plugs. Fits 2-prong plugs with and without ground. Works with existing safety padlocks or lockout hasps. Accepts 3/16", 1/4" and 9/32" shackle diameters. Includes labels in English, Spanish and French.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ S2005	13460212	Compact plug prong lockout	Ea	\$8.84

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Compact Circuit Breaker Lockout

The 3/16" dia. cable shackle allows padlock to properly lock all types of circuit breaker lockout devices. Measures 1 1/8" W with 3/4" deep steel body and 5" flexible steel cable. Fits tight space constraints within circuit breaker shutoff boxes.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7C5RED	05815725	Compact circuit breaker lockout	Ea	\$9.25



Grip Tight™ Circuit Breaker Lockouts

The innovative Grip Tight technology works with simple thumb turn and clamping handle to effectively lock out circuit breakers. Combines great strength and universal fit. The narrow profile permits side-by-side breaker lockout. Durable construction with powder-coated steel and reinforced polymer performs effectively in harsh environments.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
491B	05815723	Lockout device for tall & wide toggles	Ea	\$9.30
493B	05815724	Lockout device for standard single & double toggles	Ea	\$6.96

Universal Miniature Circuit Breaker Lockout

Locks virtually all miniature ISO/DIN circuit breakers throughout the world. Thumb turn dial screw for easy attachment - no tools required. Dial is inaccessible in the locked position to prevent removal. Padlock can be applied horizontally or vertically. Can be mounted side-by-side on adjacent miniature circuit breakers. Durable thermoplastic material is chemical-resistant and performs effectively in extreme environments. Works with all American Lock® and Master Lock® Safety padlocks and lockout hasps (does not include ALO80 or ALO802).



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
S2394	13402394	Miniature circuit breaker lockout	Ea	\$12.05



Universal Wall Switch Lockout

One-time installation uses the existing wall plate screws. Hinges open for unobstructed normal operation of switch. Lock the switch in either the "on" or "off" position by closing cover over switch, then applying padlock.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
496B	05815728	Universal wall switch lockout	Ea	\$7.57

Master Lock



Rotating Electrical Plug Lockout

Outward/inward rotation allows for easier application and storage. Surrounds the electrical plug and protects against accidental reconnection. Rotating design allows for easier installation in confined space applications. Each size rotates into itself for compact storage in safety tool boxes. Complete with high-visibility permanent safety labels (English, French and Spanish). Labels can be written on to identify the responsible person then erased for the next job. Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals. Performs effectively in extreme conditions (-40° F to 200° F). For electrical plug sizes up to 3" dia. x 6", with cord diameter up to 3/4".

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
487	13460210	Rotating electrical plug lockout (110-220 V plug)	Ea	\$11.41
488	13460208	Rotating electrical plug lockout (220-550 V plug)	Ea	\$14.90



Push Button and Rotary Switch Covers

Temporarily prohibits access to a switch or control. Fits both 30.5 mm and 22.5 mm dia. switches. Clear bases and cover allows visibility of nameplates and labels. Horseshoe-shaped retrofit base allows use with raised nameplates and off-center installation to accommodate rotary switch knobs. Accommodates buttons up to 50 mm dia. and 45 mm height. Model S2151 includes (1) cover, (1) new install base and (1) retrofit base with double-faced adhesive tape.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
S2151	05801592	Push button & rotary switch cover	Ea	\$21.58
S2153	05801594	Installed push button & rotary switch cover	Ea	\$21.58
S2152AST	05801593	Install bases for S2151	Ea	\$6.53

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



485

**Master
Lock**

Rotating Gate Valve Lockouts

Features outward/inward rotation for easier installation and storage. Surrounds the gate valve operating handle to protect against accidental valve opening. Each size rotates into itself and nests within the next larger size to save space in storage. Multiple workers can apply personal safety padlocks. Lightweight, dielectric thermoplastic bodies withstand chemicals and perform effectively in extreme conditions (-40° F to 200° F). Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person, then erased for the next job.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 480	05815717	Fits 1" to 3" valve handles	Ea	\$13.47
481	05815718	Fits 2" to 5" valve handles	Ea	\$20.49
▲ 482	05815719	Fits 4" to 6 1/2" valve handles	Ea	\$27.07
▲ 483	05815720	Fits 6" to 10" valve handles	Ea	\$36.68
484	05815721	Fits 8" to 13" valve handles	Ea	\$62.97
▲ 485	05815722	Valve lockout set (1 of each size)	Kit	\$151.52

**Master
Lock**

Seal Tight™ Handle-On Ball Valve Lockout

Clamps tight on handle stop to prevent handle movement. Can be applied to 1/4" to 4" sized valves. Works on insulated pipes and in close quarters. Durable aluminum and steel construction withstands corrosive environments and extreme temperatures. Lightweight and compact for easy carrying and storage.




S3068

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ S3068	05815727	Handle-On ball valve lockout	Ea	\$36.00

**Master
Lock**

Adjustable Butterfly Valve Lockouts

Durable, lightweight thermoplastic material is chemical-resistant and performs effectively in extreme environments. Directional application arrows allow for ease of installation and minimize user error. Stainless steel rivet allows device to smoothly pivot open and closed to ensure proper fit. S3921 includes the butterfly valve lockout (S3920) and an adjustable locking cable (S806CBL3). Locks out valve in seconds by feeding cable lockout device through desired eyelet and around valve.



S3921

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ S3920	13403920	Butterfly valve lockout	Ea	\$18.02
▲ S3921	13403921	Butterfly valve lockout w/ locking cable	Ea	\$35.12

**AMERICAN
LOCK**

Aluminum Safety Padlocks, Keyed-Different

Color-coded solid aluminum padlocks are perfect for lockout/tagout. Available with exclusive laser engraving. Helps comply with OSHA regulations. Padlocks have an anodized finish. Lightweight, corrosion-resistant padlock bodies have case-hardened, boron alloy steel shackles, and 5-pin solid brass cylinders. Approximately 10,000 key changes available, limiting the possibility for key duplication. Cylinders can be re-keyed.



A1105RED

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ A1105BLU	05801064	Keyed-different, 1" shackle	Blue	Ea	\$12.83
▲ A1105YLW	05801065	Keyed-different, 1" shackle	Yellow	Ea	\$12.83
▲ A1105RED	05801066	Keyed-different, 1" shackle	Red	Ea	\$12.83
▲ A1106BLU	05801067	Keyed-different, 1 1/2" shackle	Blue	Ea	\$14.23
▲ A1106YLW	05801068	Keyed-different, 1 1/2" shackle	Yellow	Ea	\$14.23
▲ A1106RED	05801069	Keyed-different, 1 1/2" shackle	Red	Ea	\$14.23
▲ A1107BLU	05801070	Keyed-different, 3" shackle	Blue	Ea	\$15.57
▲ A1107YLW	05801071	Keyed-different, 3" shackle	Yellow	Ea	\$15.57
▲ A1107RED	05801072	Keyed-different, 3" shackle	Red	Ea	\$15.57

**AMERICAN
LOCK**

Aluminum Safety Padlocks, Keyed-Alike

Lightweight, corrosion-resistant aluminum padlocks feature anodized body with chrome-plated, boron alloy shackle with 1 1/2" clearance. Keyed-alike, 5-pin cylinder.



A1106KARED

A1106KABLU

A1106KAYLW

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ A1106KARED	05801595	Keyed-alike safety lock	Red	Ea	\$15.14
▲ A1106KABLU	05801565	Keyed-alike safety lock	Blue	Ea	\$15.14
▲ A1106KAYLW	05801566	Keyed-alike safety lock	Yellow	Ea	\$15.14

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Zenex™ Thermoplastic Safety Padlocks

Designed exclusively for lockout/tagout applications. Features 1 3/4" tall body, 1/4" dia. metal shackle and 1 1/2" shackle clearance. The Zenex thermoplastic lock body provides durability while still being lightweight. Padlock features a reserved-for-safety, key retaining cylinder to ensure padlock is not accidentally left unlocked. Each padlock has a keyed-different, 6-pin cylinder to reduce risk of key duplication within key system. Cylinder features over 40,000 key changes. Includes (1) key to comply with the "one employee, one lock, one key" industry guideline.



MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
410BLK	13401410	Thermoplastic safety padlock	Black	Ea	\$13.00
410BLU	05836238	Thermoplastic safety padlock	Blue	Ea	\$13.00
410GRN	13400410	Thermoplastic safety padlock	Green	Ea	\$13.00
▲ 410ORJ	05801073	Thermoplastic safety padlock	Orange	Ea	\$13.00

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 410PRP	05801074	Thermoplastic safety padlock	Purple	Ea	\$13.00
410RED	13400475	Thermoplastic safety padlock	Red	Ea	\$13.00
▲ 410TEAL	05801076	Thermoplastic safety padlock	Teal	Ea	\$13.00
410YLW	13460044	Thermoplastic safety padlock	Yellow	Ea	\$13.00

Keyed-Alike Thermoplastic Safety Padlocks

Features 1 3/4" tall thermoplastic body and 1 1/2" shackle. Locks are all keyed-alike and available in (4) colors.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 410KARED	05801598	Keyed-alike safety lock	Red	Ea	\$13.91
▲ 410KABLU	05801596	Keyed-alike safety lock	Blue	Ea	\$13.91
▲ 410KAGR	05801597	Keyed-alike safety lock	Green	Ea	\$13.91
▲ 410KAYLW	05801599	Keyed-alike safety lock	Yellow	Ea	\$13.91

410KARED



Brass Combination Padlock

Set 4-digit combination for convenience and security which can be reset to any of 10,000 personalized combinations. Features hardened 5/16" steel shackle for cut resistance and 2" W solid brass case for strength and weatherability.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
175	13400470	Brass combination padlock	Ea	\$19.53

175



ProSeries® Brass Combination Padlock

ProSeries® resettable combination padlocks are designed for commercial/industrial applications. Set 4-digit combination for convenience and security. No reset tool required. Features 2 1/4" body with 2 1/16" shackle. Large ergonomic dials with exclusive blind feature allow operation with gloves, in low light or complete darkness. Deadlocking mechanism protects against prying, shimming and rap attacks. Shackle seal and dial dust cover protect internal components and dials for trouble-free operation. Features solid brass body for corrosion resistance and octagonal boron-carbide shackle for excellent cut resistance.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1175DLH	13460175	Combination padlock	Ea	\$22.15

1175DLH



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Bluetooth Smart Padlocks

Use smartphone to open the lock with free Master Lock Vault eLocks app. Allows access to be shared with others temporarily or permanently, along with full access or limitations to days or nights. Monitors access history and sends tamper alerts. Comes with easy to replace CR2450 battery and has low battery notification and reminder on padlock and in app. Battery jump allows for temporary access if battery dies while locked, and has backup access using directional code on lock keypad. Features hardened boron alloy shackle for superior cut resistance. Compact footprint of 4400D fits most lockers, while locker mode setting allows for storage inside locker. 4401D has 2-piece weather cover for maximum outdoor protection.

Master Lock

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 4400D	13460216	1 29/32" Wide, 7/8" shackle clearance	Ea	\$57.68
▲ 4401DLH	13460214	2 7/32" Wide, 2" shackle clearance	Ea	\$77.84

Laminated Shrouded Shackle Padlock

Features 1 9/16" (40 mm) shrouded laminated steel body for superior strength. Shackle guard protects against bolt cutters and hacksaws. Shackle fits openings 1/2" (13 mm) in diameter or larger; shackle guard removable to accommodate openings 9/32" (7 mm) in diameter.



Solid Body Brass Padlock

Solid brass padlock with hardened steel shackle for superior cut resistance. Four-pin cylinder helps prevent picking. Features 1 9/16" body with 7/8" shackle.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
37D	13400037	Laminated shrouded shackle padlock	Ea	\$13.34

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
140D	13400140	Brass padlock	Ea	\$5.95



Magnum Laminated Steel Padlocks

Stainless steel body cover and top and bottom plates for exceptional weatherability. Features 1" octagonal boron carbide shackle, which is chrome-plated for excellent rust resistance. Superior pry resistance with dual-ball bearing locking.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ M1STS	13460206	Keyed-different, 1 3/4" wide body	Ea	\$12.46
▲ M1KASTS	13460204	Keyed-alike, 1 3/4" wide body	Ea	\$12.46
▲ M5STS	13460200	Keyed-different, 2" wide body	Ea	\$15.73
▲ M5KASTS	13460202	Keyed-alike, 2" wide body	Ea	\$15.73



Laminated Steel Lockout Padlocks

Features tough, reinforced laminated steel construction. Ideal when locks may be subjected to physical abuse. Complete range of the 4-pin tumbler cylinder is available.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1	13400100	Keyed-different, 1 3/4" W, 15/16" shackle	Ea	\$10.32
3	13400166	Keyed-different, 1 9/16" W, 3/4" shackle	Ea	\$8.98
5	13400298	Keyed-different, 2" W, 1" shackle	Ea	\$13.10
7	13400388	Keyed-different, 1 1/8" W, 9/16" shackle	Ea	\$7.13
3KA	13400172	Keyed-alike, 1 9/16" W, 3/4" shackle	Ea	\$9.89
5KA	13400300	Keyed-alike, 2" W, 1" shackle	Ea	\$14.01
7KA	13400390	Keyed-alike, 1 1/8" W, 9/16" shackle	Ea	\$8.04

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Transportation incidents and workers struck by vehicles or mobile equipment account for the highest number of fatal work injuries, according to the Bureau of Labor Statistics. Workers such as emergency responders, clean-up, utility, demolition, construction, and others in areas where there are moving vehicles and traffic are exposed to being struck by moving vehicles. Work zones are used to move traffic in an approved direction and are typically identified by signs, cones, barrels, and barriers. There must be a traffic control plan for the movement of vehicles in areas where there are also workers conducting other tasks. Drivers, workers on foot, and pedestrians must be able to see and understand the routes they are to follow. The authority in charge - federal, state, or local - will determine the configuration of the temporary traffic control zone for motorists and pedestrians. The construction project manager will determine the internal traffic control plan within the construction/demolition worksite. When there are several projects, coordinated vehicle routes and communication between contractors will reduce vehicular struck-by incidents.

Go to www.osha.gov for complete details.

TRAFFIC CONTROL

Cones & Barricades	206-207
Signs & Lights	207-208
Fencing & Miscellaneous	209-210



Ultra-ADA Pads®

Designed with raised, truncated domes to alert the visually impaired of an upcoming intersection or change in surface from the surrounding concrete sidewalk. Installs quickly and easily using adhesive and anchors (included). Flexible construction forms to fit dips, slopes and inclines in sidewalks and walkways. Impact and slip resistant. Safety yellow color assists people with severe visual impairment. Complies with the Americans with Disabilities Act (ADA).

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 0753	05817665	Ultra-ADA pads	2' x 3'	Ea	\$129.15
▲ 0751	05817664	Ultra-ADA pads	2' x 4'	Ea	\$171.55
▲ 0752	05817663	Ultra-ADA pads	2' x 5'	Ea	\$215.89

0753



RS70032CT3M64

RS90045CT3M64

Revolution Series PVC Cones

Injection-molded, rugged fluorescent orange PVC for maximum daytime and nighttime visibility. Contains UV inhibitors to maintain the original color and brilliance and will stand up to the challenges of adverse road conditions. Broad square base provides superior traction on the road, preventing cone from rolling away or blowing over. Meets NCHRP-350 and MUTCD specifications.



03-824CB



Retractable Cone Bar

Creates a quick, temporary visible barrier. Ring end fits over traffic cones (not included). Expands up to 9' and collapses to 5' for storage. Reflective strips for visibility in low light conditions. Orange/silver reflective.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03-824CB	05836526	Retractable cone bar	Ea	\$29.16

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
RS45015C	05804212	Traffic cone, 3 lbs.	18"	Ea	\$7.91
RS70032C	05804211	Traffic cone, 7 lbs.	28"	Ea	\$13.58
RS70032CT3M64	05804210	Traffic cone w/ 4" & 6" reflective collars, 7 lbs.	28"	Ea	\$20.65
RS90045CT	05804209	Traffic cone, 10 lbs.	36"	Ea	\$19.41
RS90045CT3M64	05890045	Traffic cone w/ 4" & 6" reflective collars, 10 lbs.	36"	Ea	\$26.45



17725

17724



Traffic Delineator and Base

Highly visible and UV-resistant to fading. Weighted base is made entirely of 100% recyclable PVC.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 17725	05897016	42" Delineator	Ea	\$19.84
▲ 17724	05897017	12-lb. Delineator base	Ea	\$18.92



42" Channelizer with Base

Includes 42" Grabber-Cone® channelizer and 16-lb. recycled rubber base. Made of flexible low-density polyethylene material with UV inhibitors to minimize fading. Recessed areas on stem protect (2) 3" high performance reflective bands, minimizing rips and scratches. Easy to use grabber handle enables easy movement within a workzone.



42133-CRU-16HIP

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
42133-CRU-16HIP	05833540	42" Channelizer w/ base	Ea	\$43.72

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Plastx™ Type I and Type II Folding Barricades

Made of polypropylene with recessed light bracket for added security and 3M™ Engineer Grade Reflective sheeting. Recessed panel area provides sheeting protection from scratching. **Type I:** Single-striped panel with a 12" x 24" reflective top panel and a 4" x 24" non-reflective bottom panel. **Type II:** Two striped reflective panels measure 8" x 24" on top and bottom. Overall measurement on both: 24" x 8" x 8". Meets MUTCD and NCHRP 350 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 97-01-001	05861650	Type I folding barricade	Ea	\$68.80
▲ 97-01-002	05814670	Type II folding barricade	Ea	\$75.23

Sundowner® LED Flashing Light

Features 3-way switching options includes steady burn, flashing and off. The 90° angle lens offers increased visibility. Ambient photocell with a timed delay reacts to light in the environment. Operates on (4) easy-to-install D-cell batteries. LED encased in high-impact plastic. Meets MUTCD requirements, ITE certified.



03-10-WAYDC

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03-10-WAYDC	05814665	Sundowner LED flashing light	Ea	\$26.13

03-780-4EGG
WITH
03-750-TRG



TrailBOSS™ Channelizer Drums

Barrel is made from high-density polyethylene (HDPE) with (4) 4" white and orange stripes of either 3M™ Engineer Grade or High Intensity Prismatic Reflective sheeting. Measures: 41 1/2" H and 18" dia. Meets MUTCD and NCHRP-350 standards.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 03-780-4EGG	05814666	Traffic barrel w/ Engineer Grade sheeting, top only	Ea	\$52.26
▲ 03-780-4HIG	05814667	Traffic barrel w/ High Intensity grade sheeting, top only	Ea	\$61.30
▲ 03-732-25	05892700	Round rubber snap-on base, 25 lbs.	Ea	\$30.15
▲ 03-750-TRG	05892701	Rubber tire ring	Ea	\$10.05

97-01-001



97-01-002



Plastic Stop/Slow Paddles


Octagon-shaped paddles are available in 24" size and include 81" plastic handle. Letter size: 8". Meets MUTCD requirements.

03-827P



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03-827P	05821776	Stop/Slow paddle, plastic w/ silk-screened	Ea	\$59.38
▲ 03-822P	05877613	Stop/Slow paddle, plastic w/ Engineer Grade sheeting	Ea	\$81.25
▲ 03-823P	05892710	Stop/Slow paddle, plastic w/ High Intensity sheeting	Ea	\$111.05
▲ 03-826P	05814671	Stop/Slow paddle, Diamond Grade sheeting	Ea	\$160.02

03-902



Safety Fencing

Made of orange polyethylene. Highly visible and UV stabilized. Rugged and reusable. Measures: 4' x 100'.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03-902	05814742	Lightweight barrier fence	RI	\$53.52

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Bargard™ Protector Cover

Fits rebar #3-7, 3/8"-7/8" D. Lightweight and chemical-resistant. Stands up to weather and temperature conditions. Safety orange color provides visibility. Low-density polyethylene material with metal reinforcement for impact resistance. Not designed or intended to provide impact or impalement protection. 100/Pack.



97-1810

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
97-1810	05830118	3.5" x 3.5" CAL/OSHA rebar cap	Ea	\$2.12



QuadraFlex VI Sign Stand

Made of steel base and spring components, and aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps. Allows deployment of roll-up signs at 5" from ground. Features telescopic legs with easy-to-use kick-release, and dual-spring base with strong initial tension to resist twisting and turning in high wind gusts. For use with 36" or 48" roll-up signs only.



07-805-1

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 07-805-1	05817666	Dual-spring stand for 36" & 48" signs, 5" off ground	Ea	\$386.21



Triangle Warning Kit

Wire form support guarantees tilt compliance of 40 mph wind test. Heavier weighted base ensures that triangles will not move. Three per kit. Meets or exceeds all DOT FMVSS125 requirements.



95-03-009

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
95-03-009	05882624	Triangle kit in living hinge box	Ea	\$31.36



Warning Flags

Made of reinforced heavy-duty fluorescent red-orange vinyl or heavy-duty mesh/vinyl. Flag measures: 18" x 18".



03-229-3404


MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03-229-3404	05836654	Vinyl flag w/ 30" dowel	Ea	\$4.49
03-229-3406	05882304	Mesh flag w/ 24" dowel	Ea	\$5.32



26048-ERM-HF-UWA

48" Marathon Roll-Up Signs

Lightweight design is easier to transport, weighs only 3 lbs. Ergonomically friendly design ensures less risk of back injuries during operation. Long-lasting fluorescent color. Photometric performance with Reflexite® provides superior nighttime guidance. Sign will not wrinkle or crinkle, maintains legibility even after multiple uses. Three-year limited warranty. Meets MUTCD standards.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 26048-ERM-HF-UWA	05892704	Utility Work Ahead	Ea	\$281.42
▲ 26048-ERM-HF-WA	05892706	Workers Ahead	Ea	\$281.42
▲ 26048-ERM-HF-MWW	05892707	Men Working	Ea	\$281.42
▲ 26048-ERM-HF-FA	05892708	Flagger Ahead	Ea	\$281.42



Sandbags

Woven polypropylene sandbags come complete with heavy poly-twine ties. Provides 1,600 hours of UV protection and weighs 50 lbs. filled. Orange. Measures: 14" x 26". 100/Pack.



14981-45-14

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
14981-45-14	05820032	Polypropylene sandbags	Pk	\$49.84

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



MH7003



Magnetic Wall-Mount Retractable Banners

Constructed of rust-proof plastic with stainless steel components. Attaches to magnetic and non-magnetic surfaces. Includes (1) magnetic wall mount barrier and (2) suction cups. Polyester belts expand 7' or 30' and are 2 1/2" wide. Other legends available.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ MH7001	05831716	Caution	7'	Ea	\$110.75
▲ MH7003	05810292	Caution Do Not Enter	7'	Ea	\$110.75
▲ MH7007	05810289	Restricted Area	7'	Ea	\$110.75
▲ MH7008	05831717	Danger Keep Out	7'	Ea	\$110.75
▲ MH7009	05882621	Danger High Voltage Keep Out	7'	Ea	\$110.75



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ MH5001	05831718	Caution	30'	Ea	\$213.59
▲ MH5002	05810287	Caution Do Not Enter	30'	Ea	\$213.59
▲ MH5008	05810284	Restricted Area	30'	Ea	\$213.59
▲ MH5009	05831719	Danger Keep Out	30'	Ea	\$213.59
▲ MH5010	05882620	Danger High Voltage Keep Out	30'	Ea	\$213.59



Portable Barriers

Industrial-strength cart with foot-lock brake holds (5) retractable belts, (5) stanchions and (5) bases. Telescoping stanchion (up to 42") has removable spike for use in soft ground with spike or in base without spike. Low-profile base has carry handle and is fillable with water or sand. Belt heads secure onto stanchion with push pins and are interchangeable. Retractable belt measures 2 1/2" wide and extends 15'. Other legends available.



CART



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ PL4001	05850933	Caution	Ea	\$827.27
▲ PL4078	05852163	Caution Do Not Enter	Ea	\$827.27
▲ PL4004	05852161	Authorized Personnel Only	Ea	\$827.27


MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ PL4010	05852157	Restricted Area	Ea	\$827.27
▲ PL4011	05850904	Danger Keep Out	Ea	\$827.27
▲ PL4013	05882622	Danger High Voltage Keep Out	Ea	\$827.27



Wheel Chocks

Rubber wheel chock offers maximum durability and skid protection, even under adverse weather conditions. 9 lbs. Measures: 9" L x 8" W x 5 3/4" H.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2048WC	05814663	Heavy-duty wheel chock w/ eyebolt	Ea	\$24.28
2048WCC	05814664	Heavy-duty wheel chock w/ eyebolt & 12' chain	Ea	\$31.67



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



WS18



Windsocks

Highly visible and durable windsocks are made of fluorescent vinyl coated fabric. Frames are constructed of heavy-duty wire with sleeve and set collars. Zinc-coated for weather protection. Rotates freely with no maintenance required.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ WS10	05870596	Windsock, 10" throat, 36" length	Ea	\$20.01
▲ WS18	05870599	Windsock, 18" throat, 96" length	Ea	\$71.88
▲ WS18/48	05870597	Windsock, 18" throat, 48" length	Ea	\$69.26
▲ WS18/60	05870598	Windsock, 18" throat, 60" length	Ea	\$70.46
▲ WS10HW	05870602	Windsock hardware, 10"	Ea	\$66.33
▲ WS18HW	05870603	Windsock hardware, 18"	Ea	\$106.84



03-11-000



Oversize Load/Wide Load Banner

Bright yellow reinforced vinyl material with black letters. Double-sided banner includes 5' rope ties in each corner. Measures: 18" x 96".

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
03-11-000	05836524	Oversize Load/Wide Load front/back	Ea	\$25.91



Barricade Ribbon

All-weather, UV-, water- and tear-resistant barricade tape designed to restrict entry and identify boundaries of hazardous areas. Bright yellow or red background with black lettering offers high visibility for directional and/or safety needs. Contains no lead or toxic chemicals. Measures: 3" x 300'.



600CC300

600RD300

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
600CC300	05881340	Caution tape	RI	\$7.13
600RD300	05881342	Danger tape	RI	\$7.13



Barricade Tape

Designed to protect and identify above-ground hazardous areas or elements such as construction sites, work areas, crime scenes, crowd control and any potentially dangerous areas. Features bold black lettering on red polyethylene material. Measures 3" x 1,000', with 2-mil thickness.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
17779-250-3000	05878259	Danger/Peligro bilingual tape	RI	\$9.26



17779-250-3000



Barricade Safety Tape

Features 2" high characters on 2-mil or 3-mil thick poly material. Measures: 3" x 1000'.



16000

16003

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
16000	05801176	Caution, 2-mil	RI	\$9.27
14995	05881339	Caution, 3-mil	RI	\$11.18
16002	05878258	Caution/Cuidado (bilingual), 2-mil	RI	\$7.73
16003	05801173	Danger, 2-mil	RI	\$9.27
14998	05881343	Danger, 3-mil	RI	\$11.18
15041	05881288	Danger Do Not Enter, 3-mil	RI	\$11.18

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



It is a violation of Federal law for anyone UNDER 18 years of age to operate a forklift or for anyone OVER 18 years of age who is not properly trained and certified to do so. When used properly, fire extinguishers can save lives and property by putting out a small fire or controlling a fire until additional help arrives. It is the responsibility of employers to learn OSHA standards applicable to their establishments, to eliminate hazardous conditions to the extent possible, and to comply with the standards.

Go to www.osha.gov for complete details.

FACILITY SAFETY

Fire Extinguisher	212
Smoking Receptacles	213
Matting	213-214
Fans & Coolers	215-216
Heaters	217
Mirrors	218



Multi-Purpose Dry Chemical Fire Extinguishers



Suitable for use on Class A (trash, wood and paper), Class B (liquids and gases), or Class C (energized electrical equipment) fires. Easy-to-read gauge indicates fire extinguisher is charged and ready for use. Steel cylinder with aluminum valve assembly and easy-to-pull safety pin. Operating pressure: 100 psi for model 13315 and 195 psi for all other models. Monoammonium phosphate dry chemical. Manufactured to ANSI/UL® 299 and 711 Standards. US Coast Guard Approved.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
13315	05866227	ABC fire extinguisher w/ vehicle bracket	2.5 lb.	Ea	\$37.93
25614	05866112	ABC fire extinguisher w/ vehicle bracket	5 lb.	Ea	\$53.84
11340	05866204	ABC fire extinguisher, tall	10 lbs.	Ea	\$89.40
12120	05866206	ABC fire extinguisher	20 lbs.	Ea	\$148.17



Halotron I™ Clean Gas Extinguishers

The 5-lb. extinguisher is suitable for use on Class B (liquids and gases) and Class C (energized electrical equipment) fires. The 11-lb. and 15 1/2-lb. extinguishers are suitable for use on Class A, B and C fires. Features easy-to-read gauge, steel cylinder with aluminum valve assembly, easy-to-pull safety pin and hydrochlorofluorocarbon agent pressurized with Argon. Manufactured to ANSI/UL® 2129 and 711 Standards.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 70510	05827773	Halotron extinguisher	5 lb.	Ea	\$204.58
▲ 71100	05827767	Halotron extinguisher	11 lbs.	Ea	\$436.58
▲ 71550	05827611	Halotron extinguisher	15 1/2 lb.	Ea	\$637.12



Fire Extinguisher Signs

Signs mark the location of fire extinguishers. Measures: 18" x 4". All signs comply with OSHA and NFPA requirements.

MFG #	DILLON #	MATERIAL	UOM	PRICE
M23P	05894424	Pressure-sensitive vinyl	Ea	\$5.73
▲ M23R	05894423	Rigid plastic	Ea	\$7.54



Buckeye Water Fire Extinguisher, 2.5 Gal.

Uses water as the extinguishing agent. Recommended for fighting Class "A" type fires only. Ideal for schools, theaters, department and retail store rooms. Features a plated valve and stainless steel cylinder. 2 1/2 Gal. Manufactured to ANSI/UL® 8 and 711 Standards. US Coast Guard Approved.



PORTABLE EXTINGUISHERS

The National Fire Protection Association (NFPA) has established the requirements for the number, size placement, performance and maintenance of portable fire extinguishers. These requirements are contained in NFPA 10, "Standard for Portable Fire Extinguishers". Generally fire extinguishers are selected based on the hazard(s) they are intended to protect. Classifications have been established to categorize these hazards as follows:



Class A Fires: Fires involving ordinary combustible materials, such as wood, cloth, paper, rubber and many plastics.



Class B Fires: Fires involving flammable liquids, combustible liquids, petroleum greases, tars, oils, oil-based paints, solvents, lacquers, alcohols, and flammable gases.



Class C Fires: Fires that involve energized electrical equipment.



Class D Fires: Metal fires involving magnesium, sodium, potassium and sodium-potassium alloys.



Class D Fires: Cooking media fires involving oils and greases.

Go to www.nfpa.org for complete information.

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

JUSTRITE® Smokers Cease-Fire® Cigarette Butt Receptacles

Self-extinguishing design safely collects unsightly cigarette butts and reduces risk of fire. Made of low-maintenance, flame-retardant polyethylene that won't rust, dent or crack. Unique rain bonnet opening keeps rain out and discourages other trash. Lift-off lid to empty galvanized steel pail. Tie-down notches offer security and stability. In high-humidity environments, "drip-lip" internal construction prevents tar condensation from escaping. 16 1/2" dia. x 38 1/2" H. FM Approved.

26800D

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 26800D	05815674	Cigarette butt receptacle	Deco black	Ea	\$72.29
26800B	05826801	Cigarette butt receptacle	Adobe Beige	Ea	\$72.29
▲ 26800T	05815676	Cigarette butt receptacle	Terra Cotta	Ea	\$72.29
26800	05826800	Cigarette butt receptacle	Pewter gray	Ea	\$72.29
▲ 26800G	05815677	Cigarette butt receptacle	Forest green	Ea	\$72.29



540 Worker's Delight™ Deck Plate Supreme

Made with up to 25% recycled content. Provides ultimate fatigue relief for tough industrial environments. Extra thick, ergonomic Zedlan foam with a diamond pattern solid surface offers durability and slip-resistance. Surface is permanently fused to high-performance Zedlan with Exclusive Fusion Technology. Three year guarantee against de-lamination. Safety bevels on all standard size and custom mats. Available in solid black or with yellow safety borders. Total thickness: 5/8".



WD1235BK

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
▲ WD1235BK	05805593	Black	3' x 5'	Ea	\$172.23
▲ WD1232BK	05805594	Black	3' x 12'	Ea	\$413.34
▲ WD1235YB	05805595	Black/yellow	3' x 5'	Ea	\$181.98
▲ WD1232YB	05805596	Black/yellow	3' x 12'	Ea	\$436.76

500 Industrial Deck Plate Matting

Made with up to 30% recycled content. Durable, slip-resistant surface has diamond pattern texture. Industrial grade, PVC foam backing fused to top surface offers comfort and relief. Surface is permanently fused to foam base using Crown's Exclusive Fusion Technology. Three-year warranty against de-lamination. Available in black with yellow safety borders. For use in all dry work areas. Total thickness: 9/16".



CD0035YB

MFG #	DILLON #	SIZES	UOM	PRICE
▲ CD0023YB	05815661	2' x 3'	Ea	\$53.73
▲ CD0035YB	05815662	3' x 5'	Ea	\$77.77
▲ CD0312YB	05815663	3' x 12'	Ea	\$205.43
▲ CDR0024-75YB	05815664	2' x 75'	Ea	\$1,317.52
▲ CDR0036-75YB	05815665	3' x 75'	Ea	\$1,976.28
▲ CDR0048-75YB	05815666	4' x 75'	Ea	\$2,635.04

580 Spark-Safe™ Matting

Features textured surface for improved traction in dry areas and beveled edges for safety. Durable, anti-fatigue mat repels sparks and hot metal shards. Rubber top with 1/2" thick foam base reduces fatigue in legs. Ideal for heavy-duty, dry areas such as welding, auto garages, assembly lines and steel mills. Black.



580

MFG #	DILLON #	SIZES	UOM	PRICE
▲ CD L023TX	05815668	2' x 3'	Ea	\$49.50
▲ CD L035TX	05815669	3' x 5'	Ea	\$123.75

410 Tuff-Spun® Foot-Lover™

Economical anti-fatigue mat for dry areas reduces noise and breakage and features 100% closed-cell PVC sponge construction. Relieves stress on knee, foot and ankle joint pressure points. Safe, non-slip surface reduces the risk of falls. Beveled edges reduce tripping. Black. Total thickness: 3/8".



410

MFG #	DILLON #	SIZES	UOM	PRICE
▲ FL2436BK	05836523	2' x 3'	Ea	\$18.59
▲ FL3660BK	05836522	3' x 5'	Ea	\$46.47
▲ FL3612BK	05836521	3' x 12'	Ea	\$111.52

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



#479 Cushion Trax®

Anti-fatigue mat designed for heavy traffic in dry environments such as assembly lines, lab areas, machinist workstations and packaging stations. Diamond plate design offers non-directional traction and is easy to clean. Vinyl top surface is combined with a dense closed cell foam base utilizing Notrax® exclusive UniFusion™ technology virtually eliminating the possibility of de-lamination. RedStop™ anti-slip technology eliminates slipping and sliding on all types of smooth floor surfaces by providing increased friction between the mat's underside and the floor surface. Does not leave a tacky or sticky residue. Beveled edges on all sides. Available in black/yellow with a 4" yellow borders that comply with OSHA code #1910-144. Total thickness: 9/16"

MFG #	DILLON #	SIZES	UOM	PRICE
Custom Sizes				
▲ 479C0024	05827680	2'	Sq. Ft.	\$10.41
▲ 479C0036	05827681	3'	Sq. Ft.	\$10.41
▲ 479C0048	05827682	4'	Sq. Ft.	\$10.41


MFG #	DILLON #	SIZES	UOM	PRICE
Roll Sizes				
▲ 479R2475YB	05827634	2' x 75'	RI	\$1,562.99
▲ 479R3675YB	05827635	3' x 75'	RI	\$2,344.48
▲ 479R4875YB	05827636	4' x 75'	RI	\$3,125.97

MFG #	DILLON #	SIZES	UOM	PRICE
Stock Sizes				
▲ 479S0023YB	05827651	2' x 3'	Ea	\$62.52
▲ 479S0035YB	05827652	3' x 5'	Ea	\$156.30
▲ 479S0312YB	05827637	3' x 12'	Ea	\$375.12



Diamond-Plate SpongeCote® #415

Features 3/8" thick, super resilient, Nitricell® sponge base that enhances employee productivity and relieves fatigue. Nitricell is a special nitrile rubber/PVC compound designed for extreme comfort, immediate recovery and long life. Diamond-embossed, 100% vinyl surface provides extra traction, is self-extinguishing and resists chemicals and abrasion. Available with optional yellow borders. All sides are beveled for safety. Available in custom sizes. Call for more information. Made from 50% recycled content. Total thickness: 9/16"




415



SMART Diamond-Plate #497

Anti-fatigue mats are designed to provide comfort and increase productivity of standing workers. Reduces the level of overall fatigue, decrease isolated lower body aches and pains, and absorbs the shock of walking on hard surfaces. An economical and "green" solution. Abrasion-resistant Diamond-Plate surface is bonded to 100% recycled urethane composite sponge base. Comfortable and functional in dry industrial applications. Available in standard 5/8" thickness. Lasts five times longer than traditional sponge mats. Made from 80% recycled content.



497

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
▲ 415.916x2x3BK	05815670	Black	2' x 3'	Ea	\$47.25
▲ 415.916x2x3BYL	05868242	Black/yellow	2' x 3'	Ea	\$53.85
▲ 415.916x3x5BK	05815671	Black	3' x 5'	Ea	\$114.88
▲ 415.916x3x5BYL	05800223	Black/yellow	3' x 5'	Ea	\$121.13
▲ 415.916x3x75BK	05868240	Black	3' x 75'	RI	\$1,627.76
▲ 415.916x3x75BYL	05868239	Black/yellow	3' x 75'	RI	\$1,944.51

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
▲ 497.58x2x3BK	05868238	Black	2' x 3'	Ea	\$32.71
▲ 497.58x2x3BYL	05868237	Black w/ yellow border	2' x 3'	Ea	\$37.28
▲ 497.58x3x5BK	05868236	Black	3' x 5'	Ea	\$79.66
▲ 497.58x3x5BYL	05868235	Black w/ yellow border	3' x 5'	Ea	\$85.85
▲ 497.58x3x75BK	05868234	Black	3' x 75'	RI	\$1,128.30
▲ 497.58x3x75BYL	05868233	Black w/ yellow border	3' x 75'	RI	\$1,286.89



WeldSafe® #447

Specifically for use in welding areas. Thicker rubber surface has a melt point of 500° F and is formulated to repel sparks and hot metal shards. Super resilient Nitricell® sponge base is a nitrile rubber composite offering comfort during long shifts. Available in standard 9/16" an UltraSoft 7/8" thick. All edges are beveled. Black.



447

MFG #	DILLON #	SIZES	UOM	PRICE
▲ 447.916x2x3BK	05849111	2' x 3'	Ea	\$55.92
▲ 447.916x3x5BK	05821022	3' x 5'	Ea	\$139.91



Contamination Control Mats

Adhesive-coated mats help prevent dust and other particulates on the bottom of foot protection from entering cleanrooms and controlled environments.



100-93-243638B

MFG #	DILLON #	COLOR	SIZES	UOM	PRICE
30 Layers, Contamination Control Mats, 8/Cs					
▲ 100-93-243638W	05892436	White	24" x 36"	Cs	\$127.15
▲ 100-93-243638B	05876998	Blue	24" x 36"	Cs	\$127.13
60 Layers, Contamination Control Mats, 4/Cs					
▲ 100-93-366064G	05893660	Gray	36" x 60"	Cs	\$322.77

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





19224

3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Tread

Provides traction on slippery surfaces and helps meet OSHA and ADA requirements. Mineral-coated, slip-resistant material features a highly durable surface. Low-profile design reduces trip hazard. High performance pressure-sensitive adhesive backing for easy application. Black. Certified by the National Floor Safety Institute (NFSI).



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ 19235	00592357	Safety-Walk roll	12" x 60'	1 RI/Cs	\$355.65
▲ 50048011192180	00680287	Safety-Walk tread	6" x 24"	Cs	\$320.83
▲ 19224	00592241	Safety-Walk roll	6" x 60'	1 RI/Cs	\$184.98



Electra Tarp

Blue 5-6 mil tarp with rustproof grommets every 3' around hem. Double-stitched with poly roping in hem. Features 8 x 8 weave count, 2.25 oz. per square yard and heat-sealed seams.



14210001

MFG #	DILLON #	SIZES	UOM	PRICE
14210008	14210008	8' x 10'	Ea	\$5.71
14210000	14210000	10' x 12'	Ea	\$8.54
14210001	14210001	10' x 20'	Ea	\$14.24
14210002	14210002	12' x 20'	Ea	\$17.10
14210003	14210003	16' x 20'	Ea	\$22.78
14210005	14210005	20' x 30'	Ea	\$42.73
14210006	14210006	20' x 40'	Ea	\$56.97



ACH24




CPB-36-D



CPB 42-B


F18TE



Industrial Fans

Factory assembled fan heads can be used with any of (2) TPI industrial mounts. Motor is totally enclosed, 120 V, 2-speed unit with pull chain switch. Features 12' long cord, coated steel guard, and blades with steel hub/spider and aluminum paddles. Oscillating model oscillates in a 90° arc, can be locked in a fixed position or operate at a maximum 30° downward tilt. Meets OSHA standards.


MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
ACH24	07010024	Industrial fan head, 1/4 hp	24"	Ea	\$203.41
ACH30-O	07000111	Oscillating fan head, 1/4 hp	30"	Ea	\$345.00
IHP30H	07010034	High Performance fan head, 1/3 hp	30"	Ea	\$249.32
IHP30W	07011827	Fan w/ wall mount, 1/3 hp	30"	Ea	\$310.90
ACMP	07020049	Pedestal for fan head		Ea	\$103.53
ACMW	07002430	Wall mount kit		Ea	\$43.59



Industrial Floor Fans

Totally enclosed 1/8 hp motor is permanently lubricated, 120 V, 3-speed with rotary switch. Features 10' long cord, coated steel guard, and blades with steel hub/spider aluminum paddles head tilt is 360°. One-year limited warranty. Meets OSHA standards.


MFG #	DILLON #	DESCRIPTION	UOM	PRICE
F18TE	07020035	Industrial fan, floor model	Ea	\$107.51
F18HTE	07020018	Industrial fan, high stand model	Ea	\$165.01



Commercial Direct Drive Blower, 36"

Open ventilated, 1/3 hp motor is permanently lubricated, 120 V, 2-speed with rotary switch. Features 10' cord, spiral wire guard front and rear, 20-gauge steel housing and 5" rubber wheels. One-year limited warranty. Meets OSHA standards.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
CPB-36-D	07072263	Commercial direct drive blower	36"	Ea	\$354.46




Commercial Belt Drive Portable Blower

Standard 120 V, 1-phase 1/2 hp motor, 12,000 CFM, permanently lubricated. Features rocker switch, SJT type 8' cord with (3) conductors, aluminum blade, spiral wire front and rear guards, powder-coated 20-gauge steel housing and 8" wheels. One year limited warranty. Meets OSHA Standards.

MFG #	DILLON #	SIZES	UOM	PRICE
CPB 42-B	07004242	42"	Ea	\$568.11

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Standard Drum Fans

Motor: 2-speed on 36" model, 1-speed on 42" model. Features rocker switch, 12' SJT type 3 conductor cord, (4) paddle aluminum blades, front and rear spiral wire guards, powder-coated 20 ga. steel housing and 10" rubber wheels. Single phase, 120 V, ball bearing, permanently lubricated, 1050 rpm and PSC type. PB 36-D has a direct drive and PB 42-B has a belt drive. One-year limited warranty. Meets OSHA standards.



PB 36-D

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
PB 36-D	07000115	11,500 CFM, 5.5 AMPS, 1/3 hp	36"	Ea	\$466.23
PB 42-B	07020042	13,800 CFM, 11 AMPS, 3/4 hp	42"	Ea	\$791.96

Commercial Floor Fans

30" Models: 1/4 hp, 3-speed, 120 V motor, featuring ball bearings, open ventilation, permanent lubrication and pull chain switch. Constructed with coated steel guard, steel hub/spider and aluminum paddles. Pole adjusts center of fan from 43" to 60". Cord is 9'. 18" Model: 1/5 hp, 3-speed, 120 V motor featuring open ventilation, permanent lubrication, sleeve bearing and rotary switch. Guards are coated steel and blades are aluminum. Cord is 7'. One-year warranty. Meets OSHA standards.



CF-18

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
CF-18	07072317	Commercial floor fan	18"	Ea	\$62.18
CACU 30-P	07069744	Commercial floor fan w/ pedestal	30"	Ea	\$238.86
CACU 30-W	07070634	Commercial floor fan w/ wall mount	30"	Ea	\$252.36

Portable Evaporative Coolers

Durable polyethylene housing features leakproof, 1-piece construction and 3/4" garden hose connections for extended run times. Lowers temperatures 15°-25° F depending on climate conditions. Three-blade fan blade for quieter operation. Features 120/240 V operation with all switches, motors and cord connections sealed to prevent sparking in combustible locations.



EVAP36-HAZ

MFG #	DILLON #	SIZES	UOM	PRICE
Hazardous Portable Evaporative Cooler, 36"				
EVAP36-HAZ	05888422	32" L x 62" W x 67" H	Ea	\$10,800.91
Hazardous Portable Evaporative Cooler, 48"				
EVAP48-HAZ	05888423	36" L x 74" W x 86" H	Ea	\$13,069.84

Portable Workstation Evaporative Cooler

1/3 hp motor; 120 V; CFM high 3000, low 2400, cools 700 sq. ft., internal water 16 gal. Lowers temperatures up to 30° F. Water level sight tube and sump drain. 3/4" Garden hose connection for longer running. Durable, 1-piece, rust-free, leak-proof molded polyethylene housing. Environmentally friendly efficient and effective resource use. Cools for a fraction of the cost of air conditioning. Cools without chemicals or refrigerants. Long-term dependability.



EVAP-MINI 700

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
EVAP-Mini 700	05801255	EVAP Mini 700	38" H x 29" W x 25" L	Ea	\$1,083.35

Heavy-Duty Portable Evaporative Coolers

Heavy-duty portable evaporative coolers provide 10°-30° of evaporative cooling and 6°-8° of wind-chill cooling in large areas where excessive heat is a problem. Variable speeds on the 36" unit and 2 speeds on the 16" unit. Designed with a belt drive, maintenance-free submersible water pump, thermally protected, permanently lubricated fan motor, weather tight fan and pump control switches. Water is supplied to internal tank from a standard 3/4" water hose or from optional water tank, and the water level in internal tank is controlled by the unit's float valve. Other features include: 8" thick evaporative media easily accessible for routine cleaning, Roto-molded corrosion-free polyethylene housing, 20' long, 16-gallon, 3-conductor cord with GFCI plug and 4" heavy-duty casters: (2) locking and (2) non-locking. UL® listed. Two-year limited warranty. Meets OSHA requirements.



EVAP-16D

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
EVAP-16D	05853796	Heavy-duty portable evaporative cooler	16"	Ea	\$2,167.09
EVAP-24D	05853797	Heavy-duty portable evaporative cooler	24"	Ea	\$3,009.32
EVAP-36D	05853798	Heavy-duty portable evaporative cooler	36"	Ea	\$3,689.07
EVAP-48D	05853799	Heavy-duty portable evaporative cooler	48"	Ea	\$5,083.98

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

Electric Salamander Heaters

Electric alternative to propane and kerosene space heaters. Safety yellow enclosure has safety screens on air intake and output openings. Thermostat adjustment of 40° to 100° F. High-limit thermal cutout switch and automatic reset.

Features:

- Long-life finned tubular heating elements
- 10" wheels
- Magnetic contactor
- Optional 25' long SO type cord, ready for plug attachment
- Fan only switch

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
Salamander Heater					
▲ FES-1524-3E	07015243	15 KW, 240 V, 3-phase, 800 CFM	51,195 BTU	Ea	\$1,112.64
▲ FES-1548-3E	07015483	15 KW, 480 V, 3-phase, 800 CFM	51,195 BTU	Ea	\$1,306.14
▲ FES-3048-3A	07030483	30 KW, 480 V, 3-phase, 1100 CFM	102,390 BTU	Ea	\$2,059.39
Power cord, 25'					
▲ 316408	07031640	For models FES-1524-3E & FES-3048-3A ready for plug attachment	6/4 SO	Ea	\$244.71
▲ 316422	07031642	For model FES-1548-3E ready for plug attachment	12/4 SO	Ea	\$117.77

Electric Salamander Heater, 45 Kilowatt

Electric alternative to propane and kerosene space heaters. Safety yellow enclosure has safety screens on air intake and output openings. Features thermostat adjustment of 40° to 100° F and high-limit thermal cutout switch with manual reset.

Features:

- Long-life finned tubular heating elements
- Fan only feature
- 10" rear wheels and front-locking caster

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ FES-4548-3	07045483	Salamander heater, 480 V, 2200 CFM	153,585 BTU	Ea	\$3,404.54
▲ 316439	07031643	Power cord, 25'	4/4 SO	Ea	\$229.41



198 TMC



Radiant and Fan Forced Heater

Portable, 3-stage heating unit that can be used in radiant mode or fan forced. Operates at 600 W radiant, 900 W fan forced and 1500 W radiant and fan forced. Temperature control thermostat. Dual safety system, tip over switch and manual reset type limit control. Includes 6' long, 3 conductor cord. 11" W x 15" H x 12" D.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
198 TMC	07000198	Heater, radiant and fan forced, 120 V	5120 BTU	Ea	\$102.93

188 TASA



Milk-House Style Fan Forced Heater

Portable, 1,300W-1,500W heater with fan-only feature. Triple safety system includes: tip-over switch, automatic reset type limit control, and thermal cut-off device. Includes 6' long, 3-conductor cord. Temperature control thermostat. 10" W x 16" H x 9 1/2" D.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
188 TASA	07000188	Heater, milk-house style fan forced, 120 V	5,120 BTU	Ea	\$61.23

HF1B5103N



Mounted Heaters

Suspended unit can be installed for either vertical or horizontal discharge applications. Has an 18-gauge steel cabinet housing with a powder coat finish. Automatic reset limit de-energizes heaters if over-heating occurs. Features a totally-enclosed 1-speed permanently lubricated thermally protected motor with unit bearings. 14 1/2" x 6 1/2" x 17 3/4". One-year limited warranty.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ F1F5103N	07000360	Electric heater, 208 V	Ea	\$548.58
▲ HF1B5103N	07000358	Electric heater, 208/240 V	Ea	\$548.58
▲ G1G5103N	07000356	Electric heater, 277 V	Ea	\$548.58
▲ P3P5103CA1N	07000354	Electric heater, 480 V	Ea	\$699.13

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



TCVO-30T-PB



SCVI-24T-5DP



ONV-360-36

ONV-180-26



Se-Kure-View Indoor and Outdoor Convex Mirrors

First line of defense against theft and pilferage. Increases visibility and eliminates blind spots. Lightweight, high-impact acrylic offers an image brighter than glass mirrors. Convex shape gives viewer a wide angle of vision. Mounting hardware included.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ SCVI-12Z	05800175	Indoor acrylic mirror w/ Z-bracket	12"	Ea	\$31.98
▲ SCVI-18Z	05800054	Indoor acrylic mirror w/ Z-bracket	18"	Ea	\$42.92
▲ SCVI-26T	05800053	Indoor acrylic mirror w/ single telescoping bracket	26"	Ea	\$77.97
▲ DCVO-18T-PB	05815678	Outdoor acrylic mirror w/ 2 brackets	18"	Ea	\$67.02
▲ TCVO-30T-PB	05815679	Outdoor acrylic mirror w/ 3 brackets	30"	Ea	\$156.38
▲ TCVO-48T-PB	05815680	Outdoor acrylic mirror w/ 3 brackets	48"	Ea	\$410.43

Omni-View 180° Half Dome Mirrors

Ideal for T-intersections. Mount directly to ceiling or wall. Lightweight, high-impact acrylic construction with an image brighter than glass mirrors. Mounting hardware included.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ ONV-180-18	05800051	Omni-View acrylic half dome mirror	18"	Ea	\$32.41
▲ ONV-180-26	05800046	Omni-View acrylic half dome mirror	26"	Ea	\$46.87
▲ ONV-180-36	05800047	Omni-View acrylic half dome mirror	36"	Ea	\$88.04

Omni-View 360° Mirrored Domes


Provides a full 200° viewing area from any location. Mounts directly to ceiling, wall or suspended. Lightweight, high-impact acrylic construction with an image brighter than glass mirrors. Mounting hardware included.

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ ONV-360-26	05815681	Omni-View acrylic dome mirror	26"	Ea	\$77.53
▲ ONV-360-36	05815682	Omni-View acrylic dome mirror	36"	Ea	\$153.75
▲ ONV-360-60	05815683	Omni-View acrylic dome mirror	60"	Ea	\$777.07

DomeVex Wide-View Convex Mirrors

Improve vision into aisles and around corners. DomeVex wide-view design provides a wider view in all directions. Curvature provides wider view (35' to 40' in each direction when properly placed). Made from shatter-resistant acrylic. Offers excellent 180° visibility and low distortion. Brackets included.


MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
▲ SCVI-16Z-4DP	05868229	Indoor wide-view convex mirror w/ 1 bracket	16"	Ea	\$72.72
▲ SCVI-24T-5DP	05868228	Indoor wide-view convex mirror w/ 1 bracket	24"	Ea	\$111.78
▲ SCVI-32T-7DP	05868227	Indoor wide-view convex mirror w/ 1 bracket	32"	Ea	\$152.00
▲ DCVO-16T-4DP-PB	05896384	Outdoor wide-view convex mirror w/ 2 brackets	16"	Ea	\$90.67
▲ TCVO-24T-5DP-PB	05868225	Outdoor wide-view convex mirror w/ 3 brackets	24"	Ea	\$166.01
▲ TCVO-32T-7DP-PB	05868224	Outdoor wide-view convex mirror w/ 3 brackets	32"	Ea	\$209.82




SAFETY MIRRORS

Keep high traffic and poor visibility intersections safe with the strategic placement of wide angle mirrors. These mirrors provide additional visibility for all types of traffic path configurations.

- **Quarter Dome (90°)** models for corner intersections
- **Half Dome (180°)** models for "T" intersections
- **Full Dome (360°)** for a complete overhead view
- **Convex Mirror (160°+ actual viewing area)** for general wide-angle viewing



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



To maintain a safe and healthy workplace, housekeeping must be a priority. Poor housekeeping can present many different types of hazards such as slipping, being hit by falling objects, and exposure to dirty or contaminated surfaces. Some important tips include:

- All spills shall immediately and thoroughly be cleaned up.
- Replace worn or damaged mats and place anti-slip flooring in areas that cannot continually be cleaned, such as an entrance.
- Maintain properly working and clean light fixtures and provide the best illumination to workers.
- Keep aisles and stairways clear.
- Place signs and labels throughout so workers know the housekeeping and safety concerns.
- Regularly inspect, clean and repair all tools. Never use damaged tools.

Go to www.osha.gov for complete details.

JANITORIAL

Wipes	220-221
Hand Cleaners & Sanitizers	221-223
Paper Products	224-226
Cleaners & Maintenance	226-229
Mops, Brooms & Buckets	229-233
Trash Cans & Utility Carts	233-234



Scott® Shop Towels

Whether faced with automotive detail, cleaning the garage or simply wiping windows, Scott® shop towels are exactly what are needed to get the job done. Each towel is strong, durable and absorbent. Blue.



75130

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
75130	05892723	Shop Towels On A Roll, 55/RI, 30 RI/Cs	11" x 10.4"	RI	\$3.66
75190	05892724	Shop Towels In A Pop-Up* Box, 200/Bx, 8 Bx/Cs	10" x 12"	Bx	\$21.67



Wypall® L30 Wipers

Ideal for general-purpose, light-duty cleanups. Removes soils and liquid from face and hands. White.



05812



05816

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
05816	24005816	Pop-Up* Box, 120/Bx, 6 Bx/Cs	16.4" x 9.8"	Bx	\$11.84
05812	24005812	Wipers, 1/4 fold, 90/Pk, 12 Pk/Cs	12.5" x 12"	Cs	\$64.90



Wypall® X60 Wipers

Wypall® X60 brings the absorbing power of Hydroknit® material technology to a lightweight wiper, combining versatile performance and economy for light-duty tasks. Designed to reduce waste. White.

34955



34790

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
34015	24034015	Brag® Box, 180/Bx, 1 Bx/Cs	12.5" x 16.8"	Bx	\$23.05
34790	24014790	Pop-Up* Box, 126/Bx, 10 Bx/Cs	9.1" x 16.8"	Bx	\$12.42
34955	24034955	Jumbo Roll, 1,100/RI, 1 RI/Cs	12.5" x 13.4"	RI	\$108.33



Wypall® X80 Wipers

Wypall® X80 is the wiper of choice for the toughest jobs. For heavy industrial tasks, cleaning grease, grime and oil, solvent wiping, cleaning rough surfaces, or any other challenging task.



41025

41041



MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
05930	24091010	Pop-Up* Box, 80/Bx, 5 Bx/Cs	Red	9.1" x 16.8"	Bx	\$22.58
41041	24041041	Brag® Box, 160/Bx, 1 Bx/Cs	Blue	12.5" x 16.8"	Bx	\$36.46
41025	24041025	Jumbo roll, 475/RI, 1 RI/Cs	White	12.5" x 13.4"	RI	\$86.09
41043	24041043	Jumbo roll, 475/RI, 1 RI/Cs	Blue	12.5" x 13.4"	RI	\$85.13



SCRUBS® Graffiti and Paint Remover Towels

High-quality graffiti remover formula combined with an absorbent, abrasive, non-scratching towel. Designed to loosen and remove graffiti and spray paint so towel can absorb residue without re-depositing it on surface. 30/Bucket; 6 buckets/case.



90130

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
90130	04990130	Graffiti & paint remover towels	Ea	\$12.96



Wypall® Waterless Cleaning Wipes

Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Ideal pre-saturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Green. Orange/ citrus fragrance. Measures: 9.5" x 12". 75-Count bucket.



91371



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
91371	24091341	Waterless Cleaning Wipes	Ea	\$17.09

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



SCRUBS In-a-Bucket® Hand Cleaner Towels

Towels combine an advanced cleaning formula with a strong dual-textured towel to thoroughly clean hands and surfaces ANYWHERE, ANYPLACE, ANYTIME!®. The clean, citrus-scented formula loosens and dissolves industrial soils while leaving hands free from dryness and irritation. The Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces. Hands are left feeling clean with no sticky residue and no rinsing required. 72-Count bucket; 6 buckets/case.



42272

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
42272	13742272	Hand cleaner towels	Ea	\$15.86



GOJO® NATURAL* ORANGE™ Pumice Hand Cleaners

Quick-acting lotion formula with pumice scrubbing particles for removing a broad range of industrial soils, dirt and grease. Orange citrus scent.

*Natural citrus ingredient.



0957-12



0955-04

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
7255-04	05892719	Pumice hand cleaner, PRO™ TDX™ 2000, 4/Cs	2,000 mL	Ea	\$23.67
0955-04	13700955	Pumice hand cleaner w/ pump dispenser, 4/Cs	1 gal.	Ea	\$25.01
0957-12	13700957	Pumice hand cleaner, 12/Cs	14 oz.	Ea	\$4.49



GOJO® Cherry Gel Pumice Hand Cleaner

Gel-style heavy-duty hand cleaner with pumice scrubbers quickly cleans heavy dirt, grease and oil. pH balanced to promote skin comfort. Provides a quick, easy and complete rinse and leaves skin feeling refreshed. Pleasant cherry fragrance eliminates soil odors and leaves hands smelling clean. VOC and NPE free.



2358-02

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2358-02	05848257	Pumice hand cleaner, pump bottle w/ dispenser, 2/Cs	1 gal.	Ea	\$24.97
7290-04	05848260	Pumice hand cleaner, PRO™ TDX™ 2000 refill, 4/Cs	2,000 mL	Cs	\$121.78



GOJO® Scrubbing Towels

Durable, dual-textured material pre-moistened with heavy-duty cleaning solution. No water needed. 72-Count bucket; 6/case.



6396-06

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
6396-06	13706396	Scrubbing towels	Ea	\$15.07



GOJO® ORIGINAL FORMULA™ Hand Cleaners

Contains soothing emollients. For removing heavy grease, tar and oil. Rub into dry hands, then wipe clean with a towel or rinse off. 4.5 lb.



1204-01

1115-06

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1115-06	13701115	Hand cleaner, plastic cartridge, 6/Cs	Ea	\$20.38
1204-01	13701204	Dispenser for 4 1/2-lb. cartridge, 1/Cs	Ea	\$23.83



GOJO® SUPRO MAX™ Cherry Hand Cleaner

Fast and effective hand cleaner that removes tough or sticky soils and adhesives. Unique blend of cleaners, skin conditioners and gentle scrubbers leave skin feeling refreshed and clean. Ideal for plant-wide use, body shops or wherever difficult soils are found. Apply to dry hands, then rinse. Non-drying formula. Cherry fragrance. Size: 2,000 mL. 4/Case.



7282-04

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7282-04	05892720	Cherry hand cleaner, PRO™ TDX™ 2000 refill	Ea	\$32.53

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





GOJO® PRO™ TDX™ 2000 Dispenser



SANITARY SEALED™ refills are easy to load, store and handle, and a large display window shows the refill inside. Portion control helps reduce waste. Fresh dispensing valve with each refill. Constructed of high-impact ABS plastic. Guaranteed for life. 2,000 mL Capacity. One-hand push operation.



7200-01

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7200-01	13707200	PRO™ TDX™ 2000 dispenser	Ea	\$25.80



GOJO® TFX™ Touch Free Dispenser and Handwash

Touch free dispenser promotes cleanliness – just place hands below and the system dispenses a consistent amount of soap. Three-year guarantee. Measures: 10 1/2" H x 6" W x 4" D. 1,200 mL Capacity. Refills available. Fully ADA compliant, UL®/CE registered.



2740-12

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
5362-02	05853620	Premium Foam Antibacterial Handwash, 2/Cs	Cs	\$71.64
2740-12	05892717	TFX™ touch free dispenser, 12/Cs	Ea	\$69.46



PURELL® TFX™ Touch Free Dispenser and Refills

Promotes cleanliness; just place hands below and system dispenses a consistent amount of sanitizer. PURELL® Advanced Hand Sanitizer kills 99.99% of most common germs that may cause illness. Patent-pending 70% ethyl alcohol formula is free of fluorinated chemicals, and milder on skin than hand washing. Thick, rich foam formula* stays on hands. Enhanced with four different skin-conditioning agents that help maintain skin health, moisture and improves overall skin feel. Three-year guarantee. 10 1/2" H x 6" W x 4" D. Dove gray. Fully ADA compliant, UL®/CE registered.

*Clinical field study #2011-F10232.



2720-12

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
5456-04	05814672	PURELL® advanced hand sanitizer gel refill, 4/Cs	1,200 mL	Cs	\$98.80
5392-02	13753920	PURELL® advanced hand sanitizer foam refill, 2/Cs	1,200 mL	Cs	\$98.17
2720-12	13727201	TFX™ Touch Free dispenser, 12/Cs		Ea	\$69.07

98704506



ST29187



KRESTO® Hand Cleaner



Extra heavy-duty hand cleaner has low solvent content and the cleaning power to handle tough soils such as grease, oils, soot and carbon black, but is gentle to the skin. Contains skin-strengthening agent, EUCORNOL® and all-natural, biodegradable walnut shell scrubbers. Size: 2,000 mL.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
98704506	14616020	Softbottle	Ea	\$27.79



STOKO Vario Ultra® Dispenser

Sturdy, plastic dispenser accommodates all 1,000 mL and 2,000 mL softbottle packaged products. Easy-to-use. White.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
ST29187	05814675	Vario Ultra dispenser	Ea	\$15.22



PURELL® Advanced Hand Sanitizer Gel



Kills 99.99% of most common germs that may cause illness in as little as 15 seconds without water or towels. Specially formulated moisturizers leave hands feeling soft and refreshed.

9625-04

9651-24



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
9651-24	13709651	Instant hand sanitizer bottle	4 oz.	Ea	\$2.84
9625-04	05892722	Instant hand sanitizer, pump bottle	2,000 mL	Ea	\$33.27

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





SBS® Protective Creams

Quality formula that provides protection against water-based skin irritants. Contains skin conditioners to prevent drying skin. Formulation rubs in completely without interfering with grip or dexterity. Contains no silicone. One application provides 2-3 hours of protection against irritants. Size: 5 oz.



44135

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44135	13744135	SBS-44 Water-resistant cream	Ea	\$5.05
46135	13746135	SBS-46 Solvent-resistant cream	Ea	\$5.05



SBS® 40 Medicated Skin Cream

Mild conditioning cream, lightly perfumed and highly effective after-work conditioning cream. Non-greasy and fast absorption. Workers won't lose grip on tools or equipment. Compatible with latex and nitrile gloves. Can be used when wearing gloves. Ideal for industrial, food handling and healthcare work areas, offices and public washrooms. Size: 5 oz.



SBS 40

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
SBS 40	13740138	SBS 40 medicated skin cream	Ea	\$2.82



GOJO® HAND MEDIC® Professional Skin Conditioner

Specifically formulated for professional technicians for use in work environments. Quickly absorbs, with no greasy after-feel. Use before work, after hand washing and at night to help maintain the skin's natural protective barrier. Silicone- and fragrance-free. Size: 5 fl. oz., 12/case.



8150-12

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8150-12	05892721	HAND MEDIC	Ea	\$7.52



Insulated Foam Cups

Keep beverages at their proper serving temperature on the inside and hands comfortable on the outside. Suitable for hot or cold beverages. White. 1,000/Case.



8J8

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
8J8	04901207	Insulated foam cups, 8 oz.	Cs	\$38.64
12J12	04911212	Insulated foam cups, 12 oz.	Cs	\$47.34
16J16	04900041	Insulated foam cups, 16 oz.	Cs	\$75.43



Pink Lotion Hand Soap

Economical alternative to expensive bar and lotion soaps. Designed to provide quality protection, this lotion contains a moisturizing ingredient to help fight dry skin that can occur after repeated hand washing. Ideal for use in commercial, residential or industrial environments. 1 Gal., 4/case.



BWK410

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
BWK 410	13700410	Pink lotion hand soap	Cs	\$31.26



Perforated Paper Towels

Made with 100% recycled fiber with a minimum of 40% post-consumer waste content. Soft to touch. Handles even the largest clean-up jobs. Features premium embossing and enhanced absorbency. 11" x 8.8" Sheets. 84 Sheets/roll; 30 rolls/case.



1220-85

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1220-85	04922085	Perforated paper towels	Cs	\$35.84

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



Hardwound Roll Towels

Rolls feature improved core strength (2" core) and cleaner roll cuts. Available in bright white or natural brown color. Non-perforated. Models 108 and 1180 are post-consumer 85%, total recovered 100%. Model 109 is post-consumer 54%, total recovered 60%. 8" Rolls. 12 Rolls/case.

108

109



MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
108	04911080	Hardwound roll towels	Brown	8" x 350'	Cs	\$39.83
1180	04901180	Hardwound roll towels	Brown	8" x 600'	Cs	\$80.87
109	04900075	Hardwound roll towels	White	8" x 350'	Cs	\$50.46



Scott® Hard Roll Towels

High-footage roll towel that provides reliable quality that lasts. Compatible with most universal hard roll towel dispensers. Elemental chlorine-free (ECF) bleaching. Brown. Meets EPA standards; FSC® and EcoLogo® certified. Measures: 8" x 800'. 12/Case.

04142



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
04142	24004142	Scott® hard roll towels (1.5" core)	Cs	\$102.00



Boardwalk Center Pull Towels

Center pull towels eliminate dispensing problems associated with folded towels and offer sanitary, one-at-a-time dispensing. Bright white, 2-ply towels are softer and more absorbent. Contains 55% post-consumer waste fiber. Measure: 7 7/8" x 10". 660/Roll; 6 rolls/case.



6400



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
6400	04906400	Boardwalk center pull towels	Cs	\$38.90



Bath Tissue

Economical rolls provide the perfect solution for restrooms utilizing standard-roll dispensers. Soft paper is gentle on skin. Strong and reliable 2-ply tissue. Individually wrapped. White. Sheet size: 4.1" x 3.25". 420 sheets per roll. 96 Rolls/case.

GEN700



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
GEN700	04900700	Bath tissue	Cs	\$59.54



Multifold Towels

One-ply, high-quality folded towels are thicker, stronger and more absorbent. Packaging is designed for optimal stacking to reduce required storage space. White. Measures: 9 1/2" L x 9 1/3" W. 250/Pack; 16 packs/case.



105



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
105	05882602	Multifold towels	Cs	\$44.55



Lever Roll Towel Dispenser

Large capacity universal dispenser engineered for ease-of-use and minimal maintenance. Ideal for high traffic areas. Dispenses any quality of paper. Easy-to-change drive module and parts. Automatic transfer system eliminates stub roll waste. Accepts (1) 8" wide, 8" dia. roll with a 1 1/2" core and (1) stub roll up to 4" diameter. Measures: 16 1/2" H x 12 15/16" W x 9 1/4" D.



T1100TBK

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
T1100TBK	05892728	Towel dispenser	Ea	\$106.38

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Large Capacity Ultrafold™ Multifold/C-Fold Towel Dispenser

Offers a touchless, smooth towel dispenser with 50% more capacity than standard dispensers. Higher capacity reduces need to refill as often. Towels will not bunch or clump allowing user to retrieve only the amount needed. Symmetrical design fits naturally within all of the environments. Holds 450 C-Fold towels or 750 multifold towels. Measures: 18" H x 11 3/4" W x 6 1/4" D.

T1700TBK



T400TBK

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
T1700TBK	05892729	Ultrafold towel dispenser	Ea	\$42.78



Center Pull Towel Dispenser

Designed to reduce maintenance costs and provide a hygienic hand drying environment. Large capacity ensures long intervals between refills. Dispenses single sheets of perforated center pull towel for reliable portion control. Touchless centerpull design helps prevent cross-contamination. Accepts towels up to 9 1/2" in width and 9" in diameter. Measures: 11 5/8" H x 9 1/8" W x 9 1/2" D.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
T400TBK	04904400	Center pull towel dispenser	Ea	\$61.22



Single Roll Bath Tissue

Softer, more absorbent tissue provides at-home quality. Single-ply, bright white with 4 1/2" core. 90% Post-consumer content, total recovered 100%. Sheet size: 4 1/2" x 3 3/4". 500 Sheets/roll; 96 rolls/case.



2240

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2240	05882598	Single roll bath tissue	Cs	\$96.02



Jumbo Bath Tissue

Jumbo rolls mean fewer refills and reduced run-out and maintenance costs. Two-ply, bright white with 3.55" core. Fits most jumbo dispensers. 90% Post-consumer content, total recovered 100%. 1,000/Roll; 12 rolls/case.



202

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
202	04902020	Jumbo bath tissue	Cs	\$60.70



Duett Standard Bath Tissue Dispenser

Eliminates waste by protecting visible fresh roll until first roll is completely used. Infinity® System provides continual availability of paper, eliminating stub roll waste. Compact design fits any size washroom. Accommodates (2) 4 1/2"-5 1/2" rolls with a 1 5/8" minimum core. Measures: 12 3/4" H x 7 1/2" W x 7" D.



R3590TBK



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
R3590TBK	05892727	Dual bath tissue dispenser	Ea	\$40.14



Locking Toilet Tissue Dispensers

Theft-proof chrome dispenser. Concealed tension springs prevent free rolling of tissue. Locks to prevent theft of tissue roll. Single dispenser holds (1) 4" wide roll with a 1 1/2" core. Measures: 2 3/4" H x 6" W x 4 1/2" D.

R200XC



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
R200XC	05892726	Locking toilet tissue dispenser	Ea	\$20.17

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



R2090TBK

Single Bath Tissue Dispenser

Dispenses any brand or quality of jumbo bath tissue. Contemporary design provides no flat surface to place cigarettes, minimizing ugly burn marks. Provides easy paper access and multi-directional tearing. Accommodates (1) 9" JBT roll. Measures: 12" H x 10 1/4" W x 5 5/8" D.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
R2090TBK	05814674	Single bath tissue dispenser	Ea	\$35.38



Premium Toilet Seat Covers

Half-fold covers fit all popular seat cover dispensers. Made from quick-dissolving tissue; 100% biodegradable. 250 Covers/pack; 20 packs/case.



K5000

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
K5000	04950000	Premium toilet seat covers	Cs	\$51.43



Windex™ Original Glass Cleaner

Trusted by generations of consumers for its famous streak-free shine. Perfect for cleaning glass and more. Key ingredient is Ammonia-D® which works on dirt before wiping.

90139



90940

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
90139	05882612	Windex cleaner, 12/Cs	32 oz.	Ea	\$8.16
90940	04900422	Windex cleaner, 4/Cs	1 gal.	Ea	\$16.16

00628



35306



Clorox® Formula 409® All-Purpose Cleaner

Powerful ready-to-use formula quickly removes grease, grime, food stains and other oil-based dirt. EPA-registered disinfectant and sanitizer for non-food contact surfaces. 22 oz.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
00628	04900410	Formula 409 all-purpose cleaner, trigger spray	Ea	\$4.17



Clorox® Formula 409® Cleaner Degreaser Disinfectant

Powerful, labor-saving, grease-cutting formula with no rinsing. Kills 99.9% of germs, including the bacteria that causes food-related illness such as E. coli and Salmonella. Bleach free. Size: 32 oz.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
35306	04935306	Formula 409 cleaner degreaser disinfectant, trigger spray	Ea	\$5.11



Simple Green® Industrial Cleaner and Degreaser

Trusted, industrial-strength, all-purpose cleaning and degreasing without harsh chemicals. Non-toxic, non-abrasive, non-flammable and non-corrosive formula can be used to clean, degrease and deodorize all washable surfaces. Concentrated formula provides high, cost-effective dilution ratios for use manually or in cleaning equipment. VOC compliant and exempt from EPA special handling and personal protection requirements for hazardous materials.

2710001213012



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
2710001213012	05813012	Industrial Cleaner/Degreaser, spray bottle, 12/Cs	24 oz.	Ea	\$6.72
2710200613005	05813005	Industrial Cleaner/Degreaser, 6/Cs	1 gal.	Ea	\$14.74
2700000113006	05813006	Industrial Cleaner/Degreaser	5 gal.	Ea	\$67.92
2700000113008	05813008	Industrial Cleaner/Degreaser	55 gal.	Ea	\$547.24

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Extreme Simple Green® Aircraft and Precision Cleaner

Breakthrough non-toxic, non-flammable and non-abrasive formula cleans and degreases without corrosive chemicals. Combined high-soil capacity, superior grease-cutting ability and clean-rinsing formula prevents redeposition of soils, ensuring fast, effective and high-precision cleaning. Non-corrosive cleaner is safe for use on aluminum, carbon fiber, high-tech alloys, structural metals, paints, protective coatings and more. Contains no reagents that oxidize finishes, cause rust within the fluid or degrade plastics, making it ideal for maintaining structural metals, hoses, seals and factory finishes. VOC Compliant formula contains no Clean Air Act Hazardous Air Pollutants (HAPs) and meets various aircraft industry specifications.



0110001213412

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
0110001213412	05893412	Extreme aircraft cleaner, 12/Cs	32 oz.	Cs	\$153.84
0110000413406	05813406	Extreme aircraft cleaner, 4/Cs	1 gal.	Cs	\$92.52
0100000113405	05813405	Extreme aircraft cleaner	5 gal.	Ea	\$98.59
0100000113455	05813455	Extreme aircraft cleaner	55 gal.	Ea	\$758.52



P&G Comet® Disinfecting Cleaner

Cleans, disinfects and deodorizes. Non-abrasive formula contains solvents and surfactants to effectively penetrate and dissolve tough soap scum and hard water. EPA registered cleaner is a medical environment disinfectant capable of killing a broad spectrum of germs, including salmonella, staphylococcus, pseudomonas and odor-causing bacteria including proteus mirabilis and E. coli. Citrus fragrance. Size: 1-gal., 3/case.

01106



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
01106	04902291	Comet disinfecting cleaner	Cs	\$94.61



Clorox® Germicidal Bleach

EPA-registered to kill more organisms than Ultra Clorox Germicidal Bleach, but still safe for food-contact surfaces, with claims on both E. coli and Listeria in addition to Salmonella. Easier to pour, handle and store with ergonomically-enhanced packaging. Size: 121 oz., 3/case.

30966



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
30966	05801969	Clorox germicidal bleach	Ea	\$7.02



Crystal Simple Green® Industrial Cleaner and Degreaser

Powerful, industrial-strength cleaning and degreasing without added color or scent. Non-toxic, non-abrasive, clean-rinsing, biodegradable formula easily cuts through tough grease, oils and built-up grime on all water-safe surfaces including metal, concrete, rubber, synthetic and plastic. NSF registered A1, A2, A4, A8, B1 and C1. VOC compliant and exempt from EPA special handling and personal protection requirements for hazardous materials.



0610001219024

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
0610001219024	05819024	Crystal Simple Green, trigger spray, 12/Cs	24 oz.	Ea	\$8.32
0610000619128	05819128	Crystal Simple Green	1 gal.	Ea	\$21.30
0600000119005	05819005	Crystal Simple Green	5 gal.	Ea	\$91.27
0600000119055	05819055	Crystal Simple Green	55 gal.	Ea	\$702.34



Simple Green Safety Towels

Convenient larger-sized wipes are pre-moistened with Crystal Simple Green®, a powerful industrial-strength cleaner and degreaser that utilizes a safer non-toxic, non-abrasive, clean-rinsing and biodegradable formula. Wipes feature a non-abrasive scouring side for tough scrubbing and a smooth side for a lint-free shine. Provide a quick and easy way to remove grease, oil, wet paint, tar, graphite and other soils from metals, finished wood, tile, concrete, carpets and more. NSF registered: A1, A4, A8, C1. 75 towels/dispenser; 6 dispensers/case.



3810000613351

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
3810000613351	13713351	Simple Green Safety Towels	Ea	\$15.23



Pine-Sol® All-Purpose Cleaner

Cleans and deodorizes floors, countertops, tile, sinks, garbage cans and more. Excellent grease and soil removal. Removes dirt from hard surfaces. Deodorizes with a lemon fresh scent. 144 oz. Makes up to 72 gals. per bottle; 3/case.

35419



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
35419	04935419	Pine-Sol all-purpose cleaner	Cs	\$45.46

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





RAC04650CT

Professional LYSOL® Brand Disinfectant Spray



Kills 99.9% of germs on hard, non-porous surfaces within 30 seconds. Formula is tuberculocidal, virucidal, fungicidal and bactericidal. Effective against MRSA, Norovirus, Rhinovirus, Poliovirus Type 1, Hepatitis A and HIV-1 (AIDS Virus). Prevents odors and growth of damaging mold and mildew. Meets AOAC germicidal spray product test standards for hospital aerosol disinfectants. EPA Registered. NSF Category Code D1. Size: 19 oz.; 12/case.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
RAC04650CT	04900042	LYSOL disinfectant spray	Ea	\$10.74



RAC74278CT

Professional LYSOL® Brand Disinfectant Power Toilet Bowl Cleaner



Thick acid formula dissolves stubborn rust stains and mineral stains, but will not harm plumbing or septic systems. Kills Staph, Pseudomonas, E. coli, Salmonella, HIV-1 (AIDS Virus) and other harmful germs on hard, non-porous surfaces. Wintergreen scent in a no-waste, angle neck bottle. Cleans, disinfects and deodorizes. Size: 32 oz.; 12/case.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
RAC74278CT	04900428	LYSOL disinfectant toilet bowl cleaner	Ea	\$4.64



Spray Bottles and Trigger Sprayers

Plastic spray bottle is ideal to mix and dispense concentrated cleaning products. Bottle is marked with quantity graduations. Durable trigger sprayers handle various jobs. 24/Case.



MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
32	01370032	Spray bottle	32 oz.	Ea	\$1.26
922-9	05882557	Spray trigger	9.5"	Ea	\$1.12



Dawn® Dish Soap

Hand dishwashing liquid for pots, pans and dishes. Fights grease, leaving them squeaky clean. Long-lasting suds helps reduce sink changeover. Size: 38 oz.; 8/case.

45112



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
45112	04900416	Dawn dish soap	Cs	\$63.89



Para Urinal Screen with Deodorizer Block

Para deodorizes consistently for 30 days in any traffic area. 100% Air-activated and will not dissolve in water. Prevents costly drain clogs. Patented non-splash design keeps urine where it belongs. Not for sale in many states. 12/Case.

12-USPB



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
12-USPB	04900442	Para urinal screen w/ deodorizer block	Cs	\$35.74

RCP6112YEL



Folding Floor Sign

Bright yellow plastic sign can be read from 30' away. The 2-sided 25" sign is ideal for doorways and narrow spaces. Fold flat for storage or transport on carts. Includes carrying handle. ANSI and OSHA compliant color and graphics. Measures: 11" W x 12" D x 25" H.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
RCP6112YEL	05881460	Caution (multilingual)	Ea	\$22.91

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Wavebrake® Side-Press Wringer and Bucket Combo

Reduce splashing for safer, easier and more efficient mopping. Lasts 58 times longer than comparative wringers. High-efficiency side-press wringer, tested to exceed 50,000 wringing cycles. Premium tubular steel and structural web molded plastic. Yellow.

7580-88 YEL



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
7580-88 YEL	11506129	Side-press & bucket combo, 35-qt.	Ea	\$125.52



BRUTE® Round Buckets

Heavy-duty, thick wall construction. Features corrosive-resistant bails with comfortable plastic grip and molded-in graduations for accurate measuring. Holds: 14 qts. Measures: 11 1/4" H x 12" dia. 6/Case.

2614-GRA



2614-RED

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
2614-RED	11502614	BRUTE bucket	Red	Ea	\$25.68
2614-GRA	11599612	BRUTE bucket	Gray	Ea	\$25.68



1336

1490



1490



2016C



605

UNI^{SAF} Industrial Dust Mop Head

Constructed with high-grade, 4-ply cotton with a cut-end design. Launder in a mesh bag. Features a keyhole style and half-tie white synthetic backing that dries fast. Handle and frame sold separately. Measures: 36" x 5".

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1336	02430010	Industrial dust mop head	Ea	\$17.18

UNI^{SAF} Clip-On Dust Mop Frame

Zinc-plated, rust-resistant 1/4" wire frame with rounded ends. Accepts clip-on handle (sold separately). Measures: 36" x 5". 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1436	02430011	Clip-on dust mop frame	Ea	\$7.50

UNI^{SAF} Clip-On Dust Mop Handle

Snaps onto the clip-on frames (sold separately) from a standing position. Features 12-gauge zinc-plated steel hardware, 180° swivel head with sliding nylon lock, and 60" L x 15/16" dia. double-lacquered wood handle.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
1490	02430012	Clip-on swivel dust mop handle	Ea	\$15.58

UNI^{SAF} Cut-End Wet Mop Heads

High-quality cotton fiber. Standard 4-ply, natural, white yarn mop head with 1 1/4" polyester headband. Use with clamp-style mop handle (sold separately). 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2016C	11599602	#16 Mop head	Ea	\$4.09
2024C	11599603	#24 Mop head	Ea	\$5.76
2032C	11599605	#32 Mop head	Ea	\$7.53

UNI^{SAF} Mop Handles

Choose from two styles. Easy-loading, lacquered barnwood handle fits mop heads #20 and up. Quick-change, vinyl-covered aluminum handle has hinged side latch with roller adjustment knob. Fits most mop heads.

MFG #	DILLON #	DESCRIPTION	COLOR	SIZES	UOM	PRICE
605	02402013	Barnwood mop handle w/ metal head, 13/16" dia.	Tan	60"	Ea	\$9.99
620	02430008	Vinyl-covered aluminum mop handle, 1 1/2" dia.	Yellow	63"	Ea	\$9.08

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Industrial Brooms

Good for sweeping up heavy to medium debris.
Reinforced with red twine stitches and metal band.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
6122-6	02430005	Warehouse broom, corn/yucca blend, 3 sew/metal band, 10" sweep, 6/Cs	Ea	\$12.82
6120-6C	02400006	Warehouse broom, 3 sew/metal band, 12" sweep, clear handle, 6/Cs	Ea	\$11.64
6118-6	02400011	Black corn broom, 4 sew/metal band, 14" sweep, 6/Cs	Ea	\$25.61

6118-6

6120-6C



Upright Angle Broom

Made of plastic fill with plastic 48" handle. Features 12" angled sweep to access corners, under low cabinets and other hard-to-reach areas. Overall length: 54".

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44305	02544305	Upright angle broom	Ea	\$10.86



Heavy-Duty Warehouse Broom

Upright broom features corn and fiber, 4-sew construction with 1 1/8" dia. handle, 18" trim length and 57" overall length. 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44008	02544008	Warehouse broom	Ea	\$11.89



Light-Duty Industrial Broom

Features 100% corn material with 5-sew construction, 7/8" handle, 15" trim length and 56" overall length. 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44009	02544009	Light-duty industrial broom	Ea	\$12.74



Counter Dusters

Available with natural or plastic fibers. Features 2 1/2" trim length with 8" wood handle. 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
25251	02525251	Black Tampico duster	Ea	\$6.58
25252	02525252	Black polystyrene duster	Ea	\$5.24
44004	02544004	Tri-colored Tampico duster	Ea	\$5.78


25251

25252

44004

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Economy Medium Sweeps

Provides lasting, efficient service at minimal cost. Made from dark gray, polystyrene border with black polypropylene center. Features lacquered hardwood block and 3" trim length. Ideal for general purpose sweeping on semi-smooth surfaces such as wood, smooth concrete, asphalt, and factory and shop floors.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
25234	02525234	18" Economy medium sweep	Ea	\$10.88
25235	02525235	24" Economy medium sweep	Ea	\$15.16

Fine Sweep Brooms

Lacquered hardwood block resists moisture and prevents cracking. Choose from Tampico fill or flagged silver polystyrene with 3" trim length and 24" block size. Ideal for dust and fine dirt on smooth surfaces such as tile, wood, linoleum, marble, ceramic tile and smooth concrete.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
25232	02525232	Tampico fill broom	Ea	\$13.36
42042	02542042	Polystyrene fill broom	Ea	\$18.38

Medium Sweeps

Features lacquered hardwood block and 3" trim length. Ideal for general purpose sweeping on semi-smooth surfaces such as wood, smooth concrete, asphalt, and factory and shop floors.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
42007	02542007	18" Sweep, black Tampico fill	Ea	\$13.87
42008	02542008	24" Sweep, black Tampico fill	Ea	\$19.60
42017	02542017	24" Sweep w/ horsehair border, black Tampico center	Ea	\$23.46
42047	02542047	36" Sweep w/ brace, black Tampico fill	Ea	\$37.65

Garage Brushes

Made from Palmyra fill with lacquered, 24" hardwood block and 4" trim length. Ideal for wet or dry applications. Use for sweeping heavy, caked dirt and debris on rough surfaces such as concrete, garage and factory floors, rough wood, sidewalks, barns and brick surfaces.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
42023	02542023	Garage brush	Ea	\$15.12
25242	02525242	Vortec Pro garage brush	Ea	\$13.57

Floor Squeegees


For fast, efficient cleaning. Features heavy-duty construction, iron handle socket and heavy-duty rubber black blade. Ideal for rough, heavy use. 12/Case.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
45506	02545506	18" Squeegee	Ea	\$30.48
45507	02545507	24" Squeegee	Ea	\$35.28
75202	02575202	36" Squeegee	Ea	\$45.50

Wood Handles

Features clear lacquer finish. Choose from threaded wood tip, tapered or threaded metal tip. 60" Length. Wood tips are ideal for use with floor and garage brushes. Tapered tips are ideal for use with squeegees and street brooms. Threaded metal tips when extra strength is needed. 12/Case.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44018	02544018	Threaded wood tip handle, 15/16" dia.	Ea	\$3.65
44020	02544020	Tapered wood tip handle, 1 1/8" dia.	Ea	\$5.90
44300	02544300	Threaded metal tip handle, 15/16" dia.	Ea	\$5.10

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.



44290



Steel Brace

Heavy-duty steel brace attaches to block with wood screws and wraps around handle. Increases the life of brush by providing extra support for handle and block. Fits all handle sizes. 12/Case.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44290	02544290	Steel brace	Ea	\$4.18



44600

Pro-Flex™ Sweep

Features foam grip handle, flagged gray polystyrene border with stiff black polypropylene center. T-knob construction offers easy assembly without the need for a brace. Unique handle/sweep connector flexes on impact, providing shock absorbency.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44600	05823694	Pro-Flex sweep	Ea	\$36.05

BWK04212



Metal Dust Pan

Made from 20-gauge steel with baked enamel finish. Durable metal dust pan made from a single piece of steel. Measures: 12" W with 2" handle. Black. 12/Case.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
BWK04212	11599617	Metal dust pan	Ea	\$8.21



44561

Fiberglass Handle

Stronger than wood or metal. Features tapered, threaded tip. Measures: 60" in length, 1" dia. 12/Case.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
44561	02544561	Fiberglass handle	Ea	\$16.59



Vikan Dust Pans

Hygienic dust pan has a sharp edge so food particles are efficiently brushed into it. Neck joint is very robust and can withstand strong downward pressure. Made from polypropylene. Measures: 11.4" L x 13.2" W x 3.5" H.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 56602	05853687	Vikan dust pan	Green	Ea	\$17.68
▲ 56603	05853688	Vikan dust pan	Blue	Ea	\$17.68
▲ 56604	05853689	Vikan dust pan	Red	Ea	\$17.68
▲ 56605	05853690	Vikan dust pan	White	Ea	\$17.68
▲ 56606	05853691	Vikan dust pan	Yellow	Ea	\$17.68



2531



Lobby Pro® Dust Pan

Adjustable, vinyl-coated handle grip enhances user comfort. Built-in recess on the back of the pan allows emptying without touching the pan bottom. Yoke-and-handle assembly features larger, quieter hinge pins. Wheels and wear pads on the back of the pan provide long product life. Broom has durable polypropylene bristles that will not stain, discolor or absorb odors. Shaped for easy cleaning. Aids in reaching around corners and under lobby furniture.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2531	11502531	Upright dust pan	6/Pk	\$29.73

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Vikan 24" Combo Push Brooms

Fully color-coded floor broom has two types of bristles to first help loosen stubborn dirt and move heavy debris, and then gather the finer particles. Polypropylene block with polyester soft/stiff bristles. Measures: 24.4" L x 2.8" W x 4.5" H.


MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 31942	05853692	Vikan 24" combo push broom	Green	Ea	\$51.28
▲ 31943	05853693	Vikan 24" combo push broom	Blue	Ea	\$51.28
▲ 31944	05853694	Vikan 24" combo push broom	Red	Ea	\$51.28
▲ 31945	05853695	Vikan 24" combo push broom	White	Ea	\$51.28
▲ 31946	05853696	Vikan 24" combo push broom	Yellow	Ea	\$51.28



Vikan Fiberglass Handles

Standard broom handle can be used with all brooms, squeegees and scrapers. Handle with the attached item should reach to the chin of the user to prevent occupational back injuries. Made of fiberglass and polypropylene. Measures 59.2" in length.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 29382	05853697	Vikan fiberglass handle	Green	Ea	\$34.50
▲ 29383	05853698	Vikan fiberglass handle	Blue	Ea	\$34.50
▲ 29384	05853699	Vikan fiberglass handle	Red	Ea	\$34.50
▲ 29385	05853700	Vikan fiberglass handle	White	Ea	\$34.50
▲ 29386	05853701	Vikan fiberglass handle	Yellow	Ea	\$34.50



Vikan Ultra Hygiene Squeegees

One-piece, single-blade squeegee has an ultra-hygienic design that minimizes areas for water and food soils to collect. Seamless, 1-piece construction is especially effective in areas requiring the highest level of hygiene. Soft and flexible rubber blade is ideal for removing water or food debris from floors and food contact surfaces. Hygienic squeegees are a good foundation for any HACCP or food safety program. Made from polypropylene and rubber. Measures: 23.3" L x 3.4" W x 3.7" H.

MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
▲ 71602	05853702	Vikan ultra squeegee	Green	Ea	\$36.95
▲ 71603	05853703	Vikan ultra squeegee	Blue	Ea	\$36.95
▲ 71604	05853704	Vikan ultra squeegee	Red	Ea	\$36.95
▲ 71605	05853705	Vikan ultra squeegee	White	Ea	\$36.95
▲ 71606	05853706	Vikan ultra squeegee	Yellow	Ea	\$36.95



BRUTE® Round Waste Containers

All-plastic, professional-grade construction will not rust, chip or peel, and resists dents. Feature built-in handles and double-ribbed base for enhanced stability and dragging capacity. Lids sold separately. Certified to NSF Std. #2 and Std. #21. USDA Meat and Poultry Group listed and assists in compliance with HACCP guidelines.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2632GRA	11502632	32-Gal. container	Ea	\$58.16
2643GRA	11502643	44-Gal. container	Ea	\$103.03
2655GRA	11502655	55-Gal. container	Ea	\$118.61
2657-88GRAY	11500348	Dome top for 55-gal. container	Ea	\$132.45



Mud Chucker

Constructed of grease-resistant natural rubber. Recessed step-in area with rubber fingers on the sides and bottom brushes away dirt, grass, snow, salt and debris from the bottom and sides of shoes. Portable or can be made permanent. Measures: 2" x 12" x 15 1/4".



229.2.2X12.4X15.25

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 229.2.2X12.4X15.25	05855764	Mud Chucker	Ea	\$34.78



BRUTE® Dollies

Easy mobility and maneuverability of heavy loads. All-plastic, professional-grade construction resists rust, chipping and denting. Heavy-duty wheels with swivel capabilities, 500-lb. capacity. Holds a 55-gal. drum or plastic containers. Measures: 18 1/4" dia. x 6 5/8" H.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
2640-43	11502640	BRUTE Quiet container dolly	Ea	\$79.01



2640-43

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





BRUTE® Recycling Containers

All-plastic, professional-grade construction will not rust, chip or peel, and resists dents. Can serve as central collection or shipping containers to reduce the amount of handling. Blue with white "Recycle" symbol. 32-Gal. container lids are blue and ordered separately.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ 2632-73	05879542	Recycling container w/out lid	Ea	\$58.16
▲ 1788378	05879540	Paper recycling lid for 32-gal. containers	Ea	\$23.67
▲ 1788376	05809117	Bottle/Can recycling lid for 32-gal. containers	Ea	\$22.67
▲ 1788380	05879539	Single Stream recycling lid for 32-gal. containers	Ea	\$17.96

2632-73



1788378

1788376

1788380

Low-Density Can Liners

Feature star-seal bottom and high-quality blended resin construction for durability and puncture resistance. Individually folded bags dispense one at a time and contain no heavy-metal additives. Industrial strength.



JAG L2432L


MFG #	DILLON #	DESCRIPTION	COLOR	UOM	PRICE
JAG L2432L	04900059	Light duty, 24" x 32", 15 gal., .35 mil	Black	500/Cs	\$44.09
JAG L3036H	04901055	Heavy-duty, 30" x 36", 20 to 30 gal., .65 mil	Black	200/Cs	\$44.03
JAG L3858H	04901056	Heavy-duty, 38" x 58", 60 gal., .70 mil	Black	100/Cs	\$43.07
JAG G3858G	04901020	Super heavy-duty, 38" x 58", 60 gal., 1.3 mil	Granite	100/Cs	\$70.93



BR3340X

High-Density Can Liners

Star seal bottom prevents vacuum at bottom of container that can restrict easy lifting. All resins are 100% recyclable; inks and colorants are heavy metal free. Clear.



MFG #	DILLON #	DESCRIPTION	UOM	PRICE
BR3340X	04900945	Heavy-duty can liner, 33" x 40", 17-micron	250/Cs	\$65.60
BR3860SX	04903860	Super heavy-duty can liner, 38" x 60", 22-micron	150/Cs	\$88.89

Poly-America

Husky Heavy-Duty Can Liners

Made of high-performance polyethylene (HDPE) resin combined with state-of-the-art processing technology for significant strength advantage over thicker bags made from conventional material. 20/Case.



HK42WC020B

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
HK42WC020B	05804971	Heavy-duty can liners	Cs	\$16.93



Heavy-Duty Utility Carts

Perfect for transporting materials, supplies, and heavy loads in almost any environment. Ergonomically designed handle for optimum hand placement and push height improves control and worker safety. Molded-in storage compartments, holsters, hooks and customizable fittings. Easy-access bottom shelf and best-in-class casters, (2) swivel and (2) fixed, to meet the most demanding environments. Black.



452088BLK

MFG #	DILLON #	DESCRIPTION	SIZES	UOM	PRICE
452088BLK	11599613	Plastic utility cart	45 1/4" L x 25 7/8" W x 33 1/4" H	Ea	\$319.82
▲ 450088BLK	11500332	Plastic utility cart	39" L x 17 7/8" W x 33 1/4" H	Ea	\$266.63

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.





Many OSHA standards explicitly require employers to train employees in the safety and health aspects of their jobs. Other OSHA standards make it the employers responsibility to limit certain job assignments to employees who are “certified,” “competent,” or “qualified”- meaning that they have had special previous training, in or out of the workplace. The term “designated” personnel means selected or assigned by the employer or the employers representative as being qualified to perform specific duties. These requirements reflect OSHAs belief that training is an essential part of every employers safety and health program for protecting workers from injuries and illnesses. Many researchers conclude that those who are new on the job have a higher rate of accidents and injuries than more experienced workers. If ignorance of specific job hazards and of proper work practices is even partly to blame for this higher injury rate, then training will help to provide a solution.

Go to www.osha.gov for complete details.

TRAINING

Audio & Visual Programs	236
Hands-On Programs	237



Hazard Communication and GHS Training Program

DVD training program helps comply with employee training requirements specified by OSHA. DVD program covers topics including written hazard communication plan, chemical inventory, final rule provisions, Safety Data Sheets, GHS container labels and more. Complies with Hazard Communication Standard 29 CFR 1910.1200.

Program includes:

- (1) 25-Minute DVD
- (1) Instructor's guide
- (1) HazCom Made Easier handbook
- (1) GHS Pictograms Poster
- (11) GHS Wallet Cards
- (1) Trainer's Tools CD

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ ZTP331	05859350	HazCom & GHS training program	Ea	\$620.60
▲ SHZTP331	05859351	Spanish HazCom & GHS training program	Ea	\$620.60

ZTP331



WHAT IS THE OSHA STANDARD FOR CONTROL OF HAZARDOUS ENERGY SOURCES?

The OSHA standard for The Control of Hazardous Energy (Lockout/Tagout), Title 29 Code of Federal Regulations (CFR) Part 1910.147, addresses the practices and procedures necessary to disable machinery or equipment, thereby preventing the release of hazardous energy while employees perform servicing and maintenance activities. The standard outlines measures for controlling hazardous energies—electrical, mechanical, hydraulic, pneumatic, chemical, thermal, and other energy sources.

In addition, 29 CFR 1910.333 sets forth requirements to protect employees working on electric circuits and equipment. This section requires workers to use safe work practices, including lockout and tagging procedures. These provisions apply when employees are exposed to electrical hazards while working on, near, or with conductors or systems that use electric energy



Lockout/Tagout Safety Training Program


Train, educate and inform employees of proper lockout safety procedures. Provide OSHA-required training for the "control of hazardous energy (lockout/tagout)" under the 29 CFR, Part 1910.147. Program is an overview on the purpose and application of the Lockout/Tagout standard. Includes a video and supporting documents for required lockout/tagout training. Video contains "risk scenarios" with quizzes throughout that refer back to the standard and shows the result from the risk if there is disregard for the lockout/tagout procedure.

Program includes:

- (1) 20-Minute DVD
- (1) Instructor's guide
- (11) Employee handbook
- (1) Trainer tools CD
- (1) Awareness Poster

KTP316

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ KTP316	05859352	LOTO training program DVD, English	Ea	\$620.60
▲ KTP318	05859356	LOTO training program DVD, Spanish	Ea	\$620.60



All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.




Safety Meeting Programs – English DVDs

MARCOM

Provides all the needed information for a comprehensive employee training session. Includes easy-to-use leader's guide, scheduling and attendance forms, employee quizzes and training certificates. DVDs are subtitled, allow course to be played from beginning to end or by section, and are indexed so that sections can be accessed in any order.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ V0002569EM	05834470	Accident Investigation	Ea	\$268.54
▲ V000649EM	05834471	Eye Safety	Ea	\$268.54
▲ V0002609EM	05834473	Fall Protection	Ea	\$268.54
▲ V0002099EM	05834474	First Aid	Ea	\$268.54
▲ V0002069EM	05834475	Dealing w/ Hazardous Spills	Ea	\$268.54
▲ V0000429EM	05834477	Slips, Trips & Falls	Ea	\$268.54
▲ V000WLD9EM	05834478	Welding Safety	Ea	\$268.54
▲ V0001289EM	05888494	Safety Showers & Eyewash	Ea	\$268.54



V0002569EM

Regulatory Compliance Programs - English DVDs

Provides all the needed information for a comprehensive employee training session. Includes easy-to-use leader's guide, scheduling and attendance forms, employee quiz and training certificate. DVDs are subtitled, allow course to be played from beginning to end or by section, and are indexed so that sections can be accessed in any order.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ V0002549EO	05834479	Confined Space Entry	Ea	\$268.54
▲ V000HES9EO	05834480	Hearing Conservation Program	Ea	\$268.54
▲ V0000699EO	05834481	Lockout Tagout	Ea	\$268.54
▲ V0002439EO	05834482	OSHA Recordkeeping for Managers & Supervisors	Ea	\$268.54
▲ V0002579EO	05834483	Personal Protective Equipment	Ea	\$268.54
▲ V0002759EO	05834484	Respiratory Protection & Safety	Ea	\$268.54
▲ V0001659EO	05834485	Hazcom for Industrial Facilities	Ea	\$268.54
▲ V0001549EO	05812052	Introduction to GHS (the Globally Harmonized System)	Ea	\$268.54



V0002549EO

Regulatory Compliance Kit - English DVD

A "must-have" to help you ensure the safety of your workers, keep insurance liability coverage, and avoid hefty fines for breaking compliance. Each kit includes the materials employers need to be compliant with OSHA regulations. Compliance manuals, DVDs, booklets, and other products are easy to use and provide an economical approach to making sure your company conforms to the latest regulations.

Each OSHA Compliance Kit contains:

- Compliance manual with fill-in-the blank written compliance programs
- Training DVD packaged in a 3-ring binder with Instructor's Guide
- (5) Posters
- (30) Employee booklets
- Scheduling and attendance forms
- Quizzes

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ K0001549EO	05899211	Introduction to GHS	Ea	\$383.63



K0001549EO

Safety Games Programs - CDs

The Safety Game is a "Jeopardy"-style, computer-based training game that involves all employees in the training process. Employees are divided into teams that compete to obtain the best score. Trainer acts as the game show host, controlling the game board through the computer (the computer image is projected on a wall or screen in the classroom, or connected to a large monitor). Each game consists of a 20- to 25-question match. Questions are divided into information categories from the game's safety or regulatory compliance topic. Questions can also be revised or replaced so that they conform to your company's specific practices.

MFG #	DILLON #	DESCRIPTION	UOM	PRICE
▲ C000B2Y0EQ	05834488	Bloodborne Pathogens	Ea	\$153.46
▲ C000EYE0EQ	05834489	Eye Care & Safety	Ea	\$153.46
▲ C000LOT0EQ	05834490	Lockout Tagout	Ea	\$153.46



C000EYE0EQ

All items are in stock unless otherwise noted. ▲ Ships directly from manufacturer.

A Abrasive Blasting Respirator Systems	100
Accumulation Centers, drum containment	151
ADA Pads, traffic control	206
AED Defibrillators	174
Air Carts, respiratory	101
Air Conditioners, portable	216
Air Pumps, respiratory	100-101
Aluminized Apparel	36, 43, 65
Anchors, fall protection	117, 121, 125-127
Antiseptics & Repellents	172-173
Apparel	29-52, 108
Aprons & Sleeves	34-35, 69, 107
ARC Flash Protection	3, 37, 40-43, 47-48, 109, 111, 115-117
Area Lighting & Flashlights	142-148

B Back Supports, ergonomics	72
Bacteriostatic Preservative, eyewash	166
Badge Accessories	194
Bags & Cases, equipment	103, 128, 140
Balaclava Hoods & Winter Liners	40-41,
Ball Valve Lockout Devices	196, 198, 202
Bandages, first aid	6, 168-172
Bandanas, Beanies and Liners	51, 181-182, 184
Barricades, Cones & Tapes, traffic	206-207, 210
Bath Tissue & Dispensers	224-226
Batons & Flashlights	142-147
Beam & Roof Anchors, fall protection	117, 125-127
Beanies, apparel	51, 184
Beard and Hair Covers	32-33
Berms, hazardous spill	153
Blankets, welding	111
Bloodborne Pathogen, first aid	169
Blowers, Fans & Heaters, facility	215-217
Blowers, confined space ventilation	133
Boom Anchor, fall protection	121
Booms & Socks, sorbent	157-162
Boot & Shoe Covers, disposable	32
Boots, footwear	78-81
Boot Scrubber	81, 233
Bottled Air Carts, respiratory	101
Brackets & Faceshields, hard hats	16
Breaker Lockouts	197, 199, 201
Buckets, Mops and Brooms, janitorial	229-233
Bump Caps & Hard Hats	17-20
Bump Test, gas detection	136-137
Burn Care & First Aid	168-174
Butt Receptacles	213

C Cabinets, flammable storage	263
Cable Lockouts	5, 197
Calibration, gas	139
Can Liners, waste	234
Cans, flammable safety	150-151
Caps & Hard Hats	17-20
Cap Mount Earmuffs	27-28
Carabiners, fall protection	116-117
Cartridges & Filters, respiratory	86, 97-98
Carts, janitorial	234
Cases, instrument	140
Chain saw safety kit	44

Chemical Resistant	
apparel	35-36
gloves	57-58
Chocks, wheel	209
Cigarette Butt Receptacles	213
Circuit Breaker Lockouts	197, 199, 201
Clamps, grounding	154
Cleaning Wipes, equipment	15, 104
Cleaners & Maintenance, janitorial	226-228
Clothing	
aprons, covers and sleeves	34-35, 69, 107

arc flash and FR	3, 37, 40-43, 47-48, 109, 111, 115-117
bandanas, beanies & liners	51, 181-182, 184
chemical protection	35-36
cleanroom	33, 214
disposable	30-33, 35
flotation	44
hats & shades	51, 180-182
high-visibility	46-52
pants & shirts	49-51
rainwear	3, 36-39
sleeves	34-35, 69, 107
welding	106-111
Coated Gloves	57-60
Coolers, air	216
Coolers & Cups, beverage	179, 223
Cooling Products	176-183
Combination Shower and Eyewash Units	164
Cones & Barricades, traffic	206-207, 210

Confined Space / Ventilation	
instrumentation	136-139
rescue	130-132
shelters & guards	134
training	237
ventilation	133
Containment Systems, hazardous	153
Contamination Control Mats	33, 214
Coveralls	30-31
CPR Assistance, first aid	174
Curtains, welding	111
Cut Resistant Gloves and Sleeves	66-69

D DC Powered Area Lighting	148
Deck Plates and Matting, facility	213-214
Defibrillator, AED	174
Degreasers, janitorial	226-227
Descent Systems, confined space	121, 131
Detectors, gas	136-139
Dispensers	
earplugs	26
eyewear	15
paper products	224-226
soaps	222
wipes	220-221

Dish Soap, janitorial	228
Disinfecting Cleaners, janitorial	226-228

Disposable Products	
apparel	30-33, 35
earplugs	22, 26
gloves	55-56
respirators	84-85, 95-96
Dolly, utility	233
Domes & Mirrors, facility	218
Drain Guards & Plugs	159
Drinking Cups	223
Drinks, electrolyte	176-178
Drivers & Work Gloves	63-64
Drum Storage & Spill Control	151, 153
Detectors & Monitors, gas detection	136-139
Dust Pans, janitorial	232
Dusters, Brooms & Mops	229-233

E Earmuffs	27-28
Earplugs	22-26
banded	24-25
dispensers	26
EBAs, respiratory	102
Electric Heaters, facility	217
Electronic Scoreboards, signs	193
Electrolyte Drinks & Coolers	176-179
Emergency Eyewash & Shower Units	164-166
Emergency Lights	147-148
Encapsulated Suits, chemical protection	35-36

Equipment Bags & Cases	103, 140	Funnels, drum	150-151
Ergonomics		G Gas Cylinders, instrumentation	139
back supports	72	Gas Detection & Instrumentation	
gloves	73-74	cases	140
knee pads	74-76	detectors	136-139
wrist supports	74	calibration	139
Escape Respirators	102	sound monitors	28, 140
Evacuation Map Holders, signs	193	GHS (Globally Harmonized Systems)	190-191
Evaporative Coolers, facility	216	training, GHS	236
EXIT & Evacuation Signs	192-193	Glasses, safety	2, 8-14, 110
Extinguishers, fire	212	Gloves	
Eye, Face & Head Protection		accessories	70
accessories	15	chemical resistant	57-58
eye protection	2, 8-14, 110	cleanroom	33
faceshields and head gear	16-17	cut resistant	66-68
FR headwear	42-43, 110	disposable	2, 55-56
hard hats and caps	17-20	electrical safety	2-3, 65
seasonal	176-184	general purpose & coated	58-60
training	237	hand warmers	70
welding	109-110	heat resistant	65
Eyewash & Showers		high-visibility	52, 58
permanent units	164-165	impact	74-76
portable units	165-166	leather & drivers	61-64
F 5S Communication Boards,	190-191	sleeves	34-35, 69, 107
Face/Eye Wash Units	164-166	welding	106-107
Face, Hair and Shoe Covers	32-33	Goggles	14
Faceshields and Visors	16-17	Graffiti Remover	220
Facility Safety		Grounding and Bonding	154
butt receptacles	213	Group Lock Boxes	198-199
fans & heaters	215-217	Guard Rails, manhole	134
matting	213-214	H Hair, Face and Shoe Covers	32-33
mirrors	218	Hand Cleaners and Wipes	220-223
fire extinguishers	212	Hand Protection	2-3, 33, 52, 54-68, 74-76, 106-107
safety training	237	Hard Hats and Caps	17-20
signs & ID	192	Harnesses, fall protection	114-115, 122-123, 125
Fall Protection		Hasps, lockout/tagout	199-200
anchors	117, 121, 125-127	Hats	17-20, 51, 182, 184
harnesses	114-115, 122-123, 125	Hazardous Storage	
lanyards & lifelines	116, 124, 126	area lighting	147-148
non-slip tapes	215	cabinets	263
Rescue & Descent	121, 126, 128	cans	150-151
SRLs	118-121, 124, 126, 128	containment	153
Fans, Blowers & Heaters, facility	215-217	filter, vent	152
Fence, temporary	207	grounding & bonding devices	154
Filters & Welding Plates	109-110	Hazcom training	236
Fire Blankets	111, 172	Head and Face Protection	
Fire Resistant (FR) Apparel	3, 37, 40-43, 47-48, 109, 111, 115-117	accessories	2, 52, 181-182
Fire Extinguishers	212	Arc flash	43
First Aid / Medical		beanies	51, 184
AEDs	174	brackets and adapters	16-17
bandages & medicinal	170, 172	faceshields and visors	16-17
burn care	168	hats and caps	17-20
kits	168-171	PPE training	237
showers & eyewash units	164-166	sweatbands and shades	180-182
skin care & repellents	173-174	welding helmets	109-110
Fit Testing, respiratory	104	winter liners	183-184
Flags, warning	208	Headlights, flashlights	142-147
Flammable Storage	150-152	Hearing Protection	
Flashlights / Area Lighting		communication	28
area lighting	147-148	disposable	22, 26
flashlights	142-147	earmuffs	27-28
Flotation Devices, survival	44	monitors & detectors	28, 140
Floor Fans	215-216	reusable	23-25
Floor Matting	213-214	training	237
Floor Signs, janitorial	228	Heaters, Fans & Blowers, facility	215-217
Foot Protection		Heat Resistant Gloves & Apparel	37, 40-43, 65
boots	78-81	Heat Stress / Cooling / Seasonal	
disposable shoe covers	32	beanies & doo rags	51, 106
toe & metatarsel guards	81-82	beverage coolers	179
traction devices	82	cooling products	180-183
FR Apparel	3, 37, 40-43, 47-48, 109, 111, 115-117		

electrolyte drinks	176-178
hand warmers	184
jackets	50
work shelters	134
winter liners	183-184
Helmets, welding	109-110
Highway Safety	206-210
High-Visibility Apparel	
gloves	52, 58
hats	51, 182
jackets	50
rainwear	36-38
shirts and pants	49-51
vests	46-48, 51
Hoists & Winches, fall and confined space	121, 130-131
Hoods, arc & respiratory	87-92

I IBC Spill Pallets	153
Ice Traction Devices, footwear	82

ID Signs, Tags, Labels	
electronic signs	193
label and sign makers	186-189
signs and tags	190-194
Impact Resistant Gloves	74-76
Industrial Fans & Coolers, facility	215-216
Industrial First Aid Kits	6, 168-171
Industrial Wipes & Cleaners, janitorial	220-221
Insect Repellent, skin	173
Insoles, footwear	81
Intrinsically Safe Flashlights	143, 146
Instrumentation, detection and monitors	136-139

J Jackets	36-41, 43, 50, 108
rainwear	3, 36-39
welding & FR	41, 108

Janitorial	
hand cleaners & sanitizers	223
mops, brooms & buckets	229-233
paper products	224-226
trash cans & liners	233-234
wiper & towels	220-221

K Kits	
arcflash protection	42
chain saw safety	44
confined space	130
electrical safety	65
first aid	6, 168-171
fit testing	104
highway warning kit	208
lockout/tagout	197, 199
spill	6, 160-162
training	236-237

Knee Pads, ergonomics	72-73
Kneeling Pads, ergonomics	73-74

L Lab Coats	32
Lab Packs, spill control	161
Label and Sign Makers	186-188
Lanterns, flashlights	144, 147
Lanyards	3-4, 116, 194
Leather Gloves	61-64, 106-107
Lens Cleaning, eyewear	15
Level A Suits, chemical protection	35
Lights & Flashlights	142-148

Lockout/Tagout	
kits	197, 199
lockout devices	196, 198-202
padlocks	202-204
tags	191, 193-194, 196
training	236-237

M Magnetic Drain Seals	159
Maintenance Supplies & Cleaners	226-228
Manhole Accessories	134
Mats, floor	213-214
Medicinals, first aid	172
Metatarsal & Toe Guards, foot protection	82
Mirrors, security	218
Mops, Brooms and Buckets	229-233
Multi-Gas Detectors	136-139

N New Products	2-6
NFPA Placards, signs	191
Noise Indicators and Monitors	28, 140
Non-Slip Tapes & Treads, facility	215

O Oily Storage Cans	150
Oil Only Sorbents	156-158
Overhead Boom Anchor, fall protection	121
Oversize Load Banners	210

P Paddle Signs, STOP/SLOW	207
Padlocks, lockout/tagout	202-204
Pads, ADA	206
Pads, sorbent	156-159
Pallets, containment	153
Pants & Shirts	49-51
Paper products, janitorial	224-226
PAPRs, respiratory	87-89, 91-94, 98-100
Particulate Respirators	84-85, 95-96, 112
Permanent Eyewash/showers	164-165
Plug Lockouts	198
Pools, containment	153
Portable Eyewash Units	165-166
Portable Air Coolers, Fans & Heaters	215-217
Portable Lighting & Flashlights	142-148
Posters, lockout/tagout	191
PPE Signs	193
Printers & Tapes, sign maker	186-189

Protective Clothing	
aprons, covers & sleeves	32, 34-35
arc flash and FR	37, 40-43
bandanas, beanies & liners	51, 181-182, 184
chainsaw protection	44
chemical protection	35-36
cleanroom	33, 214
disposable	30-33, 35
flotation	44
hats & shades	51, 180-182
high-visibility	46-52
pants & shirts	49-51
rainwear	3, 36-39
sleeves	34-35, 69, 107
welding	106-111
Protector Cases, instrument	140
Push Button Covers, lockout/tagout	201

R Rainwear	3, 36-39
Rebar Caps	208
Readers, eyewear	10, 13
Recycling Containers	234
Remote Area Lighting & Flashlights	142-148
Repellents & Antiseptics	173
Rescue & Descent	121, 126, 128

Respirators	
accessories & cleaning	102, 104
cartridges and filters	86, 97-98
disposable	84-85, 95-96, 112
EBAs	102
fit testing	104
PAPRs	87-89, 91-94, 98-100

reusable's.....	86, 97-98	Tents, work shelters.....	132
SARs.....	90, 99, 101-102	Toe & Metatarsal Guards, foot protection.....	82
SCBAs.....	103-104	Toilet Seat Covers, janitorial.....	226
training.....	237	Towels	
welding.....	112	cooling.....	181
Retainers, eyewear.....	15	paper products.....	223-225
Retractable Lifelines, fall protection.....	119-121, 124, 126-127	Traction Devices, footwear.....	82
Reusable Earplugs.....	23-25	Trade & Utility Gloves.....	60-62, 74-76
Ribbons & Labels, sign printer.....	186-188	Traffic Control	
Ring Buoys, SOLAS.....	44	ADA pads.....	206
Roadway Safety Triangle Kit.....	208	cones & barricades.....	206-207, 210
Roll-Up Traffic Signs.....	208	fencing & miscellaneous.....	207
Roof & Beam Anchors, fall protection.....	117, 121, 125-127	flashlights/wands.....	142-148
Roof Kits, fall protection.....	117, 126	hi-viz apparel.....	46-52
S		mirrors.....	218
Safety Cans & Cabinets.....	150-152	paddle signs.....	207
Safety Eyewear.....	2, 8-14, 110	spill kits, hazardous.....	6, 160-162
Safety Fence, traffic control.....	207	vehicle first aid kits.....	169
Safety Straps, fall protection.....	117, 127	triangle warning kit.....	208
Safety Wand, flashlights.....	145-146	Training & Services.....	236-237
Sampling Pumps, gas detection.....	138	Trash Cans & Utility Carts.....	233-234
Sand Bags.....	208	Tripods, confined space.....	130-131
Sanitizers, hand.....	222	U	
SARs, respiratory.....	90, 99, 101-102	Universal Sorbents.....	156-158, 162
SCBAs, respiratory.....	103-104	Urinal Supplies, janitorial.....	228
Scoreboards, safety sign.....	193	Utility Carts, janitorial.....	234
SDS Stations.....	191	V	
Security Mirrors, facility.....	218	Valve Lockouts.....	198, 201-202
Shadow Board Signs, 5S.....	190	Vapor Trap Filter, hazardous storage.....	152
Shelter, work tents.....	132	Vehicle First Aid Kits.....	169
Shirts & Pants.....	49-51	Vehicle Spill Kits.....	160
Shoe, Hair and Face Covers.....	32-33	Vehicle Warning Kits.....	208
Showers & Eyewash		Ventilation, confined space.....	133
permanent units.....	164-165	Vests	
portable units.....	165-166	cooling.....	183
training.....	237	flotation.....	44
Sideshields, eyewear.....	15	high-visibility.....	46-48, 51
Signs, Tags & Labels		Visors and Faceshields.....	16-17
lockout / tagout.....	186-194	W	
safety.....	191, 193-194	Waders, footwear.....	81
traffic.....	208	Wall Cases, respirators.....	103
Single-Gas Detectors.....	138-139	Wall Switch Lockouts.....	201
Skin Protection		Wands & Batons, flashlight.....	142-147
first aid.....	173-174	Warning Flags, traffic.....	208
hand cleaners.....	221-223	Waste Containers, janitorial.....	233-234
Sleeves & Aprons.....	34-35, 69, 107	Waterless Cleansers and Wipes.....	220-221
Slip-Resistant Tapes/Treads.....	215	Welding Safety	
Soaps, Dispensers & Wipes, hand.....	220-222	apparel.....	107-108
SOLAS, flotation products.....	44	curtains & blankets.....	111
Sorbents.....	156-162	first aid.....	167
Sound Detectors.....	28, 140	filters & plates.....	109-110
Spray Bottles, janitorial.....	228	gloves.....	106-107
Spray Socks.....	33	helmets.....	109-110
Spill Control & Cleanup		respiratory.....	112
sorbents.....	156-159	training.....	237
spill kits.....	160-162	Wheel Chocks.....	209
Squeegees, janitorial.....	231, 233	Wide Load Banners.....	210
SRLs, fall protection.....	118-121, 124, 126, 128	Winches, rescue and decent.....	130-132
Sterile Bacteriostatic, eyewash.....	166	Window Cleaners, janitorial.....	226
Storage, flammable.....	150-154	Windsocks.....	210
Sunscreen.....	174	Winter Liners, Beanies and Bandanas.....	51, 183-184
Sweatbands.....	180-181	Wipes & Hand Cleaners.....	220-223
Sweeps and Brooms, janitorial.....	229-233	Wound Care, first aid.....	168-174
Switch Lockout Devices.....	201	Work Lights & Flashlights.....	142-148
T		Workplace Training.....	236-237
Tablet Case, equipment.....	140	Work Tents.....	132
Tactical Flashlights.....	142	Work Zone Safety, traffic.....	206-210
Tags, lockout/tagout.....	196	Wringer Buckets, janitorial.....	229
Tapes		Wrist Supports, ergonomics.....	74
barricade.....	209-210		
printer.....	186-189		
Tissue, bath.....	224-226		

MANUFACTURER INDEX

A proud distributor of the following quality manufacturers...



Controlling Terms and Conditions! All purchases and sales of products (the "Products") and services (the "Services") between Buyer and Dillon Supply Company (or any affiliate thereof, "DSC") shall be made pursuant to and on the price terms indicated in DSC's quote and/or order acknowledgment and shall be governed by these Terms and Conditions. These Terms and Conditions and DSC's quote and/or order acknowledgment shall constitute the entire agreement between the parties pertaining to the subject matter hereof, and shall supersede all prior or contemporaneous oral or written negotiations, agreements, understanding or representations with respect thereto. These Terms and Conditions shall supersede any conflicting provision contained in any purchase order of Buyer. Unless otherwise agreed in writing, nothing contained in any purchase order of Buyer shall in any way modify or add any provision to these Terms and Conditions. These Terms and Conditions may not be amended or any provision hereof waived in any way except by an instrument in writing signed by both parties. If DSC's quote is deemed an offer, Buyer agrees that its acceptance of such offer is expressly limited to provisions contained solely in these Terms and Conditions. Buyer's issuance of a purchase order shall solely be deemed to be an acceptance of these Terms and Conditions. If DSC's order acknowledgment is deemed to be an acceptance of Buyer's purchase order, DSC's acceptance of such purchase order is expressly made conditional on Buyer's assent to any additional and different terms contained herein, and failure by Buyer to specifically object to these Terms and Conditions in writing within twenty (20) days of receipt shall constitute an acceptance of these Terms and Conditions.

Prices Prices displayed in all printed catalogs or printed promotional materials are effective as of the date of the publication and are subject to change without notification. Pricing as displayed on the DSC web site is the current price in effect. Prices shown are for product only and do not contain any shipping, handling, sales tax, or other applicable charges. Once an order is accepted by DSC, any cancellation of the order requires DSC authorization and may be subject cancellation charges.

Sales Tax Buyer shall pay, where applicable, any and all such charges, assessments, levies, taxes, value added taxes or other governmental charges of any nature whatsoever now or hereafter imposed by or under the authority of any law, rule or regulation with respect to the Products and Services sold or with respect to the ownership, manufacture, importation, transportation, installation, purchase, sale or use of the Products or Services related thereto, except for income taxes owed by the Seller. For clarity, all prices are exclusive of any of the items set forth in the immediately preceding sentence. In the event Customer provides to DSC a valid sales tax exemption certificate prior to order acceptance, DSC may elect not to collect tax with respect to such order; when placing an order a customer shall indicate any and all items that are tax exempt.

Shipping All products are shipped F.O.B. shipping point with the cost of the shipping and handling paid by DSC and charged to Buyer. Delivery time is not of the essence. Delivery is accomplished when Products are released to the shipping agent. Shipment schedules indicated in Seller's quote and/or order acknowledgment are approximate, and Seller will use commercially reasonable efforts to deliver on the date specified or within a commercially reasonable period thereafter. Seller does not accept liability for any loss arising from delay in delivery. Buyer assumes all responsibility for risk of loss or damage to the Products upon the Products being made available to Buyer's freight agent at Seller's designated manufacturing facility.

Payment Terms Seller shall not be obligated to ship any Products or provide any Services unless Buyer has paid in full all prior invoices in accordance with the terms of payment. For purposes of payment, each order and shipment shall be considered a separate contract and Buyer shall not be entitled to set-off against payments owing any amounts owing or alleged to be owing from Seller to Buyer for adjustments, set-offs or claims hereunder. DSC accepts cash, money orders, Visa, American Express and MasterCard. No cash discounts are allowed for early payment. For customers with established DSC credit, payment terms are net 30 days from date of invoice. If Buyer's credit standing or financial condition becomes unsatisfactory to Seller in its sole discretion, or if Buyer breaches this agreement, Seller reserves the right to (a) require advance payments and /or C.O.D. terms, or (b) withhold shipments of Products or provision of Services in whole or in part, (c) recall goods in transit. Buyer agrees to pay (a) interest on the unpaid portion of any past due invoices at the rate of one and one half (1.5%) percent per month, or the legal maximum allowed interest rate, if less, and (b) all reasonable and necessary costs and expenses incurred by Seller in collecting any amounts due and owing, including but not limited to reasonable attorney's fees and all litigation expenses.

Product Returns/Cancellations Buyer shall inspect and examine all Products upon delivery thereof, and such Products shall be deemed accepted by Buyer unless Seller receives a written notice specifically describing the purported defect or nonconformity within fifteen (15) days of delivery. Failure to provide such written notice within such time period shall be deemed an unqualified acceptance and waiver of any rights to return the Products. Contact your DSC representative for instructions relating to product returns or other claims. Returns require a DSC return goods authorization ("RGA"). Proof of purchase will be required. Returns may be subject to a restocking fee. All requests for an RGA or any other claims relating to material shipped must be made within 30 days from the date of product shipment. Seller shall have the right to cancel or terminate any unfulfilled order or any part thereof in the event Buyer (a) threatens or files a petition for voluntary bankruptcy, (b) is threatened with or has filed against it a petition for involuntary bankruptcy, (c) has appointed on its behalf a receiver or trustee, (d) executes an assignment for the benefits of creditors, or (e) otherwise breaches these Terms and Conditions. For standard, stock items, Buyer may terminate without charge any unfulfilled order at its convenience by written notice to Seller received and processed by Seller prior to shipment. For all other items, Buyer may terminate any unfulfilled order at its convenience by written notice to Seller received and processed by Seller prior to shipment, but Buyer agrees to pay a restocking fee equal to the greater of twenty five percent (25%) of the Product purchase price or Seller's costs and expenses (whether direct or indirect, general or administrative) incurred in performing and preparing to perform this agreement, and terminating the same, up to the full purchase price (e.g., if Seller is unable to return the Product to the manufacturer). If the restocking fee remains due and owing more than thirty (30) days after Seller's notification of the same, Buyer agrees to pay, all costs and expenses of collection, including but not limited to, reasonable attorney's fees. If requested, Seller will inform Buyer whether an order contains standard, stock items only.

Indemnification The customer agrees to defend, indemnify and hold harmless DSC and its affiliates from and against any and all claims or costs, including attorney's fees arising from or related to the customer's use of any products contained herein.

Disclaimer and Limitation of Liability All products contained herein have been manufactured by an unrelated third party and as such are sold by DSC "as is". DSC DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS OF USE FOR A PARTICULAR PURPOSE. DSC SHALL NOT BE LIABLE FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES INCURRED BY THE CUSTOMER OR A THIRD PARTY ARISING OUT OF THE PURCHASE OF THESE PRODUCTS. DSC'S LIABILITY IN ALL SUCH CIRCUMSTANCES SHALL NOT EXCEED THE PURCHASE PRICE PAID FOR THE AFFECTED PRODUCTS IRRESPECTIVE OF THE NATURE OF THE CLAIM.

Additional Notice Brass and Bronze piping products, purchased from Dillon Supply Co., unless specifically identified as being lead free, are not compliant with the 2014 Federal Safe Drinking Water Act. The use of these products in a potable water application constitutes a violation of U. S. A. Public Law 111-380, effective 1-4-2014.

Manufacturer's Warranty Please contact your DSC representative with any questions relating to manufacturers' product warranties.





DILLON SUPPLY

SUPPLYING YOUR SUCCESS SINCE 1914.

As Dillon has continued to grow throughout the years, our goal remains the same — to carry on the tradition of providing you, our customer, with quality industrial and safety products backed with the highest level of customer service. We constantly seek new products and new ways to help you meet the changing conditions of the present and to anticipate the needs of the future.

Dillon Supply continues to put an emphasis on training so that our knowledgeable staff stands ready to respond to your requests, helping you solve problems and finding cost effective solutions to meet the challenges that you face today.

Our central distribution center allows us to quickly replenish the inventories of our local stores as well as provide same day shipment on in-stock items in this catalog. We strive to give our customers the fastest deliveries obtainable.

We hope that we can merit your continued support. Thank you for choosing Dillon for your safety and industrial needs.

OUR PRODUCT OFFERING INCLUDES SAFETY AS WELL AS:



Cutting
Tools



Lubricants
& Cutting Fluid



Storage
& Handling



Power
Tools



Pneumatic
Air Tools



Hand
Tools



Steel & Pipe
Products



Welding



Pipes, Valves
& Fittings



Piping
Tools



Hardware



Shop
Equipment



Ladders
& Storage



Landscaping
Tools



Anchors
& Fasteners



Abrasives



Paint
& Accessories



Measuring
& Precision Tools



Tapes
& Adhesives

3 EASY WAYS TO ORDER:



CALL 1-800-849-3900



WWW.DILLONSUPPLY.COM



CONTACT YOUR LOCAL
SALES REP