



METALS

PRODUCTS & PROCESSING



**Your Premier Metals Supplier
in the Mid-Atlantic Region**

1-800-849-3900 | www.dillonsupply.com

INTRODUCTION

Since 1914, Dillon Supply Company has been providing its customer with quality steel and services throughout the Southeast. Dillon Supply offers a wide range of product mix and sizes covering carbon steel, aluminum, stainless steel and galvanized items within our network of 10 service centers, 2 regional service centers and our dedicated stainless steel and aluminum service center in Laurinburg, NC. Our strategically located processing center will provide our customers with fast service and turnaround times for all your sawing, cutting and plate processing needs.

Dillon Supply will continue to strive to become your one stop premier metal supplier.

PROCESSING SERVICES AND CAPABILITIES

- Burned parts from sheet gauges thickness up to 4" thick.
- Take-offs from actual parts or template to CAD drawings.
- CAD and Nesting software with the ability to draw and upload any CAD adaptable file.
- Shear sheet/plates from 22ga-1/2" thick material.

EQUIPMENT DETAIL

- Messer Cutting System Plate Master – Table size 10' x 25'
- 4 oxy/fuel turbo flame torches capable of cutting 3/8" – 4" thick along with a 260 amp high definition plasma system capable of burning sheet gauges thickness through 1-1/2" thick.
- Our Plasma has a product pierce of 1-1/2" for Carbon Steel, 1-1/4" for Stainless Steel and 1" for Aluminum.

Dillon Supply offers processing for the following material grades:

- Carbon – A36, Floor Plate
- High Strength/low alloy – A572 Gr50, A588, A514
- Abrasion – AR400 and AR500
- Stainless Steel – T304L & T316L
- Aluminum



CARBON STEEL

SHEET/PLATE



COLD ROLLED SHEET

- A-1008 SERIES
Thickness (gauge): 10 - 24
Width (in.): 36 - 60 | Length (in.): 96, 120

HOT ROLLED SHEET/PLATE

- SHEET (A-1001)
Thickness (gauge): 10 - 24
Width (in.): 36 - 60 | Length (in.): 96, 120
- PLATE (A-36)
Thickness (in.): 3/16 - 2
Width (in.): 48 - 96 | Length (in.): 96 - 144
- PLATE (A572-50)
Thickness (in.): 3/8
Width (in.): 60 | Length (in.): 120

HOT ROLLED PICKLED & OILED SHEET/PLATE

- SHEET (A-569)
Thickness (gauge): 11 - 16
Width (in.): 48 | Length (in.): 96
- PLATE (A-786)
Thickness (in.): 3/16 - 3/8
Width (in.): 48, 60 | Length (in.): 96, 120

DIAMOND FLOOR/TREAD PLATE

- HOT ROLLED TREAD PLATE (A-786)
Thickness: 12 ga, 14 ga, 1/8 - 1/2"
Width (in.): 48 - 72 | Length (in.): 96 - 144
- GALVANIZED TREAD PLATE
Thickness (in.): 1/4
Width (in.): 48 | Length (in.): 96

ABRASION RESISTANT

- AR-400
Thickness (in.): 3/16 - 1
Width (in.): 48 - 96 | Length (in.): 96 - 288

GALVANIZED SHEET/PLATE

- A-653 SHEET
Thickness (gauge): 10 - 24
Width (in.): 48, 60 | Length (in.): 96, 120
- PLATE
Thickness (in.): 1/4
Width (in.): 48 | Length (in.): 96

SQUARE



COLD FINISHED SQUARE

- C-1018 SERIES
Width (in.): 1/8 - 3 | Length (ft.): 12

HOT ROLLED SQUARE

- A-36 SERIES
Width (in.): 3/8 - 2-1/2 | Length (ft.): 20

FLAT BAR/ STRIPS



COLD FINISHED FLAT BAR

- C-1018 SERIES
Thickness (in.): 1/8 - 12 | Length (ft.): 12

HOT ROLLED FLAT BAR/STRIP

- FLAT BAR (A-36)
Thickness (in.): 1/4 - 2
Width (in.): 1/2 - 12 | Length (ft.): 20
- STRIPS (A-36)
Thickness (in.): 1/8, 3/16
Width (in.): 1/2 - 6 | Length (ft.): 10, 20

GALVANIZED FLAT BAR

- Thickness (in.): 3/16 - 1/2
Width (in.): 1 - 12 | Length (ft.): 20

ABRASIVE RESISTANT FLAT BAR

- Thickness (in.): 1/4 - 1
Width (in.): 2 - 8 | Length (ft.): 20

ROUND



COLD FINISHED ROUND

- C-1018 SERIES
Diameter (in.): 1/8 - 5 | Length (ft.): 12, 20

COLD FINISHED FREE MACHINING ROUNDS

- 12L14 SERIES
Diameter (in.): 1/4 - 2 | Length (ft.): 12

HOT ROLLED ROUND

- A-36 SERIES
Diameter (in.): 1/4 - 3 | Length (ft.): 20

GALVANIZED ROUND

- Diameter (in.): 3/8 - 3/4 | Length (ft.): 20

ALLOY STEEL ROUND, COLD DRAWN

- C-4140 SERIES
Diameter (in.): 1 - 2 | Length (ft.): 12

TURNED, GROUND & POLISHED ROUND

- C-1045 SERIES
Diameter (in.): 1/2 - 3-15/16 | Length (ft.): 12, 24

PIPE/ROUND TUBING



BLACK PIPE/BOLLARDS, UNTESTED

- PIPE. SCHEDULE 10, A-500
Diameter (in.): 1-1/4 - 2 | Length (ft.): 21
- PIPE. SCHEDULE 40, A-500
Diameter (in.): 1/2 - 12 | Length (ft.): 21
- PIPE. SCHEDULE 40, IRREGULAR
Diameter (in.): 1/2 - 8 | Approx Length (ft.): 20
- BOLLARDS. SCHEDULE 40, A-500
Diameter (in.): 4, 6 | Length (ft.): 7
- BOLLARDS. SCHEDULE 40, PRIMED
Diameter (in.): 4, 6 | Length (ft.): 7

BLACK PIPE, PLAIN END

- SCHEDULE 40, A-53
Diameter (in.): 1/4 - 8 | Length (ft.): 21
- SCHEDULE 80, A-53
Diameter (in.): 3/4 - 6 | Length (ft.): 21

BLACK PIPE, SEAMLESS

- SCHEDULE 80, A-106
Diameter (in.): 1/2 - 2 | Length (ft.): 21

BLACK PIPE, THREADED & COUPLED

- SCHEDULE 40, A-53
Diameter (in.): 1/4 - 8 | Length (ft.): 21

GALVANIZED PIPE, UNTESTED

- SCHEDULE 40
Diameter (in.): 3/4 - 6 | Length (ft.): 21

GALVANIZED PIPE, THREADED & COUPLED

- SCHEDULE 40, A-53
Diameter (in.): 1/2 - 4 | Length (ft.): 21

GALVANIZED TUBING

- Diameter (in.): 1-1/2 - 4
Thickness: .120 - .25 | Length (ft.): 24

WELDED TUBING

- A-513 SERIES
Diameter (in.): 1, 1.5
Thickness: .065, .120 | Length (ft.): 20, 24

SQUARE TUBING



SQUARE TUBING

- A-500 SERIES
Width (in.): 1 - 8
Thickness: 11 ga, 1/8" - 5/16" | Length (ft.): 20 - 40
- A-513 SERIES
Width (in.): 5/8 - 3
Thickness (gauge): 11, 14, 16 | Length (ft.): 20, 24

RECTANGULAR TUBING



RECTANGULAR TUBING

- **A-500 SERIES**
Height (in.): 1 - 6
Width (in.): 2 - 10
Thickness: 11 ga, 1/8" - 1/2" | Length (ft.): 20
- **A-513 SERIES**
Height (in.): 1/2 - 3
Width (in.): 1 - 4
Thickness (gauge): 11 - 16 | Length (ft.): 20

CHANNEL



HOT ROLLED CHANNEL

- **LESS THAN 3" (A-36)**
Base Width (in.): 1 - 2-1/2
Leg Length (in.): 1/2 - 1
Thickness (in.): 1/8, 3/16 | Overall Length (ft.): 20
- **MORE THAN 3" (A-36)**
Base Width (in.): 3 - 15
Est Weight (#): 4.1 - 33.9 | Length (ft.): 20, 40
- **A529-50**
Base Width (in.): 3
Est Weight (#): 3.5 | Length (ft.): 20

GALVANIZED CHANNEL

Base Width (in.): 3 - 10
Est Weight (#): 4.1 - 15.3 | Length (ft.): 20

ANGLE



HOT ROLLED ANGLE

- **BAR A-36 SERIES**
Leg Length A (in.): 1/2 - 2-1/2
Leg Length B (in.): 1/2 - 2-1/2
Thickness (in.): 1/8 - 3/8 | Overall Length (ft.): 20
- **STRUCTURAL A-36 SERIES**
Leg Length A (in.): 3 - 8
Leg Length B (in.): 2 - 8
Thickness (in.): 3/16 - 1/2 | Overall Length (ft.): 20

GALVANIZED STEEL ANGLE

Leg Length A (in.): 1 - 7
Leg Length B (in.): 1 - 6
Thickness (in.): 1/8 - 3/8 | Overall Length (ft.): 20

REBAR



REINFORCING BAR

- **A-615**
Size: #3 - #8
Diameter (in.): 3/8 - 1 | Length (ft.): 20, 40

WIDE FLANGE BEAM



HOT ROLLED WIDE FLANGE BEAM

- **A-992**
Section: W4, W5, W6, W8, W10, W12, W14, W16, W18
Est Weight (#): 9 - 49 | Length (ft.): 20 - 50

GALVANIZED WIDE FLANGE BEAM

Section: W4, W6
Est Weight (#): 9 - 15 | Length (ft.): 20

STANDARD I BEAM



HOT ROLLED STANDARD I BEAM (A-36)

Section: S3, S4, S5, S6, S8
Est Weight (#): 5.7 - 18.4 | Length (ft.): 20, 40

EXPANDED METAL



SHEETS/GRATING (EMMA 557-99)

- **GRATING**
Style: 3#, 4#
- **SHEETS - FLAT**
Opening (in.): 1/4 - 1-1/2
Thickness: #9 - #18
Width (in.): 48 - 72 | Length (in.): 96 - 144
- **SHEETS - RAISED**
Opening (in.): 1/2 - 1-1/2
Thickness: #6 - #16
Width (in.): 48, 60 | Length (in.): 96, 120

GALVANIZED

- **SHEET - FLAT**
Opening (in.): 3/4
Thickness: #9
Width (in.): 48 | Length (in.): 96

BAR GRATING



BLACK BAR GRATING

- **SERRATED**
Bearing Bar (in.): 1x3/16, 1-1/4x3/16
Width (ft.): 3 | Length (ft.): 20
- **NON-SERRATED**
Bearing Bar (in.): 1x1/8 - 1-1/3x3/16
Width (ft.): 2, 3 | Length (ft.): 20

GALVANIZED BAR GRATING

- **SERRATED**
Bearing Bar (in.): 1x3/16 - 1-1/2x3/16
Width (ft.): 3 | Length (ft.): 20
- **NON-SERRATED**
Bearing Bar (in.): 1x1/8 - 1-1/3x3/16
Width (ft.): 2, 3 | Length (ft.): 20

Cutting and Shearing

Shearing and cutting services are available to our customers. We can cut to any size or specification. Dillon Supply band saws are capable of sawing bundles 27" tall by 42" wide. Our plate shears can cut metal plate up to 1/2" thick and 12' long.



STAINLESS STEEL

SHEET/PLATE



SHEET/PLATE

- **SHEET (T304)**
Thickness (gauge): 20 - 26
Width (in.): 48 | Length (in.): 96, 120
- **SHEET (T304L)**
Thickness (gauge): 10 - 18
Width (in.): 48, 60 | Length (in.): 96, 120
- **SHEET (T316L)**
Thickness (gauge): 11 - 18
Width (in.): 48 | Length (in.): 96, 120
- **PLATE (T304L)**
Thickness (in.): 3/16 - 1/2
Width (in.): 48, 60 | Length (in.): 96, 120
- **PLATE (T316L)**
Thickness (in.): 3/16 - 3/8
Width (in.): 48 | Length (in.): 96

POLISHED SHEET

- **T304L SERIES**
Thickness (gauge): 12 - 24
Width (in.): 48, 60 | Length (in.): 96, 120

DIAMOND PLATE

- **T304 SERIES**
Thickness (in.): 3/16, 1/4
Width (in.): 48 | Length (in.): 96

FLAT BAR



FLAT BAR

- **T304 SERIES**
Thickness (in.): 1/8 - 1
Width (in.): 1/2 - 12 | Length (ft.): 12
- **T316 SERIES**
Thickness (in.): 1/8 - 1/2
Width (in.): 1 - 6 | Length (ft.): 12

SQUARE



SQUARE BAR

- **T304L SERIES**
Width (in.): 3/16 - 1-1/2
Length (ft.): 12

ROUND



ROUND BAR

- **T304L SERIES**
Diameter (in.): 1/8 - 2 | Length (ft.): 12
- **T316L SERIES**
Diameter (in.): 3/16 - 1-1/2 | Length (ft.): 12

ANGLE



ANGLE

- **T304 SERIES**
Leg Length A (in.): 3/4 - 4
Leg Length B (in.): 3/4 - 4
Thickness (in.): 1/8 - 3/8 | Overall Length (ft.): 21


CHANNEL



CHANNEL

- **T304 SERIES**
Base Width (in.): 3 - 6
Leg Length (in.): 1.5 - 2
Wall Thickness (in.): 0.18 - 0.25 | Overall Length (ft.): 20

SQUARE TUBING



SQUARE TUBING

- **T304 SERIES**
Width (in.): 3/4 - 4
Thickness (in.): .065 - .250 | Length (ft.): 20

POLISHED SQUARE TUBING

- **T304 SERIES**
Width (in.): 1 - 2
Thickness (in.): .065, .120 | Length (ft.): 20

RECTANGULAR TUBING



RECTANGULAR TUBING

- **T304 SERIES**
Height (in.): 1, 2 | Width (in.): 2 - 4
Thickness: .120 - .250 | Length (ft.): 20

PIPE/ROUND TUBING



PIPE, PLAIN END

- **SCHEDULE 10, T304 SERIES**
Diameter (in.): 2 - 6 | Length (ft.): 20
- **SCHEDULE 40, T304L SERIES**
Diameter (in.): 1/2 - 6 | Length (ft.): 20
- **SCHEDULE 40, T316 SERIES**
Diameter (in.): 1, 1-1/2 | Length (ft.): 20
- **SCHEDULE 80, T304L SERIES**
Diameter (in.): 1/2 - 2 | Length (ft.): 20

EXPANDED METAL



SHEETS/GRATING

- **SHEETS - FLAT, T304 SERIES**
Opening (in.): 1/4 to 1-1/2
Thickness: #9 - #18
Width (in.): 48 | Length (in.): 96
- **SHEETS - RAISED, T304 SERIES**
Opening (in.): 3/4
Thickness: #9
Width (in.): 48 | Length (in.): 96



ALUMINUM

SHEET/PLATE



SHEET/PLATE

- **SHEET (3003-H14)**
Thickness (in.): .032 - .190
Width (in.): 48, 60 | Length (in.): 96, 120
- **SHEET (6061-T6)**
Thickness (in.): .063 - .190
Width (in.): 48 | Length (in.): 96
- **SHEET (5052-H32)**
Thickness (in.): .090
Width (in.): 48, 60 | Length (in.): 96, 120
- **PLATE (3003-H14)**
Thickness (in.): .25
Width (in.): 48, 60 | Length (in.): 96, 120
- **PLATE (6061-T6)**
Thickness (in.): .25 - .50
Width (in.): 48.5 | Length (in.): 96.5, 144.5
- **PLATE (5052-H32)**
Thickness (in.): .25, .50
Width (in.): 48 | Length (in.): 96

TREAD BRITE/PLATE

- **3003-H22 SERIES**
Thickness (in.): .063 - .25
Width (in.): 48, 60 | Length (in.): 96, 120, 144
- **6061-T6 SERIES**
Thickness (in.): .25 - .50
Width (in.): 48 | Length (in.): 96

FLAT BAR



FLAT BAR

- **6061-T6 SERIES**
Thickness (in.): 1/8 - 2
Width (in.): 3/4 - 12 | Length (ft.): 12
- **6063-T52 SERIES**
Thickness (in.): 1/8, 1/4
Width (in.): 1 | Length (ft.): 20

SQUARE



SQUARE BAR

- **6061-T6 SERIES**
Width (in.): 1/2, 3/4, 1, 1-1/2, 2
Length (ft.): 12

ROUND



ROUND BAR

- **6061-T6 SERIES**
Diameter (in.): 1/4 - 2-1/2
Length (ft.): 12


ANGLE



ANGLE

- **6061-T6 SERIES**
Leg Length A (in.): 3/4 - 6
Leg Length B (in.): 3/4 - 4
Thickness (in.): 1/8 - 3/8 | Overall Length (ft.): 25
- **6063-T52 SERIES**
Leg Length A (in.): 1/2 - 2
Leg Length B (in.): 1/2 - 2
Thickness (in.): 1/16, 1/8 | Overall Length (ft.): 16

SQUARE TUBING



SQUARE TUBING

- **6061-T6 SERIES**
Width (in.): 1-1/2 - 4
Thickness (in.): .187 - .250 | Length (ft.): 21-1", 24
- **6063-T52 SERIES**
Width (in.): 1/2 - 5
Thickness (in.): .062 - .250 | Length (ft.): 21-1", 24

RECTANGULAR TUBING



RECTANGULAR TUBING

- **6063-T52 SERIES**
Height (in.): 3/4 - 2
Width (in.): 1-1/2 - 6
Thickness: .062 - .250 | Length (ft.): 21-1", 24

PIPE/ROUND TUBING



PIPE, PLAIN END

- **SCHEDULE 40, 6061-T6 SERIES**
Diameter (in.): 1/2 - 4 | Length (ft.): 20
- **SCHEDULE 40, 6063-T52 SERIES**
Diameter (in.): 1 - 2 | Length (ft.): 20
- **SCHEDULE 80, 6061-T6 SERIES**
Diameter (in.): 1 - 2-1/2 | Length (ft.): 20

STANDARD I BEAM



STANDARD I BEAM

- **6061-T6 SERIES**
Width (in.): 2.66 | Height (in.): 4
Thickness (in.): 0.19 | Overall Length (ft.): 25

CHANNEL




CHANNEL

- **6061-T6 SERIES**
Base Width (in.): 2 - 8 | Leg Length (in.): 1.25 - 3
Wall Thickness (in.): 0.13 - 0.437
Overall Length (ft.): 25

ARCHITECTURAL CHANNEL

- **6061-T6 SERIES**
Base Width (in.): 1 - 2 | Leg Length (in.): 1/2 - 2
Wall Thickness (in.): 1/8, 1/4
Overall Length (ft.): 16, 20

EXPANDED METAL



SHEETS

- **SHEETS - FLAT**
Opening (in.): 1/2, 3/4
Thickness (in.): .051, .081, .125
Width (in.): 48 | Length (in.): 96
- **SHEETS - RAISED**
Opening (in.): 3/4
Thickness (in.): .125
Width (in.): 48 | Length (in.): 96